

**Texas School Survey of Substance Use
Methodology Report
2012**

For the Texas Department of State Health Services

Prepared by
James A. Dyer, Ph.D.
Allison Seibert, M.Ed.
Ashweeta Patnaik, M.P.H.
Pratik Mhatre, Ph.D.

**Public Policy Research Institute
Texas A&M University
College Station, TX 77843-4476**

Table of Contents

INTRODUCTION	1
SURVEY INSTRUMENT.....	2
SURVEY CONTENT	2
SURVEY SAMPLE	3
SELECTION OF DISTRICTS	3
SOLICITING DISTRICT PARTICIPATION	6
PARTICIPATION RATES	6
ALLOCATION OF SURVEYS AMONG DISTRICTS	6
ALLOCATION OF SURVEYS AMONG CLASSROOMS AND CAMPUSES	7
SELECTION OF CLASSROOMS WITHIN CAMPUSES	7
OTHER SAMPLING CONSIDERATIONS.....	8
SURVEY ADMINISTRATION PROCEDURES.....	9
DATA ENTRY AND ANALYSES.....	11
EXAGGERATED RESPONSES.....	11
UNREPORTED GRADE LEVELS	11
QUALITY CONTROL MEASURES	12
WEIGHTS, STANDARD ERRORS, AND CONFIDENCE INTERVALS	13
CONCLUSION.....	14
APPENDIX A - SURVEY INSTRUMENTS	A-1
APPENDIX B - PARTICIPATING DISTRICTS	B-1
APPENDIX C - CLASSROOM SELECTION GUIDELINES	C-1
APPENDIX D - SCHOOL SURVEY ADMINISTRATION	D-1
APPENDIX E - COMPUTATION OF SAMPLE WEIGHTS.....	E-1
APPENDIX F - STANDARD ERROR COMPUTATION	F-1
APPENDIX G - STANDARD ERROR & CONFIDENCE INTERVAL TABLES	G-1

Introduction

The Public Policy Research Institute (PPRI), in conjunction with the Texas Department of State Health Services (DSHS) conducted the thirteenth statewide survey of drug and alcohol use among Texas elementary and secondary students in the spring of 2012. Originally implemented in 1988 as a component of a larger survey assessing substance use among the state's general population, the school survey has since become an ongoing, independent project. District surveys are offered every year with a statewide survey conducted every two years. The 2012 effort provides follow-up data reflecting changes over the past twenty four years in grades four through twelve.

The *Texas School Survey* project has two primary objectives. First, it serves to inform state and local policy-makers about the extent and nature of the substance use problem in Texas schools. Second, the statewide survey provides a standard of comparison for districts conducting local assessments of drug and alcohol use.

The purpose of this document is to describe the methodology used to administer the *2012 Texas School Survey of Substance Use*. Following a brief introduction to the survey instrument itself, attention is then focused on sample selection and survey administration procedures. Next, methods for data processing and quality control are described and the report concludes with a review of standard error estimates.

Survey Instrument

Two versions of the *2012 Texas School Survey of Substance Use* were developed and administered. The first was a six-page questionnaire designed for students in grades seven through twelve. The second was a simplified three-page instrument created for students in grades four through six. The elementary survey differs from the secondary survey in that it has simplified language and some complex questions were omitted. Elementary students were asked about only four types of substances including tobacco (cigarettes, snuff, and chewing tobacco), alcohol (beer, wine, wine coolers, and liquor), inhalants, and marijuana. Secondary students were asked about the same substances, as well as a broader range of illicit drugs including powdered cocaine, crack, hallucinogens, uppers, downers, steroids, ecstasy, Rohypnol, methamphetamine, DXM, and heroin. Other sets of questions on both the elementary and secondary instruments were designed to assess behavioral correlates of substance use and students' perceptions of support available to help them cope with substance-related problems.

Since 1988, PPRI has administered a paper-pencil version of the Texas School Survey. Currently, school districts have the option of using a web-based version of the survey in addition to the traditional paper-pencil version. The web survey is programmed in LimeSurvey, a widely used software application for internet surveys, and hosted on a secure server at Texas A&M University. The paper-pencil questionnaire is in a format that can be scanned optically, similar to that used for standardized testing. Both versions are designed for anonymous self-administration by students with the aid of a staff member to pass out the survey or web survey tokens, read a common set of instructions, monitor the class during survey administration, and collect the instruments or web survey tokens after the survey is completed. The survey instruments are included in Appendix A.

Survey Content

The *Texas School Survey of Substance Use* content was updated in 2012. Both the secondary and elementary instruments include a false drug designed to identify exaggerated responses. In previous versions of the surveys, this drug was called "Shimeron" or "Oxaril". The current versions list this drug as "Damaxil".

Revisions were made to the elementary and secondary survey instruments in 2012. For the elementary survey, the only revision involved changing the false drug from "Oxaril" to "Damaxil". For the secondary survey, revisions included: (1) addition of categories under school athletics (UIL, Varsity, and Junior Varsity), (2) addition of brand and generic names to prescription drugs, (3) addition of categories under seeking help from another adult in school (nurse, teacher, or coach), and (4) addition of question related to students' perception of mandatory drug testing for student athletes. Revisions were made to improve response quality and to capture data related to new use trends. Measures were taken to ensure compatibility with previous survey data.

Survey Sample

The sample of students for the 2012 survey was designed to be a stratified, weighted, random sample of all public school students between the fourth and twelfth grades in the state. In order to make administration practical, students were selected using a multi-stage stratified sampling procedure. This involved sampling districts, schools within districts, and classrooms within districts. All students in a sampled classroom were asked to participate in the survey.

Selection of Districts

The primary analytic cluster was the school district since the approval needed to administer the survey had to be obtained at that level. First, the districts were stratified according to how urban the counties were in which they were located. Stratification along a variable deemed to be highly correlated with the characteristics of interest is a means of increasing the precision of estimates in complex sampling designs. The strata were formed as follows. First, 28 border counties formed a separate border stratum. Of the remaining counties, the most urban stratum consisted of counties with metropolitan populations of 1,000,000 or more; the next stratum containing those between 250,000 and 1,000,000; and the third stratum was made up of those metropolitan areas with less than 250,000. The remainder of the state constituted a final major stratum.

The strata were further subdivided by relative size of the districts, so that each stratum had a combination of large and small districts. Due to their large size relative to other districts, a total of seventeen districts were sampled with a probability of one. This means that these districts are always selected as part of the sample. They formed two of the substrata. The strata are listed in Table 1.

Districts were selected for the state sample from the 11 strata, above, in the following manner. The seventeen districts that formed strata 1-A and 2-A were included with probability one. From each of the remaining strata, excluding the border stratum, a simple random sample of districts was selected. The districts in the border stratum were also selected with probability one in that all districts constituting that stratum were invited to participate. The districts that were selected in this manner are listed in Table 2.

TABLE 1. Distribution of Selected Districts by Urban Class Size

Stratum	Group
1-A	Large Urban Counties- 55,000 < enrollment (probability one districts)
1-B	Large Urban Counties- 20,000 < enrollment < 55,000
1-C	Large Urban Counties- 10,000 < enrollment <20,000
1-D	Large Urban Counties- enrollment <10,000
2-A	Medium Urban Counties- 20,000 < enrollment (probability one districts)
2-B	Medium Urban Counties- enrollment <20,000
3-A	Small Urban Counties- 10,000 < enrollment
3-B	Small Urban Counties- enrollment <10,000
4-A	Non-Urban Counties- 5,000 < enrollment
4-B	Non-Urban Counties- enrollment <5,000
5-A	Border (28 counties)

TABLE 2. State Sample by Strata

Original State Sample (n=301)	Actual State Sample (n=77)
Stratum 1-A: District Name	Stratum 1-A: District Name
ALDINE ISD	ARLINGTON ISD
ARLINGTON ISD	FORT WORTH ISD
CYPRESS-FAIRBANKS ISD	NORTHSIDE ISD
DALLAS ISD	
FORT BEND ISD	
FORT WORTH ISD	
GARLAND ISD	
HOUSTON ISD	
KATY ISD	
NORTH EAST ISD	
NORTHSIDE ISD	
SAN ANTONIO ISD	
Stratum 1-B: District Name	Stratum 1-B: District Name
ALIEF ISD	BIRDVILLE ISD
BIRDVILLE ISD	GRAND PRAIRIE ISD
CARROLLTON-FARMERS BRANCH ISD	KELLER ISD
CONROE ISD	
DENTON ISD	
FRISCO ISD	
GALENA PARK ISD	
GOOSE CREEK CISD	
GRAND PRAIRIE ISD	
HUMBLE ISD	

HURST-EULESS-BEDFORD ISD	
IRVING ISD	
JUDSON ISD	
KELLER ISD	
KLEIN ISD	
LAMAR CISD	
LEWISVILLE ISD	
MANSFIELD ISD	
MCKINNEY ISD	
MESQUITE ISD	
PASADENA ISD	
PLANO ISD	
RICHARDSON ISD	
SPRING BRANCH ISD	
SPRING ISD	
Stratum 1-C: District Name	Stratum 1-C: District Name
ALLEN ISD	DEER PARK ISD
COMAL ISD	EAGLE MT-SAGINAW ISD
CROWLEY ISD	GRAPEVINE-COLLEYVILLE ISD
DEER PARK ISD	ROCKWALL ISD
DUNCANVILLE ISD	
EAGLE MT-SAGINAW ISD	
EDGEWOOD ISD	
GRAPEVINE-COLLEYVILLE ISD	
HARLANDALE ISD	
MAGNOLIA ISD	
NORTHWEST ISD	
ROCKWALL ISD	
SCHERTZ-CIBOLO-UNIVERSAL CITY ISD	
SOUTHWEST ISD	
TOMBALL ISD	
WYLIE ISD	
Stratum 1-D: District Name	Stratum 1-D: District Name
ALVARADO ISD	ALVARADO ISD
ANNA ISD	AZLE ISD
AZLE ISD	GARNER ISD
CARROLL ISD	GODLEY ISD
CELINA ISD	GRANDVIEW ISD
CLEBURNE ISD	KRUM ISD
COMMUNITY ISD	PEASTER ISD
CRANDALL ISD	RIO VISTA ISD
CROSBY ISD	SCURRY-ROSSER ISD
EVERMAN ISD	
FARMERSVILLE ISD	

GARNER ISD	
GODLEY ISD	
GRANDVIEW ISD	
HARDIN ISD	
KAUFMAN ISD	
KRUM ISD	
LACKLAND ISD	
NEW BRAUNFELS ISD	
PEASTER ISD	
PILOT POINT ISD	
RIO VISTA ISD	
ROYAL ISD	
SANGER ISD	
SCURRY-ROSSER ISD	
SEGUIN ISD	
SPRINGTOWN ISD	
SUNNYVALE ISD	
TARKINGTON ISD	
WILLIS ISD	
Stratum 2-A: District Name	Stratum 2-A: District Name
AUSTIN ISD	LEANDER ISD
CORPUS CHRISTI ISD	
LEANDER ISD	
PFLUGERVILLE ISD	
ROUND ROCK ISD	
Stratum 2-B: District Name	Stratum 2-B: District Name
ARANSAS PASS ISD	DRIPPING SPRINGS ISD
BISHOP CISD	HUTTO ISD
COUPLAND ISD	LIBERTY HILL ISD
DEL VALLE ISD	LITTLE CYPRESS-MAURICEVILLE CISD
DRIPPING SPRINGS ISD	
FLOUR BLUFF ISD	
GREGORY-PORTLAND ISD	
HUTTO ISD	
JARRELL ISD	
KOUNTZE ISD	
LIBERTY HILL ISD	
LITTLE CYPRESS-MAURICEVILLE CISD	
LONDON ISD	
MANOR ISD	
MATHIS ISD	
ORANGFIELD ISD	
PORT ARTHUR ISD	
PORT NECHES-GROVES ISD	
SAN MARCOS CISD	

SILSBEE ISD	
TAYLOR ISD	
TULOSO-MIDWAY ISD	
WEST ORANGE-COVE CISD	
WIMBERLEY ISD	
Stratum 3-A: District Name	Stratum 3-A: District Name
ABILENE ISD	ALVIN ISD
ALVIN ISD	
AMARILLO ISD	
BRAZOSPORT ISD	
BRYAN ISD	
CLEAR CREEK ISD	
COLLEGE STATION ISD	
ECTOR COUNTY ISD	
KILLEEN ISD	
LUBBOCK ISD	
MIDLAND ISD	
PEARLAND ISD	
TYLER ISD	
WICHITA FALLS ISD	
Stratum 3-B: District Name	Stratum 3-B: District Name
ANGLETON ISD	ANGLETON ISD
BARTLETT ISD	BARTLETT ISD
CITY VIEW ISD	DAMON ISD
DAMON ISD	DANBURY ISD
DANBURY ISD	DICKINSON ISD
DICKINSON ISD	WINONA ISD
ELECTRA ISD	
EVANT ISD	
FRIENDSWOOD ISD	
GATESVILLE ISD	
GREENWOOD ISD	
HUBBARD ISD	
REDWATER ISD	
ROGERS ISD	
SPRING HILL ISD	
TEMPLE ISD	
WHITEHOUSE ISD	
WINONA ISD	
Stratum 4-A: District Name	Stratum 4-A: District Name
BASTROP ISD	BOERNE ISD
BOERNE ISD	CORSICANA ISD

CORSICANA ISD	GRANBURY ISD
GRANBURY ISD	MIDWAY ISD
HUNTSVILLE ISD	NACOGDOCHES ISD
LUFKIN ISD	
MIDWAY ISD	
MOUNT PLEASANT ISD	
NACOGDOCHES ISD	
PLAINVIEW ISD	
SAN ANGELO ISD	
SHERMAN ISD	
VICTORIA ISD	
WACO ISD	
Stratum 4-B: District Name	Stratum 4-B: District Name
BECKVILLE ISD	BECKVILLE ISD
BEEVILLE ISD	CLARENDON ISD
BLAND ISD	HUNT ISD
BOSQUEVILLE ISD	LATEXO ISD
BRENNHAM ISD	NIXON-SMILEY CISD
BROOKELAND ISD	PAMPA ISD
CENTERVILLE ISD	ROSCOE ISD
CLARENDON ISD	TEXLINE ISD
DILLEY ISD	WOODVILLE ISD
GRAPE CREEK ISD	
HALE CENTER ISD	
HARTS BLUFF ISD	
HUNT ISD	
JASPER ISD	
LATEXO ISD	
LULING ISD	
MALAKOFF ISD	
MEMPHIS ISD	
MILLER GROVE ISD	
NIXON-SMILEY CISD	
PAMPA ISD	
PRAIRIE VALLEY ISD	
REAGAN COUNTY ISD	
RICE ISD	
ROSCOE ISD	
S AND S CISD	
SALTILLO ISD	
SANFORD-FRITCH ISD	
SEALY ISD	
SOUTHLAND ISD	

STAMFORD ISD			
TATUM ISD			
TEXLINE ISD			
THREE WAY ISD			
WELLS ISD			
WOODVILLE ISD			
Stratum 5-A: All ISDs in counties listed (n=107)		Stratum 5-A: District Name	
BREWSTER	LAMAR	BALMORHEA ISD	PHARR-SAN JUAN-ALAMO ISD
BROOKS	LAMB	BENAVIDES ISD	LYFORD CISD
CAMERON	LAMPASAS	CANUTILLO ISD	MARFA ISD
CULBERSON	MAVERICK	CHISUM ISD	MAYPEARL ISD
DIMMIT	PECOS	COTULLA ISD	MCALLEN ISD
DUVAL	PRESIDIO	DONNA ISD	MIDLOTHIAN ISD
EDWARDS	REEVES	EDCOUCH-ELSA ISD	MONTE ALTO ISD
EL PASO	STARR	FREER ISD	POINT ISABEL ISD
ELLIS	TERRELL	FT HANCOCK ISD	PRESIDIO ISD
HIDALGO	UVALDE	HIDALGO ISD	ROMA ISD
HUDSPETH	VAL VERDE	KNIPPA ISD	SAN BENITO CISD
JEFF DAVIS	WEBB	LA FERIA ISD	SAN ELIZARIO ISD
JIM HOGG	WILLACY	LA JOYA ISD	SANTA ROSA ISD
JIM WELLS	ZAPATA	LA VILLA ISD	SHARYLAND ISD
KINNEY	ZAVALA	LAMPASAS ISD	UTOPIA ISD
LA SALLE		LASARA ISD	YSLETA ISD

Soliciting District Participation

Obtaining cooperation from those districts that were randomly selected for the state sample when the selected district did not plan to do a local survey was sometimes a problem. Yet, it was critical to get data from as many of the originally selected districts as possible. Some state sample districts that were initially hesitant were persuaded to cooperate by the use of incentives. The various incentives used included waiving fees for supplemental questions, paying all shipping costs, and discounting campus level analyses fees.

In order to allow further analysis of substance use among students living on the Texas-Mexico border, school districts along the border were strongly encouraged to participate in the 2012 Texas School Survey. The survey was offered free of charge to border districts, and data was collected from a broadly defined 28-county area. The border sample was designed to collect data from approximately 500,000 students. One-hundred and seven school districts from 28 counties were invited to participate in the 2012 survey. Each border district surveyed was included in the state survey sample.

Seventy seven of the original 301 selected districts participated in the study. Most districts declined due to the lack of time and resources involved in survey administration. The selected districts included 3.70 million elementary and secondary students and those that were included in the final sample included 728,948 students. A total of 20 percent of the students in the original sample were in the final sampling frame.

Seventy one of the seventy seven districts sampled submitted both elementary and secondary surveys. Six school districts –La Feria, San Elizario, Pampa, Boerne, Midway and Liberty Hill– did not administer surveys to elementary students.

Allocation of Surveys among Districts

The state survey sample was designed to collect data from a minimum sample of about 5,555 students per grade, however, many districts chose to survey more than the minimum number of students specified in the state sampling plan. Some extremely small districts received somewhat more than a strict proportional allocation because, while the data was technically only needed from one or two students per grade, the survey was administered to the entire classroom. Similarly, in a few extremely large (urban) districts, fewer students were need for accuracy than would result from a true proportional allocation. All surveys submitted from a cooperating district were included in the sample. Accordingly, in the final analyses, the data were weighted to provide an accurate proportional allocation.

Had districts provided data for the minimum number of sample students, the sample would have included approximately 50,000 students; it actually included 47,791 elementary students and 87,293 secondary students (See Table 3). This significantly improves the accuracy of estimates.

TABLE 3. Number of Surveys Included in State Sample

	Total Non-Blank Surveys	Usable Surveys	Number rejected	Percent rejected
Secondary	91,494	87,293	4201	4.6%
Elementary	48,741	47,791	950	1.9%
Total	140,235	135,084	5,151	3.7%

*Surveys were rejected because the responses indicated exaggeration or the survey could not be matched to a sampled school and grade.

Allocation of Surveys among Classrooms and Campuses

Once the number of surveys to be administered in each district was established, the next step was to determine the number of classrooms to be surveyed per grade. This was achieved by dividing the number of questionnaires per grade (ascertained for each district using proportional population calculations) by the average number of students per class---20 for grades four through six, 22 for grades seven through twelve. The result of this computation indicated the total number of classes to be surveyed. For each grade, a list of all classes from all campuses was randomly sampled so that the selected equaled the number required.

TABLE 4. Survey Distribution by Grade

	Grade	Number of Usable Surveys	Percentage
Elementary	Grade 4	14,775	31%
	Grade 5	15,745	33%
	Grade 6	17,271	36%
	Total	47,791	100%
Secondary	Grade 7	16,321	19%
	Grade 8	15,509	18%
	Grade 9	16,512	19%
	Grade 10	13,801	16%
	Grade 11	12,350	14%
	Grade 12	12,800	15%
	Total	87,293	100%

Selection of Classrooms within Campuses

After the total number of classrooms to be surveyed in each grade at each campus was determined, it was necessary to identify specific classrooms. This selection procedure was performed by campus personnel based on a set of guidelines provided by PPRI (illustrated in Appendix C). Members of campus staff were asked to make a list by grade (according to teacher's last name or some other convenient method) of all classes held during a selected class period or subject area. PPRI randomly selected classes from this list until the target numbers per grade level was reached.

Other Sampling Considerations

Some school districts sampled all students in all or some of the grades. In these districts, the methodology outlined above did not apply to the grades sampled at 100 percent.

Survey Administration Procedures

Districts selected for inclusion in the state sample were notified about the project via letter and were sent a packet of recruitment materials. State sample districts that planned to administer a local drug and alcohol survey had virtually no procedural changes resulting from their involvement in the statewide project. In those districts that surveyed grades four through twelve, sufficient data was collected from all relevant campuses to meet the data collection needs of the statewide survey. These districts benefited from their inclusion in the state survey project because they were not charged for the surveys that became part of the state database. The larger number of surveys from these districts was weighted down so that their contribution to the final sample was in correct proportion.

In those instances where state sample districts were collecting local data for an incomplete combination of grades, or where they were not conducting local surveys at all, the campus and classroom selection procedures described above were applied. Arrangements for giving the survey were established on an individual basis with these districts. Since those not doing local surveys did not stand to gain directly from having the survey administered in their district, an effort was made to be as accommodating as possible. PPRI was able to arrange survey administration in the selected schools and classes by school personnel.

Each participating school district had the ability to administer either an online version of the survey via a secure website, or the traditional paper-pencil administration. School districts selected which method of administration they preferred when signing up for the survey. Out of the seventy seven participating districts, fourteen school districts administered the online version of the survey, fifty-eight administered the paper-pencil version, and five school districts used a hybrid design and administered both versions.

Relevant personnel in the selected districts and campuses were provided with complete instructions and materials necessary to administer the survey (see Appendix D). Classrooms were selected randomly by PPRI based on information from a computer printout from the district. Teachers in selected classrooms were given a script to read so that all students would receive a standardized set of instructions. Teachers were also asked to complete a Classroom Identification Form that provided data on the number of students that are currently enrolled in the class. This information was useful for computing error estimates.

An Information Sheet regarding the survey was provided for required dissemination to parents/guardians a minimum of two weeks prior to survey administration. The Information Sheet explained the voluntary nature of the survey and that students may choose to opt out of participation at any time. This form also emphasized that participation is completely anonymous.

Survey administration for the paper-pencil version followed standard *Texas School Survey* procedures. Students received a computer-scannable questionnaire booklet to record their answers to survey questions by filling in corresponding ovals with a number two pencil. Students were instructed to place the questionnaire in a large manila envelope once the survey was completed.

Survey administration for the web version followed the standard *Texas School Survey* procedures with slight modifications due to the variation in mode. Students completed the web survey either in their regular classroom using portable laptop computers, or by taking the survey in the school computer lab. Instead of receiving paper copies of the survey instrument, students in sampled classrooms were provided with unique, randomly generated six digit alpha-numeric codes, referred to as survey tokens. These survey tokens could only be used once and provided access to the online survey via a secure website. To ensure only sampled classrooms completed the online survey, all unused and used survey tokens were collected by the survey administrator when

surveys were completed. Additionally, PPRI limited access to the online survey during the district's scheduled survey administration period.

The envelopes containing either the survey tokens or survey instruments from all participating classrooms were collected and returned to PPRI.

Data Entry and Analyses

As noted earlier, the format of the paper-pencil survey instruments enabled them to be scanned optically. Upon receipt at PPRI, the paper-pencil surveys were logged in, coded and scanned by staff or trained personnel.

Exaggerated Responses

Because the *Texas School Survey* data is based entirely upon respondents' description of their own behavior, it is inevitable that some students will under- or over-report their use of drugs or alcohol, and to the extent possible PPRI attempted to identify and eliminate data from those respondents. Two checks were incorporated into the data analysis program to identify exaggerators. First, both elementary and secondary students were asked about their use of a false drug call "Damaxil". Data from students claiming to have used this substance were considered suspect and dropped from the analyses.

Second, checks were run to identify any students claiming extremely high levels of drug and alcohol use. Unbelievable high substance use for elementary students was defined as the use of five or more substances, 11 or more times in the past school year or over a lifetime. Secondary students were defined as exaggerators based on the following criteria: (1) students reported that they had five or more drinks of two or more beverages every day; (2) students reported that they had consumed three or more alcoholic beverages every day; or (3) students reported that they used four or more drugs (other than cigarettes, alcohol, or steroids) eleven or more times in the past month. As in those cases where students reported using "Damaxil", data from students reporting exaggerated use were also dropped from the analyses.

Unreported Grade Levels

When students failed to report their grade level, it was impossible to determine unequivocally in which grade these students' data should be analyzed. When a grade level was missing, an estimate of the grade was made based on the students' age and the data were retained. Table 4 identifies the range of students' ages and the corresponding grade levels that were assigned. If both grade and age were missing, the data were dropped from the analyses.

TABLE 4. Age-Based Grade Assignments.

Age	Elementary Level	Age	Secondary Level
9	4 th Grade	12	7 th Grade
10	5 th Grade	13	8 th Grade
11	6 th Grade	14	9 th Grade
		15	10 th Grade
		16	11 th Grade
		17 or older	12 th Grade

Quality Control Measures

To ensure the quality of the statewide survey data, a number of internal checks were put into place to guide survey processing. First, a quality control analyst oversaw the implementation of all pre- and post-analysis quality control procedures. As the following paragraphs describe, many aspects of PPRI's plan for quality control were embedded in automated procedures. However, there is no replacement for human oversight. The quality control analyst monitored and tracked the processing of each district's surveys from the initial mailing through the production of the final state report. Responsibilities included ensuring that surveys were properly coded and scanned and checking for anomalies in the final table of results.

In addition to the safeguards resulting from careful project oversight, there were also a number of procedural checks against error. For example, there was a possibility, however remote, that after the bindings of a set of survey instruments were cut, the instruments could be dropped or otherwise placed out of order. If this occurred, it is conceivable that some pages of data could have been read into the incorrect computer record. To resolve this problem, each instrument used in the 2012 survey was printed with a five-digit "litho-code" number. With this coding process, every page of a given instrument is printed with the same scannable number, but a unique number is assigned to every instrument. By using the litho-code, when each page of an instrument is scanned it will automatically be read into the correct computer record. In this way, even if the pages from different instruments were shuffled together and read randomly, all data derived from the same instrument would automatically be read to the same data record.

Programming checks were also incorporated into the data analysis program by cross-analysis. That is, the same data was run in several different ways using existing programs, and program outputs were then compared for consistency. Confidence is high that these quality control features will ensure valid and reliable survey findings.

Weights, Standard Errors, and Confidence Intervals

Weights were applied to each case based on the strata, district, and campus. The weights were applied so that the aggregation of students in each campus, district, and strata reflected their proportions in the actual district, campus, and strata populations. The formulae use to determine these weights are presented in Appendix E.

Standard errors and confidence intervals were estimated for each grade and the aggregation. The formulae used are presented in Appendix F. The table of standard errors and confidence intervals for past year and lifetime use of substances by grades are presented in Appendix G.

Conclusion

The *Texas School Survey* has become a valuable policy tool for both state and local educators and policy-makers. The survey, performed every two years, provides timely and relevant information about current drug and alcohol use patterns among young people enrolled in Texas' public schools. Furthermore, longitudinal analysis can provide insight into changes in drug and alcohol prevalence over time. As was noted in the introduction, every state survey culminates in a Texas Department of State Health Services publication providing an overview of findings to date.

Appendix A

Survey Instruments

1. Are you a:

Boy
☐

Girl
☐

2. What grade are you in?

4
☐

5
☐

6
☐

3. Do you live with both of your parents?

Yes
☐

No
☐

4. How old are you?

8 or
younger
☐

9
☐

10
☐

11
☐

12
☐

13 or
older
☐

5. Are you:

White
☐

African
American
☐

Mexican
American
☐

Asian
American
☐

Native
American
☐

Other
☐

6. What grades do you usually get?
(ONLY CHOOSE ONE)

Mostly
A's
☐

Mostly
B's
☐

Mostly
C's
☐

Mostly
D's
☐

Mostly
F's
☐

7. Have you lived in this town for more than 3 years?

Yes
☐

No
☐

Don't Know
☐

8. Did either of your parents graduate from college?

Yes
☐

No
☐

Don't Know
☐

9. During the current school year, do you qualify for a free or reduced price school lunch?

Yes
☐

No
☐

Don't Know
☐

10. Do one or both of your parents usually attend school-sponsored open houses or PTA meetings?

Yes
☐

No
☐

Below is a list of things some people sniff to get high. These are called inhalants.

11. Have you EVER sniffed any of the following inhalants to get high?
(DARKEN ONE BUBBLE FOR EACH DRUG)

	Never Used	Used
a. Gasoline to get high	<input type="radio"/>	<input type="radio"/>
b. Paint thinner to get high	<input type="radio"/>	<input type="radio"/>
c. Glue to get high	<input type="radio"/>	<input type="radio"/>
d. Whiteout, correction fluid, or magic markers to get high	<input type="radio"/>	<input type="radio"/>
e. Spray paint to get high	<input type="radio"/>	<input type="radio"/>
f. Computer dusting sprays to get high	<input type="radio"/>	<input type="radio"/>
g. Other inhalants to get high	<input type="radio"/>	<input type="radio"/>

The following questions ask about drugs people use.

12. How many times have you used any of these drugs?
(DARKEN ONE BUBBLE FOR EACH DRUG)

	Never heard of it	Never used it	1-2 times	3-10 times	11 or more times
a. Cigarettes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Snuff or Chewing Tobacco?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Beer?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Wine?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Liquor (whiskey, vodka, tequila, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Damaxil?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Inhalants (whiteout, spray paint, glue, gas, etc.) to get high?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Marijuana (pot)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

13. SINCE SCHOOL BEGAN IN THE FALL, how many times have you used:

(DARKEN ONE BUBBLE FOR EACH DRUG)

	Times used since school began in the Fall.				
	Never heard of it	Not used it	1-2 times	3-10 times	11 or more times
a. Cigarettes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Snuff or Chewing Tobacco?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Beer?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Wine?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Liquor (whiskey, vodka, tequila, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Damaxil?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Inhalants (whiteout, spray paint, glue, gas, etc.) to get high?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Marijuana (pot)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

14. How old were you when you first used:

(DARKEN ONE BUBBLE FOR EACH DRUG)

	Never heard of it	Never used it	7 or younger	8 years	9 years	10 years	11 years	12 years or older
a. Cigarettes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Snuff or Chewing Tobacco?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Beer?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Wine?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Liquor (whiskey, vodka, tequila, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Damaxil?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Inhalants (whiteout, spray paint, glue, gas, etc.) to get high?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Marijuana (pot)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

15. About how many of your close friends your age use:

(DARKEN ONE BUBBLE FOR EACH DRUG)

	Never heard of it	None	Some	Most
a. Cigarettes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Snuff or Chewing Tobacco?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Beer?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Wine?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Liquor (whiskey, vodka, tequila, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Damaxil?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Inhalants (whiteout, spray paint, glue, gas, etc.) to get high?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Marijuana (pot)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

16. Has anyone ever tried to give you:

(DARKEN ONE BUBBLE FOR EACH DRUG)

	Never heard of it	Yes	No
a. Cigarettes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Snuff or Chewing Tobacco?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Beer?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Wine?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Liquor (whiskey, vodka, tequila, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Damaxil?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Inhalants (whiteout, spray paint, glue, gas, etc.) to get high?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Marijuana (pot)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

PLEASE GO ON TO THE NEXT PAGE

- | | Don't Drink | Yes | No |
|-------------------------------|-----------------------|-----------------------|-----------------------|
| a. Get it from home | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. Get it from friends | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| c. Get it from somewhere else | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

20. During the past year (12 months), how many times have you had two or more glasses or bottles of these drinks in a row?
(DARKEN ONE BUBBLE FOR EACH DRUG)
- | | Never | 1 time | 2 times | 3 or more times |
|-----------------|-----------------------|-----------------------|-----------------------|-----------------------|
| a. Beer | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. Wine Coolers | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| c. Wine | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| d. Liquor | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

- | | Never heard of it | Very dangerous | Dangerous | Not dangerous at all | Don't Know |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| a. Cigarettes? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. Snuff or Chewing Tobacco? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| c. Beer? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| d. Wine Coolers (hard lemonade, hard sodas, etc.)? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| e. Wine? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| f. Liquor (whiskey, vodka, tequila, etc.)? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| g. Inhalants (whiteout, spray paint, glue, gas, etc.) to get high? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| h. Marijuana (pot)? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

- | | Yes | No |
|-----------------------------|-----------------------|-----------------------|
| a. Your teacher? | <input type="radio"/> | <input type="radio"/> |
| b. A visitor to your class? | <input type="radio"/> | <input type="radio"/> |
| c. An assembly program? | <input type="radio"/> | <input type="radio"/> |
| d. A school counselor? | <input type="radio"/> | <input type="radio"/> |
| e. Someone else at school? | <input type="radio"/> | <input type="radio"/> |

25. How do your parents feel about kids your age using marijuana?
- They don't like it. ☐
- They don't care. ☐
- They think it's O.K. ☐
- I don't know. ☐

[illegible]

A-5

INTRODUCTION

- I am aware that the survey questions I am answering are designed to measure drug and alcohol use in my school district and the state of Texas, that I will be asked questions about student attitudes and behaviors that relate to substance abuse issues, and that over 300,000 students all over Texas will be taking this survey;
- I know that I do not have to take this survey and that I can skip any question that I do not choose to answer for any reason without any consequences;
- I know that there is no way for anyone to find out which survey that I answered, that the numbers on the questionnaire books are used only to identify which pages go together after the booklets are cut and cannot be used to tell who answered the questions; and
- I am voluntarily participating in the *Texas School Survey of Drug and Alcohol Use*.

This research study has been reviewed and approved by the Institutional Review Board — Human Subjects in Research, Texas A&M University. For research-related questions regarding subjects' rights, the Institutional Review Board may be contacted at (979) 459-4067 or irb@tamu.edu.

- DO NOT write your name anywhere on this booklet.
- Use a NUMBER 2 PENCIL only.
- Fill in only ONE BUBBLE for each part of a question.
- Be sure to read each question carefully.

IN THE PAST WEEK, on how many DAYS have you used:

	Never heard of it	Not used it	1-2 days	3-4 days	5-7 days
a. Cigarettes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
b. Smokeless Tobacco	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Beer	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

**FOR OFFICE
USE ONLY**

0	0	0	0	0	0
1	1	1	1	1	1
2	2	2	2	2	2
3	3	3	3	3	3
4	4	4	4	4	4
5	5	5	5	5	5
6	6	6	6	6	6
7	7	7	7	7	7
8	8	8	8	8	8
9	9	9	9	9	9



CORRECT
MARK

INCORRECT
MARKS



SCANTON EM-06506-12:654321

☒ ○

PLEASE DO NOT WRITE IN THIS AREA

SERIAL #

1. Are you:

Male
☐

Female
☐

2. What grade are you in?

7
☐

8
☐

9
☐

10
☐

11
☐

12
☐

3. Do you live with both of your parents?

Yes
☐

No
☐

4. How old are you?

11 or
younger
☐

12
☐

13
☐

14
☐

15
☐

16
☐

17
☐

18
☐

19+
☐

5. Are you:

White
☐

African
American
☐

Mexican
American
☐

Asian
American
☐

Native
American
☐

Other
☐

6. On average what grades do you get?
(DARKEN ONE BUBBLE ONLY)

Mostly
A's
☐

Mostly
B's
☐

Mostly
C's
☐

Mostly
D's
☐

Mostly
F's
☐

7. How long have you attended school in this District?

1
year or less
☐

2-3
years
☐

4 or
more years
☐

8. Do you have a job?

Yes
☐

No
☐

9. Do you get an allowance?

Yes
☐

No
☐

10. Did either of your parents graduate from college?

Yes
☐

No
☐

Don't Know
☐

11. During the current school year, do you qualify
for a free or reduced price school lunch?

☐ Yes

☐ No

☐ Don't Know

12. Do you regularly participate in any of the following
extra-curricular activities? (DARKEN ONE BUBBLE FOR EACH
LINE: a-m.)

Yes No

a. ☐ ☐ School Athletics (UIL, Varsity, Junior Varsity)

b. ☐ ☐ School Band/Orchestra

c. ☐ ☐ School Choir

d. ☐ ☐ Drama, Speech, or Art Clubs

e. ☐ ☐ Drill Team or Cheerleading Squad

f. ☐ ☐ Student Government

g. ☐ ☐ Student Newspaper or Yearbook

h. ☐ ☐ Academic Clubs or Societies (math, science,
foreign language, etc.)

i. ☐ ☐ Academic Competition Groups (UIL, science
bowl, etc.)

j. ☐ ☐ Service Clubs at School (Key Club, Peer
Mediators, PALS)

k. ☐ ☐ Other School Clubs or Student Groups

l. ☐ ☐ Athletic Teams OUTSIDE of School

m. ☐ ☐ Other Clubs or Groups OUTSIDE of School

13. How safe do you feel when you are: (DARKEN ONE BUBBLE FOR EACH LINE: a-c.)					
	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Don't Know
a. in your home	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. out in your neighborhood	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. at school	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
14. How many of your FRIENDS would you say: (DARKEN ONE BUBBLE FOR EACH LINE: a-e.)					
	None	A Few	Some	Most	All
a. Feel close to their parents?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Sometimes carry weapons like a knife or gun?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Care about making good grades?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Belong to a gang or are interested in becoming a gang member?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Wish they could drop out of school?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
15. Do one or both of your parents usually attend school-sponsored open houses or PTA meetings? <input type="radio"/> Yes <input type="radio"/> No					
Below is a list of things some people sniff to get high. They are called INHALANTS.					
16. How recently, if ever, have you sniffed, huffed, or inhaled the following INHALANTS for "kicks" or to get "high": (DARKEN ONE BUBBLE FOR EACH LINE: a-h.)		Never heard of/Never used it	Used at least once in the Past Month	Used at least once Since School Began in the Fall	Used at least once In Your Lifetime
a. Spray paint to get high?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Whiteout, correction fluid, magic markers to get high?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Computer dusting sprays to get high?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Helium, butane, propane, whippets (nitrous oxide), refrigerants/Freon gas to get high?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Glue to get high?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Toluene/tolly, paint thinner, other solvents to get high?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Gasoline, octane booster, carburetor cleaner to get high?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Other aerosols/sprays (deodorant spray, Pam, hair spray, room spray, etc.) to get high?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
17. How recently, if ever, have you used the following TOBACCO, ALCOHOL, and INHALANT products even one time: (DARKEN ONE BUBBLE FOR EACH LINE: a-g.)		Never heard of/Never used it	Used at least once in the Past Month	Used at least once Since School Began in the Fall	Used at least once In Your Lifetime
a. Cigarettes?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Smokeless Tobacco?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Beer?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Wine Coolers (hard lemonade, hard sodas, etc.)?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Wine?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Liquor (vodka, rum, whiskey, etc.)?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Inhalants (whiteout, spray paint, glue, gas, etc.) to get high?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
18. How recently, if ever, have you used the following DRUGS even one time: (DARKEN ONE BUBBLE FOR EACH LINE: a-k.)		Never heard of/Never used it	Used at least once in the Past Month	Used at least once Since School Began in the Fall	Used at least once In Your Lifetime
a. Marijuana?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Cocaine (not crack)?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Crack?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Damaxil?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Hallucinogens (LSD, PCP, Mushrooms, etc.)?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Uppers?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Downers?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Rohypnol (roches, roofies, etc.)?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Steroids?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Ecstasy?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
k. Heroin (black tar, cheese, chiva, brown heroin)?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

SERIAL #



PLEASE DO NOT WRITE IN THIS AREA

19. IN THE PAST 30 DAYS, how many times, if any, have you used:
(DARKEN ONE BUBBLE FOR EACH LINE: a-f.)

	Never heard of/ Not used it	1 - 2 Times	3 - 10 Times	11+ Times
a. Tobacco?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Alcohol?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Inhalants (whiteout, spray paint, glue, gas, etc.) to get high?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Marijuana?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Cocaine (not crack)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Crack?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

20. About how many of your close friends use:
(DARKEN ONE BUBBLE FOR EACH LINE: a-h.)

	Never heard of/ None	A few	Some	Most	All
a. Cigarettes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Smokeless Tobacco?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Beer?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Wine?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Liquor (vodka, rum, whiskey, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Inhalants (whiteout, spray paint, glue, gas, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Marijuana?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

21. If you wanted some, how difficult would it be to get:
(DARKEN ONE BUBBLE FOR EACH LINE: a-r.)

	Never heard of it	Impossible	Very difficult	Somewhat difficult	Somewhat easy	Very easy
a. Cigarettes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Smokeless Tobacco?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Beer?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Wine?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Liquor (vodka, rum, whiskey, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Inhalants (whiteout, spray paint, glue, gas, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Marijuana?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Cocaine (not crack)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Crack?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
k. Damaxil?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
l. Hallucinogens (LSD, PCP, Mushrooms, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
m. Uppers?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
n. Downers?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
o. Rohypnol (roches, roofies, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
p. Steroids?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
q. Ecstasy?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
r. Heroin (black tar, cheese, chiva, brown heroin)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

22. How old were you when you first used:
(DARKEN ONE BUBBLE FOR EACH LINE: a-r.)

	Never used it	9 or younger	10	11	12	13	14	15	16	17	18 or older
a. Cigarettes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Smokeless Tobacco?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Beer?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Wine Coolers (hard lemonade, hard sodas, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Wine?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Liquor (vodka, rum, whiskey, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Inhalants (whiteout, spray paint, glue, gas, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Marijuana?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Cocaine (not crack)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Crack?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
k. Damaxil?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
l. Hallucinogens (LSD, PCP, Mushrooms, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
m. Uppers?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
n. Downers?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
o. Rohypnol (roches, roofies, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
p. Steroids?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
q. Ecstasy?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
r. Heroin (black tar, cheese, chiva, brown heroin)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

○○○○○○○○○○○○○○○○○○○○○○○○○

PLEASE DO NOT WRITE IN THIS AREA

25. IN THE PAST 30 DAYS, on how many days have you had 5 or more drinks of alcohol AT ONE TIME?

a. Alcohol ☐ Never had 5 or more drinks at one time ☐ None ☐ 1 day ☐ 2 days ☐ 3 to 5 days ☐ 6 to 9 days ☐ 10 or more days

10

	Do Not Drink	Never	Seldom	Most of the time	Always
a. At home	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. From friends	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. From a store	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. At parties	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Other source	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

1

27. How often do you use marijuana in the following ways?
(DARKEN ONE BUBBLE FOR EACH LINE: a-e.)

[illegible]

○

10

57

28. How recently, if ever, have you used methamphetamine (speed, crystal meth, ice, or crank) even one time?	Never heard of/Never used it	Used at least once in the Past Month	Used at least once Since School Began in the Fall	Used at least once In Your Lifetime			
a. Methamphetamine (speed, crystal meth, ice, or crank)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
29. How recently, if ever, have you taken the following PRESCRIPTION DRUGS only for the experience or feeling it caused even one time: (DARKEN ONE BUBBLE FOR EACH LINE: a-e.)	Never heard of/Never used it	Used at least once in the Past Month	Used at least once Since School Began in the Fall	Used at least once In Your Lifetime			
a. Codeine cough syrup (Lean, Nods, AC/DC)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
b. OxyContin, Percodan, Percocet, or Oxycodone?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
c. Vicodin, Lortab, Lorcet, or Hydrocodone?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
d. Valium or Diazepam?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
e. Xanax or Alprazolam?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
30. How recently, if ever, have you taken the following OVER-THE-COUNTER DRUGS only for the experience or feeling it caused even one time:	Never heard of/Never used it	Used at least once in the Past Month	Used at least once Since School Began in the Fall	Used at least once In Your Lifetime			
a. DXM, Triple C's, Skittles, or Coricidin?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
31. How dangerous do you think it is for kids your age to use: (DARKEN ONE BUBBLE FOR EACH LINE: a-j.)			Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not Dangerous At All	Don't Know
a. Tobacco?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Alcohol?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Inhalants (whiteout, spray paint, glue, gas, etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Marijuana?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Cocaine (not crack)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Crack?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Ecstasy?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Steroids?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Heroin (black tar, cheese, chiva, brown heroin)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Methamphetamine?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
32. SINCE SCHOOL BEGAN IN THE FALL, on how many DAYS have you... (DARKEN ONE BUBBLE FOR EACH LINE: a-g.)	None	1-3 days	4-9 days	10+ days			
a. missed a whole day of school because you "skipped" or "cut"?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
b. missed a whole day of school because you were ill?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
c. missed a whole day of school for some other reason?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
d. been sent by a teacher to someone like the Principal, Dean, or Guidance Counselor because of your conduct or attitude?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
e. had someone from your home be called to school because of your conduct or attitude?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
f. gotten into trouble with your teachers because of your drinking?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
g. gotten into trouble with your teachers because of your drug use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
33. DURING THE PAST 12 MONTHS, how many times (if any) have you... (DARKEN ONE BUBBLE FOR EACH LINE: a-h.)	None	1-3 times	4-9 times	10+ times			
a. gotten into difficulties of any kind with your friends because of your drinking?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
b. driven a car when you've had a good bit to drink?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
c. been criticized by someone you were dating because of drinking?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
d. gotten into trouble with the police because of drinking?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
e. gotten into difficulties of any kind with your friends because of your drug use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
f. driven a car when you've felt high from drugs?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
g. been criticized by someone you were dating because of drug use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
h. gotten into trouble with the police because of drug use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			

34. SINCE SCHOOL BEGAN IN THE FALL, on how many DAYS (if any) have you attended at least one class while "high," "drunk" or "stoned" on. . . (DARKEN ONE BUBBLE FOR EACH LINE: a-d.)

	None	1-3 days	4-9 days	10+ days
a. beer, wine coolers, wine, or hard liquor?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. marijuana?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. inhalants?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. some other drug(s)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

35. Alcohol or other drugs are sometimes used at teenage parties. Thinking of the parties you attended this school year. . . (DARKEN ONE BUBBLE FOR EACH LINE: a-b.)

	Never	Seldom	Half the time	Most of the time	Always	Don't Know	Didn't attend any parties
a. how often was alcohol used?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. how often were marijuana and/or other drugs used?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

36. SINCE SCHOOL BEGAN IN THE FALL, have you sought help, other than from family or friends, for problems in any way connected with your use (if any) of alcohol, marijuana, or other drugs?

Yes	No
<input type="radio"/>	<input type="radio"/>

37. If you had a drug or alcohol problem and needed help, who would you go to? (DARKEN ONE BUBBLE FOR EACH LINE: a-h.)

	Yes	No
a. A counselor or program in school?	<input type="radio"/>	<input type="radio"/>
b. Another adult in school (such as nurse, teacher, or coach)?	<input type="radio"/>	<input type="radio"/>
c. A counselor or program outside of school?	<input type="radio"/>	<input type="radio"/>
d. Your parents?	<input type="radio"/>	<input type="radio"/>
e. A medical doctor?	<input type="radio"/>	<input type="radio"/>
f. Your friends?	<input type="radio"/>	<input type="radio"/>
g. Another adult (such as relative, clergyman, or other family friend)?	<input type="radio"/>	<input type="radio"/>
h. I wouldn't go to anyone.	<input type="radio"/>	<input type="radio"/>

38. SINCE SCHOOL BEGAN IN THE FALL, have you gotten any information on drugs or alcohol from the following SCHOOL sources? (DARKEN ONE BUBBLE FOR EACH LINE: a-h.)

	Yes	No
a. A school health class?	<input type="radio"/>	<input type="radio"/>
b. An assembly program at school?	<input type="radio"/>	<input type="radio"/>
c. A school guidance counselor?	<input type="radio"/>	<input type="radio"/>
d. A science class?	<input type="radio"/>	<input type="radio"/>
e. A social study class?	<input type="radio"/>	<input type="radio"/>
f. A student group or club meeting at school?	<input type="radio"/>	<input type="radio"/>
g. An invited school guest?	<input type="radio"/>	<input type="radio"/>
h. Another source at school?	<input type="radio"/>	<input type="radio"/>

39. How do your parents feel about kids your age. . . (DARKEN ONE BUBBLE FOR EACH LINE: a-c.)

	Strongly Disapprove	Mildly Disapprove	Neither Approve nor Disapprove	Mildly Approve	Strongly Approve	Don't Know
a. using tobacco?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. drinking alcohol?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. using marijuana?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

40. IN THE PAST SCHOOL YEAR, have you been tested for drug use by someone at school?

Yes	No
<input type="radio"/>	<input type="radio"/>

41. Do you think drug testing should be required for all student athletes?

Yes	No	Don't Know
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Age Group	Percentage
18-24	15
25-34	25
35-44	35
45-54	45
55-64	55
65-74	65
75-84	75
85+	85


SERIAL #
 PLEASE DO NOT WRITE IN THIS AREA

Appendix B

Participating Districts

DISTRICT NAME	DISTRICT ID	STRATA
ALVARADO ISD	126-901	1-D
ALVIN ISD	020-901	3-A
ANGLETON ISD	020-902	3-B
ARLINGTON ISD	220-901	
AZLE ISD	220-915	1-D
BALMORHEA ISD	195-902	5-A
BARTLETT ISD	014-902	3-B
BECKVILLE ISD	183-901	4-B
BENAVIDES ISD	066-901	5-A
BIRDVILLE ISD	220-902	
BOERNE ISD	130-901	4-A
CANUTILLO ISD	071-907	5-A
CHISUM ISD	139-905	5-A
CLARENDON ISD	065-901	4-B
CORSICANA ISD	175-903	4-A
COTULLA ISD	142-901	5-A
DAMON ISD	020-910	3-B
DANBURY ISD	020-904	3-B
DEER PARK ISD	101-908	1-C
DICKINSON ISD	084-901	3-B
DONNA ISD	108-902	5-A
DRIPPING SPRINGS ISD	105-904	2-B
EAGLE MT-SAGINAW ISD	220-918	1-C
EDCOUCH-ELSA ISD	108-903	5-A
FORT WORTH ISD	220-905	
FREER ISD	066-903	5-A
FT HANCOCK ISD	115-901	5-A
GARNER ISD	184-911	1-D
GODLEY ISD	126-911	1-D
GRANBURY ISD	111-901	4-A
GRAND PRAIRIE ISD	057-910	
GRANDVIEW ISD	126-904	1-D
GRAPEVINE-COLLEYVILLE ISD	220-906	1-C
HIDALGO ISD	108-905	5-A
HUNT ISD	133-902	4-B
HUTTO ISD	246-906	2-B
KELLER ISD	220-907	1-B

KNIPPA ISD	232-901	5-A
KRUM ISD	061-905	1-D
LA FERIA ISD	031-905	5-A
LA JOYA ISD	108-912	5-A
LA VILLA ISD	108-914	5-A
LAMPASAS ISD	141-901	5-A
LASARA ISD	245-901	5-A
LATEXO ISD	113-905	4-B
LEANDER ISD	246-913	2-A
LIBERTY HILL ISD	246-908	2-B
LITTLE CYPRESS-MAURICEVILLE CISD	181-908	2-B
LYFORD CISD	245-902	5-A
MARFA ISD	189-901	5-A
MAYPEARL ISD	070-915	5-A
MCALLEN ISD	108-906	5-A
MIDLOTHIAN ISD	070-908	5-A
MIDWAY ISD	161-903	4-A
MONTE ALTO ISD	108-915	5-A
NACOGDOCHES ISD	174-904	4-A
NIXON-SMILEY CISD	089-903	4-B
NORTHSIDE ISD	015-915	1-A
PAMPA ISD	090-904	4-B
PEASTER ISD	184-908	1-D
PHARR-SAN JUAN-ALAMO ISD	108-909	5-A
POINT ISABEL ISD	031-909	5-A
PRESIDIO ISD	189-902	5-A
RIO VISTA ISD	126-907	1-D
ROCKWALL ISD	199-901	1-C
ROMA ISD	214-903	5-A
ROSCOE ISD	177-901	4-B
SAN BENITO CISD	031-912	5-A
SAN ELIZARIO ISD	071-904	5-A
SANTA ROSA ISD	031-914	5-A
SCURRY-ROSSER ISD	129-910	1-D
SHARYLAND ISD	108-911	5-A
TEXLINE ISD	056-902	4-B
UTOPIA ISD	232-904	5-A
WINONA ISD	212-910	3-B
WOODVILLE ISD	229-903	4-B
YSLETA ISD	071-905	5-A

Appendix C

Classroom Selection Guidelines

Texas School Survey of Drug and Alcohol Use *School District Sampling Guide for Survey Administration*

For the Texas School Survey to be administered in your district, PPRI will need to randomly select classes in each of the district's elementary and secondary campuses. Selecting classes from each school will allow us to generate survey results that are representative of the student population within your district. PPRI will need a master list of classes in grades 4-12 across all schools in the district. Instructions for completing this master list are noted below.

Step 1: Receiving Sampling Materials from PPRI

The District Coordinator will receive this guide (*School District Sampling Guide for Survey Administration*) and a Microsoft Excel spreadsheet titled *District Sampling Template*. Please refer to this guide (*School District Sampling Guide for Survey Administration*) when completing the *District Sampling Template*.

Step 2: Completing the District Sampling Template

- Instructions for elementary sampling:

Using the Excel spreadsheet titled *District Sampling Template*, open the 'Elementary' tab and complete the following steps:

1. List all the teachers' names that teach in grades 4, 5 and 6; **remember:** Sixth graders are considered elementary students for the purposes of this survey.
2. List the grade level that each teaches; and
3. List the number of students per class.

- Instructions for secondary sampling:

First, choose *either* a **class period*** (i.e. 1st, 3rd) in which all students are present or a **subject** (i.e. English, Science) in which all students must be enrolled.

*This option is not available for online administration, only subject should be used if online administration is utilized.

Using the Excel spreadsheet titled *District Sampling Template*, open the 'Secondary' tab and complete the following steps:

1. List all teachers for that class period or that subject;
2. List the number of students per grade level in each of those classes.
3. List the class period, regardless of whether class period or subject was selected.

Step 3: Submitting Excel Spreadsheet to PPRI

Please submit the Excel spreadsheet electronically to: txschoolssurvey@ppri.tamu.edu. PPRI will randomly pick entire classes until we reach the target numbers per grade level for the sample. Then, we'll send you the Master List of those classes randomly selected to be surveyed in order for the Parental Notification Letters to be sent home to the parents of students in the selected classes.

Appendix D
School Survey Administration
District Coordinator's Responsibilities
Campus Coordinators' Responsibilities
Teachers' Guide

***Texas School Survey of Drug and Alcohol Abuse
District Coordinator's Responsibilities- Paper-Pencil Administration***

Your school district has elected to participate in the *Texas School Survey of Drug and Alcohol Use*. The survey is sponsored and designed by the Texas Department of State Health Services (DSHS) and is facilitated by the Public Policy Research Institute (PPRI) at Texas A&M University. This guide is designed to help district coordinators administer the Texas School Survey of Drug and Alcohol Use. We have provided important information that will help guide you through the entire process of conducting this survey. *[It is assumed that school districts have already chosen the representative sample of students and fulfilled the Parental Notification Requirement at this point.]*

Step 1: Receiving Shipment from PPRI

When you first receive the shipment of survey materials from PPRI, please be aware that boxes may contain survey materials for multiple campuses or individual campus materials may be distributed in multiple boxes. Please check the exterior of the box for the name of the campuses.

****Please keep original boxes from initial shipment to allow for easy return of materials back to PPRI****

What is included in the shipment?

In the shipment, you will find sets of elementary and secondary classroom envelopes. The **Elementary** survey is administered to grades 4-6 and the **Secondary** survey is administered to grades 7-12. There should be sufficient numbers of classroom envelopes for survey administration. Extra classroom envelopes have been provided, if needed. The shipment will include copies of supporting materials to facilitate survey administration.

****If you need additional classroom envelopes or survey instruments, please contact us *as soon as possible* via telephone (979) 845-1922 or email (txschoolssurvey@ppri.tamu.edu).**

What is included in the classroom

Classroom envelopes will include blank survey forms. There should be sufficient numbers of blank survey forms for survey administration. Survey administrators will use the classroom envelopes to seal the survey instrument forms after administration is complete (see 'Campus Coordinators' Responsibilities' document).

Each individual classroom envelope will contain a copy of the **Survey Administration Guide and Procedure**, in addition to the appropriate number of blank survey instruments. Additional copies of the Survey Administration Guide and Procedure are included in the shipment for distribution among school district personnel. It is very important that all individuals involved with survey administration receive a copy of this document prior to administration.

Step 2: Distributing Materials to Campuses

District Coordinators will receive copies of the Survey Administration Guide and Procedure, Campus Coordinator Responsibilities form, and classroom envelopes with survey instruments from PPRI. These materials need to be distributed to the individual campuses accordingly.

- a) Campus Coordinator Responsibilities Form: District Coordinators should designate Campus Coordinators at each participating school to handle the coordination of the survey at each campus. This person will serve as the liaison between the District Coordinator and the individuals administering the survey in the classrooms. The enclosed Campus Coordinator Responsibilities form is a guide for the Campus Coordinators to follow. In addition, Campus Coordinators should be familiar with the Survey Administration Guide and Procedure document in order to understand how surveys are administered in the classrooms.
- b) Survey Administration Guide and Procedure: The Survey Administration Guide is designed to instruct the individuals who will administer the Texas School Survey at each campus. District Coordinators should distribute a copy to each individual involved in the survey administration approximately one week prior to the scheduled survey administration date so that everyone will have adequate time to read through the information and resolve any questions.
- c) Classroom Envelopes: The classroom envelopes should be labeled with the campus name, teacher name and class period to ensure delivery of survey materials to the appropriate classes. These envelopes should be forwarded to the designated Campus Coordinators prior to the scheduled survey administration date. A list of classrooms being surveyed should be provided to the Campus Coordinators when the survey materials are delivered to the various campuses.

Step 3: Administering Surveys in the Classroom

On the day the survey is to be given, the classroom envelopes should be distributed to each survey administrator (i.e. teacher) by the Campus Coordinator. The individuals administering the survey should have reviewed the Survey Administration Guide and Procedure (described above) prior to

this point and should already be aware of their responsibilities. It is important to ensure that the appropriate envelopes are sent to the corresponding classroom.

For specific details regarding survey administration in the classroom, please consult the Survey Administration Guide and Procedure.

Step 4: Collecting Completed Survey Instruments

After the survey has been administered in each class, teachers will be instructed to seal all used survey forms in the classroom envelopes. It is recommended that teachers do not leave the room with the sealed envelopes. Rather, someone who did not participate in the actual survey administration should be sent around to collect the envelopes.

Please designate a central location where the campus coordinator can forward the classroom envelopes from the participating campuses. All classroom envelopes from each campus should be grouped together and **CLEARLY LABELED** with the campus name. **ALL UNUSED SURVEY FORMS SHOULD BE** returned to PPRI along with the classroom envelopes.

Step 5: Shipping Materials to PPRI

Completed surveys should be returned to PPRI by the end of the school year. Return shipping of completed survey materials will be paid for by *The Texas School Survey*.

District Coordinators should keep the original boxes in which the survey materials and envelopes were shipped in, if possible. If the original boxes were destroyed, please use other boxes as needed. The survey materials should be boxed, and the boxes should be labeled sequentially (i.e., “one of three, two of three,” etc.).

Once you have the materials in boxes ready to be shipped, report via email to *The Texas School Returns* email (txschoolreturns@ppri.tamu.edu) the number of boxes you will be shipping. Pre-paid FedEx shipping labels will then be sent to your district via email.

***Texas School Survey of Drug and Alcohol Abuse
District Coordinator's Responsibilities- Online Administration***

This guide is designed to help school district coordinators administer the **online** version of the Texas School Survey of Drug and Alcohol Use. We have provided important information that will help guide you through the entire process of conducting this survey. *[It is assumed that school districts have already chosen the representative sample of students and fulfilled the Parental Notification Requirement at this point.]*

Step 1: Receiving Shipment from PPRI

When you first receive the shipment of survey materials from PPRI, please be aware that boxes may contain survey materials for multiple campuses or individual campus materials may be distributed in multiple boxes. Please check the exterior of the box for the name of the campuses.

What is included in the shipment?

In the shipment, you will find sets of classroom envelopes. Please make sure there are enough classroom envelopes for survey administration. There should be approximately one envelope per classroom. Secondary (Grades 7–12) envelopes will contain 30 online survey tokens and Elementary (Grades 4-6) envelopes will contain 25 online survey tokens.

If you need additional classroom envelopes or online survey tokens, please contact us ***as soon as possible*** via telephone (979) 845-1922 or email (txschoolssurvey@ppri.tamu.edu).

****Please keep original boxes from initial shipment to allow for easy return of materials back to PPRI****

What is included in the classroom

- All classroom envelopes will be labeled with the campus and teacher name. It is important that the correct classroom envelopes are given to the appropriate classes.
- Classroom envelopes will include unique, randomly generated six digit alpha-numeric codes, referred to as survey tokens. These survey tokens are printed on a small piece of paper and will provide access to the online survey via a secure website. Each survey token can only be utilized once. There should be sufficient numbers of survey tokens based on the classroom enrollment numbers. An example of the online survey token is shown below:

2011 Texas School Survey

ISD Name: **Friendswood 084-911**

Campus Name: **Friendswood High**

Please enter token number when requested.

Token # c01jup

Please give this paper to your teacher after you complete the survey.

- The classroom envelopes will be used to seal the online survey tokens after administration is complete (see ‘Campus Coordinators’ Responsibilities’ document).
- Each individual classroom envelope will contain a copy of the **Survey Administration Guide and Procedure**, in addition to the appropriate number of online survey tokens. Additional copies of the Survey Administration Guide and Procedure are included in this packet for distribution among school district personnel. It is very important that all individuals involved with survey administration receive a copy of this document prior to testing.

Step 2: Distributing Materials to Campuses

District Coordinators will receive copies of the Survey Administration Guide and Procedure, Campus Coordinator Responsibilities form, and classroom envelopes with online survey tokens in the shipment from PPRI. These materials need to be distributed to the individual campuses accordingly.

- a) Campus Coordinator Responsibilities Form: District Coordinators should designate Campus Coordinators at each participating school to handle the coordination of the survey at each campus. This person will serve as the liaison between the District Coordinator and the individuals administering the survey in the classrooms. The enclosed Campus Coordinator Responsibilities form is a guide for the Campus Coordinators to follow. In addition, Campus Coordinators should be familiar with the Survey Administration Guide and Procedure document in order to understand how surveys are administered in the classrooms. For the online survey administration, Campus Coordinators will be instrumental in coordinating survey administration in the campus computer labs.
- b) Survey Administration Guide and Procedure: The Survey Administration Guide is designed to instruct the individuals who will administer the Texas School Survey at each campus. District Coordinators should distribute a copy to each individual involved in the survey administration approximately one week prior to the scheduled survey administration date so that everyone will have adequate time to read through the information and resolve any questions.

- c) Classroom Envelopes: District Coordinators should forward the appropriate classroom envelopes to the designated Campus Coordinators. A list of classrooms being surveyed should be provided to the Campus Coordinators when the survey materials are delivered to the various campuses. Each classroom envelope should have the teacher name and class period written on the classroom envelope to ensure the delivery of survey materials to the appropriate classrooms.

Step 3: Administering Surveys in the Classroom

On the day the survey is to be given, the classroom envelopes should be distributed to each survey administrator (i.e. teacher) by the Campus Coordinator. The individuals administering the survey should have reviewed the *Survey Administration Guide and Procedure* (described above) prior to this point and should already be aware of their responsibilities. It is important to ensure that the appropriate envelopes are sent to the corresponding classroom.

For specific details regarding survey administration in the classroom, please consult the Survey Administration Guide and Procedure in the enclosed packet.

Step 4: Collecting Survey Materials

After the survey has been administered in each class, teachers will be instructed to seal all used and unused survey tokens in the classroom envelopes. It is recommended that teachers do not leave the room with the sealed envelopes. Rather, someone who did not participate in the actual survey administration should be sent around to collect the envelopes.

Please designate a central location where the campus coordinator can forward the classroom envelopes from the participating campuses. All classroom envelopes from each campus should be grouped together and **CLEARLY LABELED** with the campus name. **ALL UNUSED ONLINE SURVEY TOKENS SHOULD BE** returned to PPRI along with the classroom envelopes.

Step 5: Shipping Materials to PPRI

Survey materials should be returned to PPRI by the end of the school year. Return shipping of completed survey materials will be paid for by *The Texas School Survey*.

District Coordinators should keep the original boxes in which the survey materials and envelopes were shipped in. This will allow PPRI to send shipping labels to the district, without District Coordinators having to weigh each box. The survey materials should be boxed, and the boxes should be labeled sequentially (i.e., “one of three, two of three,” etc.). Once you have the materials in boxes ready to be shipped, report via email to *The Texas School Returns* email (txschoolreturns@ppri.tamu.edu) the number of boxes you will be shipping. Pre-paid FedEx shipping labels will then be sent to your district via email.

*Texas School Survey of Drug and Alcohol Use
Campus Coordinators' Responsibilities- Paper-Pencil Administration*

1. Distribution of the Guide to Survey Administration

Each Campus Coordinator will receive copies of the Survey Administration Guide and Procedure from the District Coordinator. The Guide should be distributed to all survey administrators approximately one week prior to the scheduled administration date so that everyone will have adequate time to read through the information and resolve any questions.

2. Distribution of Survey Instruments to Classes

The District Coordinator will send to each participating campus the appropriate number of survey instruments in a large envelope. Please do **not** seal the envelopes.

On the day the survey is to be given, envelopes filled with the survey instruments should be distributed to each survey administrator according to the campus and teacher name listed on the classroom envelope. The individuals administering the survey should have reviewed the *Survey Administration Guide and Procedure* (described above) prior to this point and should already be aware of their responsibilities.

3. Collecting Completed Survey Instruments

After the survey has been administered in each class, teachers will be instructed to seal the completed survey forms in the envelopes. Unused blank forms should be kept together **OUTSIDE THE ENVELOPE**. It is recommended that teachers not leave the room with the sealed envelopes. Rather, someone who did not participate in the actual survey administration should be sent around to collect the envelopes.

Once envelopes have been collected from every classroom, they should be forwarded to the location designated by the District Survey Coordinator where they will be collected and returned to PPRI in a **single mailing**.

Thank you very much for your assistance with this important research project.

Texas School Survey of Drug and Alcohol Use
Campus Coordinators' Responsibilities- Online Administration

1. Distribution of the Guide to Survey Administration

Each Campus Coordinator will receive copies of the Survey Administration Guide and Procedure from the District Coordinator. The Guide should be distributed to all survey administrators approximately one week prior to the scheduled administration date so that everyone will have adequate time to read through the information and resolve any questions.

2. Distribution of Survey Tokens and Envelopes to Classes

The District Coordinator will send to each participating campus the appropriate number of large classroom envelopes. Inside each classroom envelope, there will be a small piece of paper for each student in the classroom with a random number. These survey tokens are unique numbers that each student will need to log in to the online survey. When the materials arrive, Campus Coordinators should label each envelope to indicate which class it is along with **the campus name**. Do **not** seal the envelopes.

On the day the survey is to be given, envelopes filled with the online survey tokens should be distributed to each survey administrator. The individuals administering the survey should have reviewed the *Survey Administration Guide and Procedure* (described above) prior to this point and should already be aware of their responsibilities.

3. Collecting the Survey Tokens and Envelopes

After the survey has been administered in each class, teachers will be instructed to seal all used and unused survey tokens in the envelopes. It is recommended that teachers not leave the room with the sealed envelopes. Rather, someone who did not participate in the actual survey administration should be sent around to collect the envelopes.

Once envelopes have been collected from every classroom, they should be forwarded to the location designated by the District Survey Coordinator where they will be collected and returned to PPRI in a **single mailing**.

Thank you very much for your assistance with this important research project.

Texas School Survey of Drug and Alcohol Use
Survey Administration Guide- Paper-Pencil Administration

Your school district has elected to participate in the *Texas School Survey of Drug and Alcohol Use*. The survey is sponsored and designed by the Texas Department of State Health Services (DSHS) and is facilitated by the Public Policy Research Institute (PPRI) at Texas A&M University. The district needs your assistance in administering the survey. PPRI has prepared this Survey Administration Guide to provide information and instructions for conducting the survey project.

- Your classroom envelope should contain blank surveys and an attached Classroom Identification form to be filled out during survey administration. You will find this Classroom Identification Form attached as a **label** to your classroom envelope. It is very important that you write the **campus name** and **number of students enrolled** on this label.
- Please read all instructions carefully before administering the survey. It is important that these procedures are followed so that administration of the survey is uniform throughout the district.
- Your attitude towards this survey is extremely important. If students sense the importance of this information, they will take the survey more seriously. Please stress to the students that their responses are **entirely anonymous**.
- In addition, your physical position in the classroom may influence the way students answer questions. While students are taking the survey, do not walk around the room. Please sit or stand in a part of the room away from students.
- Try to keep students as quiet as possible throughout survey administration. If students are allowed to talk about the contents of the survey or their own experiences, peer influence could cause students to either inflate or under-report their own drug and alcohol habits.
- The survey should take approximately 30-45 minutes to administer.
- To maintain student confidentiality, **do not view completed survey instruments**.
- Students must use a #2 pencil. Be prepared to provide pencils to students who may not have one. Surveys completed in pen or marker will not be processed.

Thank you very much for your assistance with this important research project.

Texas School Survey of Drug and Alcohol Use
Survey Administration Procedure- Paper-Pencil Administration

1.) Before handing out surveys, please tell students the following:

“This survey is for the Public Policy Research Institute at Texas A&M University. Survey results will be used for evaluating and planning substance abuse programs for our school district. No student is required to participate in this survey. This survey will ask questions about your experiences with drugs and alcohol. Do not turn the pages or begin answering questions until we have gone over the survey instructions.”

2.) Make sure all students have a #2 pencil to complete the survey. Hand out the surveys and please tell students the following:

“I cannot answer questions about specific substances or tell you what questions mean. If you are not familiar with a substance listed on the survey, mark the category “Never heard of it.”

3.) Go over the instructions on the attached survey form, using either the elementary or secondary form as appropriate. Be sure to read aloud the Introduction, Directions, and Example Question.

4.) Please emphasize the following points to the students:

****This survey is completely voluntary.**

****No one will know how individual students answer questions.**

****If you do not feel comfortable answering a question or feel you cannot answer a question honestly, leave it blank.**

****A drink means a can or bottle of beer or wine cooler, a 4 ounce glass of wine, a shot of liquor, or a mixed drink.**

5.) If students refuse to take the survey, have them work quietly at their seat or send them to an area designated by your campus coordinator.

6.) Collect all completed surveys and place in envelope. Please do not view completed surveys instruments. **Fill out the attached Classroom Identification Form.** PLEASE DO NOT PUT UNUSED SURVEYS IN THE ENVELOPE. Seal the envelope.

7.) Return classroom envelope and unused surveys to your campus coordinator.

Thank you very much for your assistance with this important research project.

***Texas School Survey of Drug and Alcohol Use
Survey Administration Guide- Online Administration***

Your school district has elected to participate in the *Texas School Survey of Drug and Alcohol Use*. The survey is sponsored and designed by the Texas Department of State Health Services (DSHS) and is facilitated by the Public Policy Research Institute (PPRI) at Texas A&M University. The district needs your assistance in administering the survey. PPRI has prepared this Survey Administration Guide to provide information and instructions for conducting the survey project.

- Your classroom envelope should contain a small piece of paper for each student with a number, which is an online survey token. The survey tokens are unique numbers that each student will need to log in to the online survey.
- You will also find a label on the front of your classroom envelope titled ‘Classroom Identification form’. This form will need to be filled out during survey administration. It is very important that you write the **campus name** and **number of students enrolled** on this label.
- Please read all instructions carefully before administering the survey. It is important that these procedures are followed so that administration of the survey is uniform throughout the district.
- Your attitude towards this survey is extremely important. If students sense the importance of this information, they will take the survey more seriously. Please stress to the students that their responses are **entirely anonymous**. The tokens are completely random and there is no way to know which student responded to a particular survey.
- In addition, your physical position in the classroom may influence the way students answer questions. While students are taking the survey, do not walk around the room. Please sit or stand in a part of the room away from students.
- Try to keep students as quiet as possible throughout survey administration. If students are allowed to talk about the contents of the survey or their own experiences, peer influence could cause students to either inflate or under-report their own drug and alcohol habits.
- The survey should take approximately 30-45 minutes to administer.

Thank you very much for your assistance with this important research project.

Texas School Survey of Drug and Alcohol Use
Survey Administration Procedure- Online Administration

1.) Have all participating students enter the following address into their web browser:

For grades 4-6: <http://txss.tamu.edu/4-6/>

For grades 7-12: <http://txss.tamu.edu/7-12/>

(After this step is complete, students need to click on the button on the center of the web page to be directed to the main survey page)

2.) Before handing out the online survey tokens, please tell students the following:

“This survey is for the Public Policy Research Institute at Texas A&M University. Survey results will be used for evaluating and planning substance abuse programs for our school district. No student is required to participate in this survey. Please do not begin answering questions until we have gone over the survey instructions.”

3.) Hand out the online survey tokens and please tell students the following:

- This is a survey that measures tobacco, drug, and alcohol use and other information relating to tobacco, alcohol, inhalant, and drug use;
- This survey is being given to as many as 300,000 students in the state of Texas;
- There is no way for anyone to know how you respond to the questions;
- You can skip any questions or not take the survey at all if you do not want to. There is no penalty if you skip questions or leave the survey blank;
- On the survey, a drink means a can or bottle of beer or wine cooler, a 4 ounce glass of wine, a shot of liquor, or a mixed drink;
- I cannot answer questions about specific substances or tell you what questions mean;
- If you are not familiar with a substance listed, mark the category “Never heard of it.”
- **At the end of the survey, please make sure you click the ‘Submit’ button**

If you feel you need to talk with someone about problems with tobacco, inhalants, alcohol, or drugs, counselors from the Worker's Assistant Program of Texas are available by calling this toll free number: 1-877-9-NO-DRUG (1-877-966-3784).

This study has been reviewed and approved by the Institutional Review Board - Human Subjects in Research, Texas A&M University. For research-related questions regarding subjects' rights, the Institutional Review Board may be contacted at (979) 458-4067 or irb@tamu.edu.

6.) Tell the students to type the number on their paper in the token box and click ‘ENTER’. The students will then need to read the instructions and click ‘NEXT’ to proceed to survey questions.

7.) If students refuse to take the survey, have them work quietly at their seat or send them to an area designated by your campus coordinator.

8.) Collect all papers with the survey tokens and place in envelope. **Please fill out the attached Classroom Identification Form.** Seal the envelope and return it to your campus coordinator.

Appendix E

Computation of Sample Weights

Weighting the Texas School Survey of Substance Abuse

District Level Weights

Within the selected districts, students were sampled via a simple random sample of classrooms (i.e., a sample in which all classrooms in the district had an equal chance of getting in) picked directly from the district. Every student in the sampled classrooms was asked to participate in the survey.

A weight w_{ilk} is assigned to each sampled classroom k , in grade l , in district i :

$$w_{ilk} = \frac{N_{il}}{n_{il}} \quad (1)$$

where,

N_{il} = total no. of classrooms in grade l , in district i

n_{il} = no. of classrooms sampled in grade l , in district i

Since every student in the sampled classrooms was included in the sample, each student's probability of selection is equal to his/her classroom's probability of selection. Thus, each sampled student in these districts is assigned his/her classroom weight. Therefore the weight w_{ilr} of the r^{th} sampled student in classroom k is,

$$w_{ilr} = w_{ilk} \quad (2)$$

Remark: In (1), if the true N_{il} is not known for a particular district, estimate it with,

$$\hat{N}_{il} = \frac{M_{il}}{\hat{c}_{il}} \quad (3)$$

where, $\hat{c}_{il} = m_{il} / n_{il}$ and

M_{il} = total no. of students in grade l , in district i

m_{il} = no. of students sampled in grade l , in district i

Notice that in this case, the weights in (1) reduce to, $w_{ilk} = M_{il} / m_{il}$.

District Level Estimates

The total no. of students in grade l , in district i , giving a positive response to a question is estimated as

$$\hat{Y}_{il} = \sum_{r=1}^{m_{il}} w_{ilr} y_{ilr} \quad (4)$$

where

$$y_{ilr} = \begin{cases} 1 & \text{if the } r^{\text{th}} \text{ student's response is positive} \\ 0 & \text{otherwise} \end{cases},$$

and w_{ilr} is as defined in (2).

The proportion of students in grade l , in district i , giving a positive response to a question is estimated as,

$$\hat{Y}_{il} = \frac{\hat{Y}_{il}}{M_{il}}$$

Stratum Level Weights

The districts were selected from strata that were formed on the basis of two factors, namely, how urban the districts were and the levels of enrollment. That is, once the districts were grouped by the degree to which they were urban, strata were formed by collecting together districts of similar size within these urban classes. Next, a simple random sample of districts was chosen from each stratum. A few large districts were selected to the sample with probability one. These districts were grouped into two strata based on the relative sizes of the districts.

Stratum level weights are assigned to the sampled students as follows. The weight w_{hrl}^s of the r^{th} sampled student, from grade l , in district i in stratum h is,

$$w_{hrl}^s = \frac{1}{p_{hi}} w_{ilr} \quad (5)$$

where

$$p_{hi} = \begin{cases} 1 & \text{if district } i \text{ was sampled with probability 1} \\ \phi_{hi} & \text{otherwise} \end{cases}, \quad (6)$$

and within grade l , for each district i in stratum h , w_{ilr} is as defined in (4), and $\phi_{hi} = n_h / N_h$ with

n_h = no. of districts sampled from stratum h

N_h = total number of districts in stratum h

Notice that within stratum h , ϕ_{hi} does not depend on district i .

State Level estimates

The total no. of students in grade l , giving a positive response to a question is estimated as

$$\hat{Y}_l = \sum_{h=1}^H \hat{Y}_{hl} \quad (7)$$

with

$$\hat{Y}_{hl} = \sum_{i=1}^{n_h} \sum_{r=1}^{m_{il}} w_{hrl}^s y_{ilr} \quad (8)$$

where, within grade l , for each district i in stratum h , y_{ilr} , and m_{il} are as defined above.

The proportion of students in grade l , in the state, giving a positive response to a question is estimated as,

$$\hat{Y}_l = \frac{1}{M_l} \sum_{h=1}^H \hat{Y}_{hl} \quad (9)$$

where,

M_l =total number of students in grade l in state.

Appendix F

Standard Error Computation

Standard Error Computation for the Texas School Survey of Substance Use

The standard errors of the percentages were estimated via the SUDAAN software package. The variance estimation techniques in SUDAAN are specifically designed to address the complexity of the sample design in finite population sampling. The variance estimators generally available for these complex designs do not have closed form solutions and, therefore, require iterative approaches in computations that would yield solutions as close to the true value as possible. SUDAAN software package is available for this purpose and is gaining wide popularity in survey sampling applications.

In applying SUDAAN to the current survey which consisted of a multi-stage stratified sampling design, the input SAS data set requires the following re-coding of the stratification variable for strata 21 and 22 (due to certainty stratum 21 having only one district responding to survey):

```
if strata=22 then strata=21;
```

(Here: strata= stratum identifier) Next, the data set needs to be sorted as follows:

```
proc sort data=___;  
by strata distid q2 class;  
run;
```

Here, distid= district identifier, q2= grade identifier, class= classroom identifier.

The SUDAAN code needs to incorporate the following:

```
proc crosstab data=" " filetype=sas design=WOR;  
nest strata distid q2 class;
```

The specified design WOR uses Taylor series variance estimation methods¹ in computing standard errors of percentages in the multi-stage stratified sampling design of this survey.

¹ See SUDAAN User's Manual (Volume 1), page 3-4.

Appendix G

Standard Error and Confidence Interval Tables

Elementary Grades – 2012
Standard Error and Confidence Intervals

All Students-Overall and by Grade

Past Year Use

Lifetime Use

Male-Overall and by Grade

Past Year Use

Lifetime Use

Female-Overall and by Grade

Past Year Use

Lifetime Use

Whites-Overall and by Grade

Past Year Use

Lifetime Use

African American-Overall and by Grade

Past Year Use

Lifetime Use

Mexican American-Overall and by Grade

Past Year Use

Lifetime Use

Border-Overall and by Grade

Past Year Use

Lifetime Use

Non-border-Overall and by Grade

Past Year Use

Lifetime Use

Lifetime Use of Selected Substances - Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.5%	3.8%	5.3%	0.36%
ALCOHOL	17.7%	16.0%	19.4%	0.84%
INHALANTS	10.0%	9.2%	10.7%	0.38%
MARIJUANA	1.7%	1.2%	2.2%	0.24%
CIGARETTES	3.7%	3.2%	4.3%	0.27%
SMOKELESS TOBACCO	1.3%	1.0%	1.7%	0.18%
BEER	11.6%	10.4%	12.8%	0.60%
WINE COOLERS	7.1%	6.1%	8.2%	0.54%
WINE	8.3%	7.2%	9.4%	0.56%
LIQUOR	4.6%	3.8%	5.4%	0.41%

Past Year Use of Selected Substances - Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.5%	2.0%	2.9%	0.23%
ALCOHOL	11.2%	9.9%	12.4%	0.62%
INHALANTS	7.1%	6.5%	7.7%	0.32%
MARIJUANA	1.2%	0.8%	1.6%	0.21%
CIGARETTES	2.0%	1.6%	2.4%	0.19%
SMOKELESS TOBACCO	0.7%	0.5%	0.9%	0.10%
BEER	6.3%	5.5%	7.0%	0.38%
WINE COOLERS	4.5%	3.8%	5.2%	0.36%
WINE	5.0%	4.3%	5.7%	0.36%
LIQUOR	2.8%	2.2%	3.3%	0.27%

Lifetime Use of Selected Substances - Grade 4				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.8%	2.4%	3.2%	0.22%
ALCOHOL	12.7%	11.5%	13.9%	0.59%
INHALANTS	11.1%	10.1%	12.1%	0.50%
MARIJUANA	0.8%	0.6%	1.1%	0.13%
CIGARETTES	2.2%	1.8%	2.6%	0.19%
SMOKELESS TOBACCO	1.0%	0.7%	1.3%	0.14%
BEER	8.2%	7.4%	9.1%	0.42%
WINE COOLERS	4.2%	3.6%	4.9%	0.34%
WINE	5.1%	4.0%	6.1%	0.52%
LIQUOR	1.9%	1.6%	2.1%	0.13%

Past Year Use of Selected Substances - Grade 4				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	1.7%	1.3%	2.0%	0.18%
ALCOHOL	8.0%	7.1%	8.9%	0.45%
INHALANTS	7.9%	7.0%	8.7%	0.43%
MARIJUANA	0.5%	0.3%	0.7%	0.09%
CIGARETTES	1.3%	0.9%	1.6%	0.16%
SMOKELESS TOBACCO	0.6%	0.4%	0.8%	0.09%
BEER	4.8%	4.2%	5.3%	0.28%
WINE COOLERS	2.7%	2.2%	3.2%	0.24%
WINE	3.0%	2.4%	3.6%	0.29%
LIQUOR	1.1%	0.9%	1.3%	0.11%

Lifetime Use of Selected Substances - Grade 5				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.2%	3.4%	5.0%	0.39%
ALCOHOL	16.0%	14.4%	17.7%	0.82%
INHALANTS	8.4%	7.4%	9.5%	0.52%
MARIJUANA	1.1%	0.8%	1.3%	0.14%
CIGARETTES	3.2%	2.7%	3.8%	0.29%

Past Year Use of Selected Substances - Grade 5				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.0%	1.5%	2.4%	0.21%
ALCOHOL	9.8%	8.7%	10.9%	0.55%
INHALANTS	5.7%	5.0%	6.4%	0.34%
MARIJUANA	0.6%	0.4%	0.8%	0.10%
CIGARETTES	1.5%	1.1%	1.9%	0.18%

SMOKELESS TOBACCO	1.2%	0.8%	1.6%	0.20%
BEER	10.8%	9.4%	12.1%	0.69%
WINE COOLERS	5.7%	4.9%	6.6%	0.41%
WINE	6.9%	5.9%	7.9%	0.49%
LIQUOR	3.6%	3.1%	4.0%	0.24%

SMOKELESS TOBACCO	0.6%	0.4%	0.8%	0.11%
BEER	5.6%	4.7%	6.6%	0.47%
WINE COOLERS	3.6%	3.1%	4.2%	0.26%
WINE	3.9%	3.3%	4.5%	0.30%
LIQUOR	1.9%	1.5%	2.2%	0.16%

Lifetime Use of Selected Substances - Grade 6				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.7%	5.4%	7.9%	0.62%
ALCOHOL	24.4%	22.4%	26.5%	1.02%
INHALANTS	10.4%	9.3%	11.6%	0.58%
MARIJUANA	3.2%	2.2%	4.2%	0.51%
CIGARETTES	5.7%	4.7%	6.7%	0.48%
SMOKELESS TOBACCO	1.7%	1.1%	2.3%	0.31%
BEER	15.7%	14.0%	17.3%	0.81%
WINE COOLERS	11.4%	10.0%	12.9%	0.74%
WINE	12.9%	11.6%	14.1%	0.62%
LIQUOR	8.3%	6.9%	9.8%	0.72%

Past Year Use of Selected Substances - Grade 6				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.8%	2.9%	4.6%	0.43%
ALCOHOL	15.7%	14.1%	17.2%	0.79%
INHALANTS	7.8%	6.8%	8.8%	0.51%
MARIJUANA	2.4%	1.5%	3.4%	0.45%
CIGARETTES	3.2%	2.4%	4.0%	0.39%
SMOKELESS TOBACCO	0.9%	0.6%	1.2%	0.16%
BEER	8.4%	7.4%	9.4%	0.50%
WINE COOLERS	7.2%	6.1%	8.3%	0.56%
WINE	8.0%	7.1%	8.9%	0.45%
LIQUOR	5.3%	4.4%	6.3%	0.48%

Lifetime Use of Selected Substances - Overall Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.7%	4.8%	6.6%	0.45%
ALCOHOL	20.1%	18.6%	21.7%	0.76%
INHALANTS	10.7%	9.8%	11.6%	0.46%
MARIJUANA	2.1%	1.6%	2.7%	0.28%
CIGARETTES	4.5%	3.8%	5.1%	0.35%
SMOKELESS TOBACCO	1.9%	1.5%	2.4%	0.23%
BEER	13.8%	12.6%	15.1%	0.61%
WINE COOLERS	7.5%	6.7%	8.4%	0.43%
WINE	9.1%	8.2%	10.1%	0.49%
LIQUOR	4.9%	4.2%	5.7%	0.37%

Past Year Use of Selected Substances - Overall Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.0%	2.5%	3.5%	0.26%
ALCOHOL	12.1%	10.9%	13.2%	0.57%
INHALANTS	7.5%	6.7%	8.2%	0.39%
MARIJUANA	1.5%	1.0%	2.0%	0.26%
CIGARETTES	2.3%	1.9%	2.8%	0.22%
SMOKELESS TOBACCO	1.0%	0.7%	1.2%	0.12%
BEER	7.2%	6.4%	8.0%	0.40%
WINE COOLERS	4.5%	3.9%	5.1%	0.29%
WINE	5.3%	4.7%	6.0%	0.32%
LIQUOR	2.9%	2.4%	3.3%	0.24%

Lifetime Use of Selected Substances - Grade 4 Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.1%	3.4%	4.9%	0.36%

Past Year Use of Selected Substances - Grade 4 Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.5%	1.8%	3.1%	0.32%

ALCOHOL	15.9%	14.4%	17.3%	0.71%
INHALANTS	12.6%	11.5%	13.8%	0.57%
MARIJUANA	1.0%	0.6%	1.4%	0.19%
CIGARETTES	3.1%	2.5%	3.7%	0.32%
SMOKELESS TOBACCO	1.6%	1.1%	2.1%	0.25%
BEER	10.5%	9.2%	11.7%	0.61%
WINE COOLERS	5.4%	4.8%	6.0%	0.31%
WINE	6.3%	5.4%	7.2%	0.46%
LIQUOR	2.5%	2.0%	3.0%	0.26%

ALCOHOL	10.0%	8.8%	11.2%	0.59%
INHALANTS	9.0%	8.0%	10.0%	0.51%
MARIJUANA	0.7%	0.4%	1.0%	0.14%
CIGARETTES	1.7%	1.2%	2.3%	0.28%
SMOKELESS TOBACCO	1.0%	0.7%	1.4%	0.18%
BEER	6.2%	5.3%	7.2%	0.48%
WINE COOLERS	3.2%	2.7%	3.7%	0.24%
WINE	3.9%	3.2%	4.6%	0.35%
LIQUOR	1.4%	1.0%	1.7%	0.17%

Lifetime Use of Selected Substances - Grade 5 Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.9%	4.0%	5.9%	0.49%
ALCOHOL	18.9%	17.2%	20.6%	0.84%
INHALANTS	9.3%	8.1%	10.5%	0.60%
MARIJUANA	1.5%	1.1%	1.9%	0.22%
CIGARETTES	3.7%	2.9%	4.4%	0.38%
SMOKELESS TOBACCO	1.6%	1.1%	2.1%	0.25%
BEER	13.1%	11.6%	14.6%	0.74%
WINE COOLERS	6.4%	5.5%	7.2%	0.43%
WINE	8.0%	7.1%	8.9%	0.47%
LIQUOR	4.1%	3.5%	4.7%	0.31%

Past Year Use of Selected Substances - Grade 5 Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.4%	1.8%	3.0%	0.29%
ALCOHOL	11.0%	9.7%	12.3%	0.65%
INHALANTS	6.1%	5.3%	7.0%	0.42%
MARIJUANA	0.8%	0.4%	1.2%	0.18%
CIGARETTES	1.8%	1.3%	2.3%	0.25%
SMOKELESS TOBACCO	0.7%	0.5%	1.0%	0.12%
BEER	6.7%	5.6%	7.8%	0.54%
WINE COOLERS	3.9%	3.1%	4.6%	0.39%
WINE	4.3%	3.6%	4.9%	0.32%
LIQUOR	2.2%	1.7%	2.6%	0.23%

Lifetime Use of Selected Substances - Grade 6 Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	7.9%	6.3%	9.6%	0.82%
ALCOHOL	25.5%	23.1%	27.9%	1.18%
INHALANTS	10.2%	8.8%	11.7%	0.71%
MARIJUANA	3.9%	2.8%	5.0%	0.56%
CIGARETTES	6.5%	5.3%	7.8%	0.63%
SMOKELESS TOBACCO	2.5%	1.6%	3.4%	0.45%
BEER	17.8%	15.7%	19.9%	1.04%
WINE COOLERS	10.7%	9.2%	12.1%	0.72%
WINE	13.0%	11.6%	14.4%	0.70%
LIQUOR	8.1%	6.6%	9.7%	0.77%

Past Year Use of Selected Substances - Grade 6 Male				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.1%	3.0%	5.2%	0.54%
ALCOHOL	15.2%	13.3%	17.1%	0.93%
INHALANTS	7.3%	6.1%	8.6%	0.63%
MARIJUANA	3.0%	1.9%	4.0%	0.53%
CIGARETTES	3.4%	2.4%	4.3%	0.48%
SMOKELESS TOBACCO	1.2%	0.8%	1.6%	0.21%
BEER	8.8%	7.4%	10.1%	0.67%
WINE COOLERS	6.3%	5.2%	7.4%	0.55%
WINE	7.8%	6.7%	8.9%	0.54%
LIQUOR	5.0%	3.9%	6.0%	0.50%

Lifetime Use of Selected Substances - Overall Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.5%	2.9%	4.1%	0.31%
ALCOHOL	15.4%	13.3%	17.5%	1.05%
INHALANTS	9.3%	8.5%	10.0%	0.38%
MARIJUANA	1.2%	0.8%	1.7%	0.23%
CIGARETTES	3.0%	2.5%	3.5%	0.24%
SMOKELESS TOBACCO	0.7%	0.4%	1.0%	0.16%
BEER	9.4%	8.0%	10.8%	0.70%
WINE COOLERS	6.8%	5.4%	8.3%	0.71%
WINE	7.5%	6.1%	8.8%	0.67%
LIQUOR	4.3%	3.3%	5.2%	0.48%

Past Year Use of Selected Substances - Overall Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.0%	1.5%	2.5%	0.24%
ALCOHOL	10.3%	8.7%	11.9%	0.79%
INHALANTS	6.8%	6.1%	7.4%	0.32%
MARIJUANA	0.9%	0.5%	1.2%	0.18%
CIGARETTES	1.7%	1.3%	2.1%	0.19%
SMOKELESS TOBACCO	0.5%	0.2%	0.7%	0.13%
BEER	5.3%	4.4%	6.2%	0.46%
WINE COOLERS	4.6%	3.6%	5.5%	0.48%
WINE	4.6%	3.7%	5.5%	0.44%
LIQUOR	2.7%	2.1%	3.3%	0.32%

Lifetime Use of Selected Substances - Grade 4 Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	1.6%	1.2%	1.9%	0.17%
ALCOHOL	9.7%	8.0%	11.4%	0.84%
INHALANTS	9.7%	8.6%	10.8%	0.56%
MARIJUANA	0.5%	0.3%	0.8%	0.13%
CIGARETTES	1.3%	1.0%	1.7%	0.16%
SMOKELESS TOBACCO	0.4%	0.2%	0.6%	0.08%
BEER	6.1%	5.0%	7.2%	0.55%
WINE COOLERS	3.2%	2.2%	4.1%	0.49%
WINE	3.9%	2.6%	5.2%	0.63%
LIQUOR	1.3%	0.8%	1.8%	0.24%

Past Year Use of Selected Substances - Grade 4 Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	1.0%	0.7%	1.2%	0.12%
ALCOHOL	6.1%	4.8%	7.3%	0.62%
INHALANTS	6.9%	6.0%	7.8%	0.45%
MARIJUANA	0.4%	0.2%	0.6%	0.10%
CIGARETTES	0.8%	0.6%	1.1%	0.12%
SMOKELESS TOBACCO	0.3%	0.1%	0.4%	0.07%
BEER	3.4%	2.6%	4.1%	0.36%
WINE COOLERS	2.3%	1.5%	3.0%	0.36%
WINE	2.2%	1.5%	2.9%	0.36%
LIQUOR	0.8%	0.5%	1.1%	0.16%

Lifetime Use of Selected Substances - Grade 5 Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.4%	2.6%	4.3%	0.43%
ALCOHOL	13.2%	11.3%	15.2%	0.98%
INHALANTS	7.5%	6.5%	8.6%	0.54%
MARIJUANA	0.6%	0.4%	0.9%	0.13%
CIGARETTES	2.8%	2.1%	3.5%	0.36%

Past Year Use of Selected Substances - Grade 5 Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	1.5%	0.9%	2.2%	0.35%
ALCOHOL	8.7%	7.4%	10.0%	0.65%
INHALANTS	5.2%	4.5%	5.9%	0.34%
MARIJUANA	0.3%	0.2%	0.5%	0.07%
CIGARETTES	1.2%	0.6%	1.8%	0.29%

SMOKELESS TOBACCO	0.9%	0.5%	1.3%	0.20%
BEER	8.5%	6.9%	10.0%	0.79%
WINE COOLERS	5.2%	4.0%	6.3%	0.57%
WINE	5.8%	4.7%	7.0%	0.56%
LIQUOR	3.0%	2.4%	3.7%	0.31%

SMOKELESS TOBACCO	0.5%	0.1%	0.9%	0.19%
BEER	4.6%	3.5%	5.7%	0.57%
WINE COOLERS	3.4%	2.7%	4.1%	0.35%
WINE	3.6%	3.0%	4.2%	0.31%
LIQUOR	1.6%	1.3%	1.9%	0.17%

Lifetime Use of Selected Substances -Grade 6 Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.5%	4.5%	6.4%	0.48%
ALCOHOL	23.5%	21.4%	25.6%	1.05%
INHALANTS	10.6%	9.4%	11.9%	0.64%
MARIJUANA	2.5%	1.6%	3.5%	0.49%
CIGARETTES	4.9%	4.2%	5.7%	0.38%
SMOKELESS TOBACCO	0.9%	0.4%	1.4%	0.25%
BEER	13.6%	12.1%	15.2%	0.77%
WINE COOLERS	12.3%	10.6%	14.0%	0.86%
WINE	12.8%	11.3%	14.3%	0.74%
LIQUOR	8.6%	7.1%	10.0%	0.74%

Past Year Use of Selected Substances - Grade 6 Female				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.5%	2.7%	4.2%	0.38%
ALCOHOL	16.2%	14.4%	17.9%	0.88%
INHALANTS	8.3%	7.2%	9.4%	0.54%
MARIJUANA	2.0%	1.1%	2.8%	0.41%
CIGARETTES	3.1%	2.3%	3.8%	0.36%
SMOKELESS TOBACCO	0.6%	0.2%	0.9%	0.18%
BEER	8.0%	6.9%	9.0%	0.53%
WINE COOLERS	8.1%	6.9%	9.4%	0.62%
WINE	8.1%	7.0%	9.2%	0.55%
LIQUOR	5.7%	4.8%	6.7%	0.49%

Lifetime Use of Selected Substances - Overall White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.7%	3.4%	5.9%	0.63%
ALCOHOL	16.4%	14.8%	18.1%	0.82%
INHALANTS	8.3%	7.4%	9.1%	0.42%
MARIJUANA	1.2%	0.8%	1.5%	0.15%
CIGARETTES	3.5%	2.5%	4.4%	0.47%
SMOKELESS TOBACCO	1.9%	1.3%	2.5%	0.29%
BEER	10.7%	9.2%	12.2%	0.74%
WINE COOLERS	6.1%	5.1%	7.1%	0.52%
WINE	8.6%	7.9%	9.4%	0.37%
LIQUOR	4.4%	3.5%	5.2%	0.43%

Past Year Use of Selected Substances - Overall White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.2%	1.5%	2.9%	0.35%
ALCOHOL	9.7%	8.6%	10.8%	0.54%
INHALANTS	5.8%	5.2%	6.4%	0.30%
MARIJUANA	0.7%	0.5%	0.9%	0.10%
CIGARETTES	1.6%	1.0%	2.2%	0.30%
SMOKELESS TOBACCO	0.8%	0.5%	1.1%	0.14%
BEER	5.4%	4.5%	6.3%	0.44%
WINE COOLERS	3.8%	3.1%	4.5%	0.37%
WINE	4.9%	4.4%	5.5%	0.27%
LIQUOR	2.3%	1.8%	2.8%	0.25%

Lifetime Use of Selected Substances - Grade 4 White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	

Past Year Use of Selected Substances - Grade 4 White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	

TOBACCO	3.0%	2.1%	3.9%	0.45%
ALCOHOL	13.6%	11.7%	15.4%	0.92%
INHALANTS	10.5%	8.7%	12.3%	0.90%
MARIJUANA	0.7%	0.3%	1.1%	0.19%
CIGARETTES	2.3%	1.5%	3.1%	0.40%
SMOKELESS TOBACCO	1.2%	0.7%	1.7%	0.24%
BEER	8.5%	6.9%	10.1%	0.78%
WINE COOLERS	4.9%	4.0%	5.8%	0.46%
WINE	6.9%	5.8%	8.1%	0.58%
LIQUOR	2.6%	1.8%	3.4%	0.39%

TOBACCO	1.4%	0.9%	2.0%	0.28%
ALCOHOL	8.4%	7.0%	9.8%	0.70%
INHALANTS	7.4%	6.0%	8.8%	0.69%
MARIJUANA	0.4%	0.2%	0.6%	0.11%
CIGARETTES	1.0%	0.6%	1.5%	0.24%
SMOKELESS TOBACCO	0.7%	0.4%	1.1%	0.17%
BEER	4.4%	3.4%	5.5%	0.52%
WINE COOLERS	3.3%	2.5%	4.1%	0.39%
WINE	4.0%	3.2%	4.7%	0.39%
LIQUOR	1.4%	0.9%	1.8%	0.21%

Lifetime Use of Selected Substances - Grade 5 White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.0%	2.5%	5.4%	0.73%
ALCOHOL	14.5%	12.4%	16.7%	1.10%
INHALANTS	6.2%	5.4%	7.1%	0.43%
MARIJUANA	0.6%	0.3%	0.9%	0.16%
CIGARETTES	2.5%	1.5%	3.5%	0.49%
SMOKELESS TOBACCO	1.8%	1.1%	2.5%	0.35%
BEER	9.5%	7.7%	11.3%	0.89%
WINE COOLERS	4.4%	3.5%	5.3%	0.45%
WINE	7.0%	6.0%	8.0%	0.51%
LIQUOR	3.3%	2.5%	4.0%	0.37%

Past Year Use of Selected Substances - Grade 5 White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	1.2%	0.7%	1.8%	0.26%
ALCOHOL	8.4%	7.0%	9.7%	0.68%
INHALANTS	4.0%	3.3%	4.6%	0.34%
MARIJUANA	0.4%	0.1%	0.6%	0.11%
CIGARETTES	0.7%	0.4%	1.1%	0.19%
SMOKELESS TOBACCO	0.6%	0.3%	1.0%	0.18%
BEER	4.5%	3.4%	5.6%	0.57%
WINE COOLERS	2.7%	2.0%	3.3%	0.33%
WINE	3.8%	2.9%	4.6%	0.42%
LIQUOR	1.6%	1.1%	2.0%	0.22%

Lifetime Use of Selected Substances - Grade 6 White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	7.0%	4.8%	9.3%	1.14%
ALCOHOL	21.1%	18.5%	23.7%	1.32%
INHALANTS	8.1%	6.9%	9.3%	0.61%
MARIJUANA	2.1%	1.4%	2.9%	0.37%
CIGARETTES	5.5%	3.7%	7.3%	0.89%
SMOKELESS TOBACCO	2.6%	1.6%	3.7%	0.52%
BEER	14.0%	11.6%	16.5%	1.24%
WINE COOLERS	8.9%	7.0%	10.9%	0.96%
WINE	11.9%	10.5%	13.3%	0.70%
LIQUOR	7.2%	5.7%	8.7%	0.77%

Past Year Use of Selected Substances - Grade 6 White				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.8%	2.4%	5.2%	0.68%
ALCOHOL	12.3%	10.5%	14.1%	0.90%
INHALANTS	6.0%	5.0%	7.0%	0.50%
MARIJUANA	1.3%	0.8%	1.8%	0.24%
CIGARETTES	3.0%	1.8%	4.3%	0.63%
SMOKELESS TOBACCO	1.1%	0.7%	1.6%	0.22%
BEER	7.2%	5.9%	8.6%	0.69%
WINE COOLERS	5.4%	4.1%	6.7%	0.65%
WINE	7.0%	6.0%	8.0%	0.51%
LIQUOR	4.0%	3.1%	4.9%	0.46%

Lifetime Use of Selected Substances - Overall African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.5%	4.4%	6.6%	0.56%
ALCOHOL	20.3%	17.7%	22.8%	1.27%
INHALANTS	9.9%	8.8%	11.0%	0.57%
MARIJUANA	1.6%	0.9%	2.3%	0.37%
CIGARETTES	4.6%	3.8%	5.3%	0.38%
SMOKELESS TOBACCO	1.2%	0.3%	2.1%	0.44%
BEER	11.3%	9.6%	13.1%	0.86%
WINE COOLERS	9.6%	7.5%	11.7%	1.05%
WINE	9.8%	7.7%	11.9%	1.04%
LIQUOR	5.5%	4.0%	7.0%	0.73%

Past Year Use of Selected Substances - Overall African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.8%	1.9%	3.8%	0.48%
ALCOHOL	11.9%	9.6%	14.1%	1.12%
INHALANTS	6.9%	6.0%	7.9%	0.48%
MARIJUANA	1.0%	0.5%	1.6%	0.27%
CIGARETTES	2.3%	1.7%	3.0%	0.32%
SMOKELESS TOBACCO	0.8%	0.1%	1.4%	0.34%
BEER	5.1%	3.7%	6.5%	0.70%
WINE COOLERS	5.7%	4.3%	7.2%	0.72%
WINE	5.4%	4.4%	6.4%	0.49%
LIQUOR	3.1%	2.2%	4.0%	0.45%

Lifetime Use of Selected Substances - Grade 4 African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.2%	2.4%	4.0%	0.42%
ALCOHOL	13.3%	10.7%	15.8%	1.26%
INHALANTS	11.3%	8.7%	13.9%	1.29%
MARIJUANA	0.5%	0.1%	0.9%	0.22%
CIGARETTES	2.6%	1.8%	3.4%	0.40%
SMOKELESS TOBACCO	0.8%	0.2%	1.4%	0.29%
BEER	8.0%	6.6%	9.5%	0.74%
WINE COOLERS	3.7%	2.0%	5.5%	0.87%
WINE	5.3%	2.3%	8.2%	1.46%
LIQUOR	1.9%	1.0%	2.8%	0.47%

Past Year Use of Selected Substances - Grade 4 African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	1.8%	1.0%	2.5%	0.36%
ALCOHOL	6.6%	4.2%	8.9%	1.16%
INHALANTS	7.7%	5.9%	9.6%	0.92%
MARIJUANA	0.3%	0.0%	0.7%	0.16%
CIGARETTES	1.3%	0.7%	2.0%	0.34%
SMOKELESS TOBACCO	0.6%	0.2%	1.0%	0.19%
BEER	3.5%	2.3%	4.7%	0.61%
WINE COOLERS	2.0%	1.0%	2.9%	0.48%
WINE	2.8%	1.4%	4.1%	0.69%
LIQUOR	0.9%	0.1%	1.6%	0.37%

Lifetime Use of Selected Substances - Grade 5 African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.5%	4.9%	8.1%	0.78%
ALCOHOL	19.5%	16.7%	22.4%	1.42%
INHALANTS	9.0%	6.2%	11.8%	1.40%
MARIJUANA	1.6%	0.5%	2.7%	0.54%
CIGARETTES	5.9%	4.4%	7.5%	0.78%

Past Year Use of Selected Substances - Grade 5 African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.1%	1.8%	4.5%	0.67%
ALCOHOL	12.4%	9.9%	14.8%	1.22%
INHALANTS	6.0%	3.9%	8.1%	1.05%
MARIJUANA	0.6%	0.1%	1.1%	0.24%
CIGARETTES	2.9%	1.6%	4.3%	0.68%

SMOKELESS TOBACCO	1.1%	0.3%	1.9%	0.38%
BEER	12.5%	10.1%	15.0%	1.21%
WINE COOLERS	9.8%	7.5%	12.1%	1.15%
WINE	9.4%	7.8%	11.0%	0.81%
LIQUOR	5.5%	3.7%	7.3%	0.91%

SMOKELESS TOBACCO	0.6%	-0.1%	1.3%	0.36%
BEER	6.6%	4.3%	8.8%	1.13%
WINE COOLERS	6.4%	4.7%	8.1%	0.85%
WINE	5.5%	4.2%	6.9%	0.68%
LIQUOR	2.4%	1.6%	3.1%	0.36%

Lifetime Use of Selected Substances - Grade 6 African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.8%	4.7%	8.9%	1.05%
ALCOHOL	27.8%	23.7%	31.9%	2.05%
INHALANTS	9.5%	8.1%	10.8%	0.68%
MARIJUANA	2.7%	1.5%	3.9%	0.59%
CIGARETTES	5.2%	4.5%	5.9%	0.35%
SMOKELESS TOBACCO	1.7%	-0.2%	3.7%	0.96%
BEER	13.3%	11.0%	15.7%	1.17%
WINE COOLERS	15.2%	11.9%	18.4%	1.61%
WINE	14.6%	12.4%	16.8%	1.08%
LIQUOR	9.0%	7.0%	11.0%	1.00%

Past Year Use of Selected Substances - Grade 6 African/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.6%	1.8%	5.4%	0.91%
ALCOHOL	16.5%	13.4%	19.6%	1.55%
INHALANTS	7.2%	5.8%	8.5%	0.67%
MARIJUANA	2.1%	1.0%	3.3%	0.57%
CIGARETTES	2.7%	2.0%	3.4%	0.35%
SMOKELESS TOBACCO	1.0%	-0.3%	2.4%	0.68%
BEER	5.1%	3.8%	6.3%	0.62%
WINE COOLERS	8.6%	6.3%	10.9%	1.15%
WINE	7.8%	6.3%	9.4%	0.77%
LIQUOR	6.1%	4.8%	7.5%	0.68%

Lifetime Use of Selected Substances - Overall Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.3%	3.6%	5.0%	0.34%
ALCOHOL	17.9%	15.8%	19.9%	1.03%
INHALANTS	10.9%	10.1%	11.7%	0.40%
MARIJUANA	2.1%	1.4%	2.8%	0.34%
CIGARETTES	3.7%	3.1%	4.3%	0.29%
SMOKELESS TOBACCO	1.0%	0.7%	1.2%	0.12%
BEER	12.3%	10.9%	13.6%	0.68%
WINE COOLERS	7.1%	5.8%	8.4%	0.65%
WINE	7.6%	6.2%	9.0%	0.70%
LIQUOR	4.5%	3.5%	5.5%	0.49%

Past Year Use of Selected Substances - Overall Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.6%	2.2%	3.0%	0.20%
ALCOHOL	11.8%	10.3%	13.4%	0.78%
INHALANTS	7.8%	7.0%	8.6%	0.40%
MARIJUANA	1.5%	0.9%	2.1%	0.30%
CIGARETTES	2.2%	1.8%	2.5%	0.17%
SMOKELESS TOBACCO	0.6%	0.5%	0.8%	0.08%
BEER	7.2%	6.2%	8.1%	0.47%
WINE COOLERS	4.6%	3.7%	5.5%	0.45%
WINE	4.8%	3.9%	5.7%	0.46%
LIQUOR	3.0%	2.3%	3.6%	0.34%

Lifetime Use of Selected Substances - Grade 4 Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	

Past Year Use of Selected Substances - Grade 4 Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	

TOBACCO	2.6%	2.0%	3.3%	0.33%
ALCOHOL	12.1%	10.7%	13.5%	0.69%
INHALANTS	11.2%	10.1%	12.3%	0.55%
MARIJUANA	1.0%	0.7%	1.3%	0.16%
CIGARETTES	2.1%	1.5%	2.7%	0.29%
SMOKELESS TOBACCO	0.9%	0.5%	1.2%	0.18%
BEER	8.3%	7.2%	9.4%	0.55%
WINE COOLERS	3.8%	3.1%	4.5%	0.36%
WINE	3.9%	3.0%	4.8%	0.46%
LIQUOR	1.4%	1.1%	1.7%	0.15%

TOBACCO	1.8%	1.3%	2.4%	0.26%
ALCOHOL	8.1%	7.0%	9.2%	0.55%
INHALANTS	8.0%	7.0%	9.1%	0.52%
MARIJUANA	0.6%	0.4%	0.9%	0.14%
CIGARETTES	1.4%	0.9%	1.9%	0.24%
SMOKELESS TOBACCO	0.6%	0.4%	0.8%	0.10%
BEER	5.3%	4.6%	6.1%	0.39%
WINE COOLERS	2.4%	1.8%	3.1%	0.33%
WINE	2.5%	1.9%	3.0%	0.27%
LIQUOR	1.0%	0.7%	1.3%	0.15%

Lifetime Use of Selected Substances - Grade 5 Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.8%	3.0%	4.5%	0.37%
ALCOHOL	15.9%	14.4%	17.5%	0.77%
INHALANTS	9.5%	8.4%	10.5%	0.54%
MARIJUANA	1.2%	0.9%	1.5%	0.16%
CIGARETTES	3.1%	2.5%	3.7%	0.29%
SMOKELESS TOBACCO	0.9%	0.6%	1.2%	0.16%
BEER	11.1%	9.7%	12.6%	0.72%
WINE COOLERS	5.5%	4.7%	6.4%	0.43%
WINE	6.1%	5.0%	7.1%	0.52%
LIQUOR	3.2%	2.8%	3.6%	0.20%

Past Year Use of Selected Substances - Grade 5 Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.1%	1.5%	2.7%	0.28%
ALCOHOL	10.0%	8.9%	11.0%	0.52%
INHALANTS	6.5%	5.6%	7.4%	0.45%
MARIJUANA	0.7%	0.4%	1.0%	0.13%
CIGARETTES	1.7%	1.2%	2.1%	0.24%
SMOKELESS TOBACCO	0.6%	0.3%	0.8%	0.13%
BEER	6.1%	5.2%	7.1%	0.48%
WINE COOLERS	3.5%	2.9%	4.0%	0.28%
WINE	3.6%	3.0%	4.1%	0.29%
LIQUOR	1.9%	1.5%	2.3%	0.20%

Lifetime Use of Selected Substances - Grade 6 Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.5%	5.5%	7.5%	0.50%
ALCOHOL	25.7%	23.5%	27.9%	1.11%
INHALANTS	12.1%	10.6%	13.7%	0.77%
MARIJUANA	4.1%	2.6%	5.5%	0.72%
CIGARETTES	6.0%	5.1%	6.9%	0.45%
SMOKELESS TOBACCO	1.1%	0.8%	1.5%	0.17%
BEER	17.5%	15.7%	19.4%	0.92%
WINE COOLERS	12.2%	10.6%	13.7%	0.78%
WINE	12.9%	11.5%	14.4%	0.74%
LIQUOR	8.9%	7.1%	10.7%	0.91%

Past Year Use of Selected Substances - Grade 6 Mexican/American				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.9%	3.1%	4.7%	0.39%
ALCOHOL	17.5%	15.9%	19.2%	0.82%
INHALANTS	9.0%	7.6%	10.4%	0.71%
MARIJUANA	3.3%	2.0%	4.6%	0.65%
CIGARETTES	3.5%	2.8%	4.2%	0.36%
SMOKELESS TOBACCO	0.7%	0.5%	1.0%	0.13%
BEER	10.1%	8.8%	11.4%	0.65%
WINE COOLERS	8.0%	6.8%	9.2%	0.58%
WINE	8.5%	7.4%	9.6%	0.57%
LIQUOR	6.0%	4.8%	7.3%	0.63%

Lifetime Use of Selected Substances - Overall Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.6%	2.9%	4.2%	0.34%
ALCOHOL	14.0%	12.0%	16.0%	1.01%
INHALANTS	10.3%	9.0%	11.5%	0.61%
MARIJUANA	1.6%	1.1%	2.1%	0.24%
CIGARETTES	3.2%	2.5%	3.8%	0.32%
SMOKELESS TOBACCO	0.8%	0.6%	1.0%	0.12%
BEER	9.2%	7.7%	10.7%	0.75%
WINE COOLERS	5.4%	4.7%	6.1%	0.35%
WINE	5.4%	4.1%	6.7%	0.66%
LIQUOR	3.2%	2.6%	3.7%	0.27%

Past Year Use of Selected Substances - Overall Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.1%	1.6%	2.6%	0.26%
ALCOHOL	9.3%	8.2%	10.4%	0.56%
INHALANTS	7.2%	6.4%	7.9%	0.38%
MARIJUANA	1.1%	0.7%	1.5%	0.20%
CIGARETTES	1.9%	1.3%	2.4%	0.28%
SMOKELESS TOBACCO	0.5%	0.3%	0.6%	0.08%
BEER	5.4%	4.5%	6.3%	0.44%
WINE COOLERS	3.6%	3.1%	4.1%	0.24%
WINE	3.4%	2.5%	4.2%	0.41%
LIQUOR	2.1%	1.7%	2.4%	0.16%

Lifetime Use of Selected Substances - Grade 4 Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.2%	2.0%	2.4%	0.11%
ALCOHOL	9.3%	7.9%	10.7%	0.68%
INHALANTS	11.2%	8.8%	13.5%	1.17%
MARIJUANA	0.9%	0.5%	1.2%	0.16%
CIGARETTES	1.8%	1.6%	2.0%	0.10%
SMOKELESS TOBACCO	0.8%	0.5%	1.0%	0.11%
BEER	5.7%	4.7%	6.7%	0.51%
WINE COOLERS	3.5%	2.8%	4.2%	0.34%
WINE	3.2%	2.3%	4.1%	0.45%
LIQUOR	1.6%	1.3%	1.9%	0.13%

Past Year Use of Selected Substances - Grade 4 Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	1.3%	1.1%	1.5%	0.09%
ALCOHOL	6.4%	5.5%	7.2%	0.42%
INHALANTS	7.5%	6.0%	9.1%	0.77%
MARIJUANA	0.5%	0.3%	0.6%	0.08%
CIGARETTES	0.9%	0.8%	1.1%	0.09%
SMOKELESS TOBACCO	0.5%	0.4%	0.6%	0.06%
BEER	3.8%	3.2%	4.3%	0.29%
WINE COOLERS	2.4%	2.0%	2.9%	0.23%
WINE	2.0%	1.3%	2.7%	0.36%
LIQUOR	1.0%	0.8%	1.3%	0.14%

Lifetime Use of Selected Substances - Grade 5 Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.1%	2.6%	3.6%	0.25%
ALCOHOL	13.4%	11.7%	15.1%	0.83%
INHALANTS	8.4%	7.6%	9.2%	0.41%
MARIJUANA	0.8%	0.6%	1.0%	0.12%
CIGARETTES	2.5%	1.9%	3.0%	0.27%

Past Year Use of Selected Substances - Grade 5 Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	1.5%	1.3%	1.8%	0.14%
ALCOHOL	8.7%	7.5%	9.9%	0.59%
INHALANTS	5.8%	5.4%	6.3%	0.22%
MARIJUANA	0.5%	0.3%	0.8%	0.11%
CIGARETTES	1.3%	0.9%	1.7%	0.19%

SMOKELESS TOBACCO	0.9%	0.7%	1.1%	0.10%
BEER	8.7%	7.7%	9.6%	0.49%
WINE COOLERS	4.5%	4.0%	5.1%	0.28%
WINE	4.8%	3.6%	5.9%	0.59%
LIQUOR	2.5%	2.0%	3.0%	0.25%

SMOKELESS TOBACCO	0.4%	0.3%	0.5%	0.06%
BEER	4.9%	4.3%	5.6%	0.32%
WINE COOLERS	3.0%	2.6%	3.4%	0.21%
WINE	3.1%	2.4%	3.8%	0.35%
LIQUOR	1.5%	1.2%	1.8%	0.14%

Lifetime Use of Selected Substances - Grade 6 Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.9%	4.1%	7.8%	0.92%
ALCOHOL	20.6%	17.4%	23.8%	1.60%
INHALANTS	11.2%	9.9%	12.6%	0.69%
MARIJUANA	3.3%	2.0%	4.7%	0.68%
CIGARETTES	5.7%	4.0%	7.4%	0.85%
SMOKELESS TOBACCO	0.8%	0.2%	1.4%	0.29%
BEER	14.1%	11.2%	17.1%	1.45%
WINE COOLERS	8.9%	7.7%	10.0%	0.58%
WINE	8.9%	6.9%	10.9%	0.99%
LIQUOR	5.9%	4.5%	7.3%	0.71%

Past Year Use of Selected Substances - Grade 6 Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.8%	2.3%	5.3%	0.75%
ALCOHOL	13.7%	11.9%	15.4%	0.88%
INHALANTS	8.2%	7.1%	9.4%	0.57%
MARIJUANA	2.6%	1.5%	3.8%	0.58%
CIGARETTES	3.7%	2.2%	5.1%	0.73%
SMOKELESS TOBACCO	0.5%	0.1%	0.9%	0.20%
BEER	7.9%	6.1%	9.7%	0.92%
WINE COOLERS	5.8%	4.8%	6.7%	0.49%
WINE	5.4%	4.1%	6.6%	0.63%
LIQUOR	4.0%	3.1%	5.0%	0.47%

Lifetime Use of Selected Substances - Overall Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.8%	3.9%	5.6%	0.43%
ALCOHOL	18.6%	16.7%	20.6%	0.99%
INHALANTS	9.9%	9.0%	10.8%	0.45%
MARIJUANA	1.7%	1.1%	2.3%	0.30%
CIGARETTES	3.8%	3.2%	4.5%	0.33%
SMOKELESS TOBACCO	1.4%	1.0%	1.8%	0.21%
BEER	12.1%	10.7%	13.5%	0.70%
WINE COOLERS	7.6%	6.3%	8.9%	0.66%
WINE	9.0%	7.7%	10.3%	0.65%
LIQUOR	4.9%	3.9%	5.9%	0.50%

Lifetime Use of Selected Substances - Overall Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.6%	2.0%	3.1%	0.27%
ALCOHOL	11.6%	10.1%	13.1%	0.74%
INHALANTS	7.1%	6.3%	7.9%	0.39%
MARIJUANA	1.2%	0.7%	1.7%	0.25%
CIGARETTES	2.0%	1.6%	2.5%	0.23%
SMOKELESS TOBACCO	0.8%	0.5%	1.0%	0.12%
BEER	6.5%	5.6%	7.4%	0.45%
WINE COOLERS	4.7%	3.9%	5.6%	0.44%
WINE	5.4%	4.5%	6.2%	0.42%
LIQUOR	2.9%	2.3%	3.6%	0.33%

Lifetime Use of Selected Substances - Grade 4 Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	

Lifetime Use of Selected Substances - Grade 4 Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	

TOBACCO	3.0%	2.4%	3.5%	0.26%
ALCOHOL	13.6%	12.3%	15.0%	0.67%
INHALANTS	11.1%	10.0%	12.2%	0.56%
MARIJUANA	0.8%	0.5%	1.1%	0.17%
CIGARETTES	2.3%	1.8%	2.8%	0.23%
SMOKELESS TOBACCO	1.0%	0.7%	1.4%	0.18%
BEER	8.9%	8.0%	9.9%	0.47%
WINE COOLERS	4.4%	3.6%	5.3%	0.41%
WINE	5.6%	4.3%	6.9%	0.64%
LIQUOR	1.9%	1.6%	2.2%	0.16%

TOBACCO	1.8%	1.4%	2.2%	0.22%
ALCOHOL	8.4%	7.3%	9.6%	0.56%
INHALANTS	8.0%	7.0%	9.0%	0.51%
MARIJUANA	0.6%	0.3%	0.8%	0.12%
CIGARETTES	1.4%	1.0%	1.8%	0.20%
SMOKELESS TOBACCO	0.7%	0.4%	0.9%	0.12%
BEER	5.0%	4.4%	5.7%	0.33%
WINE COOLERS	2.8%	2.2%	3.4%	0.30%
WINE	3.3%	2.6%	4.0%	0.35%
LIQUOR	1.1%	0.8%	1.3%	0.13%

Lifetime Use of Selected Substances - Grade 5 Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.5%	3.5%	5.4%	0.47%
ALCOHOL	16.7%	14.7%	18.6%	0.98%
INHALANTS	8.4%	7.1%	9.7%	0.63%
MARIJUANA	1.1%	0.8%	1.5%	0.18%
CIGARETTES	3.4%	2.7%	4.1%	0.34%
SMOKELESS TOBACCO	1.3%	0.8%	1.8%	0.25%
BEER	11.3%	9.6%	12.9%	0.82%
WINE COOLERS	6.1%	5.1%	7.0%	0.49%
WINE	7.4%	6.3%	8.6%	0.57%
LIQUOR	3.8%	3.3%	4.4%	0.27%

Lifetime Use of Selected Substances - Grade 5 Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.1%	1.6%	2.6%	0.26%
ALCOHOL	10.1%	8.8%	11.4%	0.66%
INHALANTS	5.6%	4.7%	6.4%	0.43%
MARIJUANA	0.6%	0.3%	0.8%	0.13%
CIGARETTES	1.6%	1.1%	2.0%	0.22%
SMOKELESS TOBACCO	0.7%	0.4%	0.9%	0.14%
BEER	5.8%	4.7%	7.0%	0.58%
WINE COOLERS	3.8%	3.2%	4.4%	0.31%
WINE	4.1%	3.4%	4.9%	0.36%
LIQUOR	2.0%	1.6%	2.4%	0.19%

Lifetime Use of Selected Substances - Grade 6 Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.8%	5.4%	8.2%	0.71%
ALCOHOL	25.2%	23.0%	27.5%	1.13%
INHALANTS	10.3%	8.9%	11.6%	0.69%
MARIJUANA	3.2%	2.0%	4.4%	0.60%
CIGARETTES	5.7%	4.6%	6.8%	0.55%
SMOKELESS TOBACCO	1.9%	1.2%	2.6%	0.37%
BEER	16.0%	14.1%	17.8%	0.92%
WINE COOLERS	12.0%	10.3%	13.7%	0.85%
WINE	13.7%	12.4%	15.0%	0.63%
LIQUOR	8.8%	7.2%	10.5%	0.82%

Lifetime Use of Selected Substances - Grade 6 Non-Border				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.8%	2.8%	4.8%	0.50%
ALCOHOL	16.1%	14.3%	17.9%	0.91%
INHALANTS	7.7%	6.4%	8.9%	0.61%
MARIJUANA	2.4%	1.3%	3.5%	0.54%
CIGARETTES	3.1%	2.2%	4.0%	0.45%
SMOKELESS TOBACCO	1.0%	0.6%	1.3%	0.19%
BEER	8.5%	7.3%	9.6%	0.56%
WINE COOLERS	7.5%	6.2%	8.8%	0.65%
WINE	8.5%	7.6%	9.4%	0.46%
LIQUOR	5.6%	4.5%	6.7%	0.55%

Secondary Grades – 2012

Standard Error and Confidence Intervals

All Students-Overall and by Grade

Past 30 Day Use

Lifetime Use

Male-Overall and by Grade

Past 30 Day Use

Lifetime Use

Female-Overall and by Grade

Past 30 Day Use

Lifetime Use

Whites-Overall and by Grade

Past 30 Day Use

Lifetime Use

African American-Overall and by Grade

Past 30 Day Use

Lifetime Use

Mexican American-Overall and by Grade

Past 30 Day Use

Lifetime Use

Border-Overall and by Grade

Past 30 Day Use

Lifetime Use

Non-border-Overall and by Grade

Past 30 Day Use

Lifetime Use

Lifetime Use of Selected Substances - Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	27.7%	26.0%	29.4%	0.87%
CIGARETTES	25.9%	24.1%	27.6%	0.86%
SMOKELESS TOBACCO	9.3%	8.4%	10.2%	0.45%
ALCOHOL	57.5%	55.7%	59.4%	0.92%
INHALANTS	15.7%	14.9%	16.6%	0.43%
ANY ILLICIT DRUG	27.3%	25.7%	28.8%	0.79%
MARIJUANA	26.2%	24.7%	27.8%	0.78%
MARIJUANA ONLY	15.2%	14.1%	16.4%	0.57%
COCAINE OR CRACK	4.6%	4.0%	5.1%	0.25%
COCAINE	4.2%	3.7%	4.7%	0.24%
CRACK	1.4%	1.2%	1.6%	0.09%
HALLUCINOGENS	4.1%	3.6%	4.6%	0.25%
UPPERS	4.7%	4.3%	5.1%	0.20%
DOWNERS	5.0%	4.5%	5.5%	0.25%
ROHYPNOL	2.0%	1.7%	2.4%	0.18%
STEROIDS	1.4%	1.3%	1.6%	0.07%
ECSTASY	5.7%	5.0%	6.5%	0.38%
HEROIN	1.1%	1.0%	1.2%	0.06%
METHAMPHETAMINE	2.5%	2.3%	2.7%	0.11%
CODEINE	10.8%	10.0%	11.7%	0.42%
OXYCONTIN ETC	3.6%	3.2%	4.0%	0.18%
VICODIN ETC	7.5%	6.9%	8.0%	0.27%
VALIUM ETC	2.0%	1.7%	2.3%	0.16%
XANAX ETC	3.9%	3.3%	4.5%	0.30%
DXM ETC	4.6%	4.1%	5.0%	0.23%

Past 30-day Use of Selected Substances - Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	11.0%	10.1%	11.9%	0.46%
CIGARETTES	9.8%	8.9%	10.6%	0.43%
SMOKELESS TOBACCO	3.6%	3.2%	4.1%	0.24%
ALCOHOL	25.1%	23.9%	26.4%	0.62%
INHALANTS	4.8%	4.4%	5.2%	0.20%
ANY ILLICIT DRUG	12.3%	11.5%	13.2%	0.44%
MARIJUANA	11.1%	10.3%	12.0%	0.43%
MARIJUANA ONLY	5.2%	4.7%	5.6%	0.23%
COCAINE OR CRACK	1.4%	1.2%	1.6%	0.10%
COCAINE	1.2%	1.1%	1.4%	0.08%
CRACK	0.4%	0.3%	0.5%	0.04%
HALLUCINOGENS	1.3%	1.1%	1.5%	0.08%
UPPERS	1.8%	1.6%	1.9%	0.09%
DOWNERS	2.0%	1.8%	2.2%	0.12%
ROHYPNOL	0.7%	0.6%	0.9%	0.07%
STEROIDS	0.5%	0.4%	0.5%	0.05%
ECSTASY	1.7%	1.4%	2.0%	0.13%
HEROIN	0.4%	0.3%	0.4%	0.03%
METHAMPHETAMINE	0.8%	0.7%	0.8%	0.04%
CODEINE	4.0%	3.6%	4.4%	0.20%
OXYCONTIN ETC	1.2%	1.1%	1.3%	0.05%
VICODIN ETC	2.7%	2.5%	2.9%	0.12%
VALIUM ETC	0.7%	0.6%	0.8%	0.05%
XANAX ETC	1.5%	1.2%	1.8%	0.13%
DXM ETC	1.7%	1.5%	2.0%	0.11%

Lifetime Use of Selected Substances - Overall Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	12.9%	10.6%	15.2%	1.15%
CIGARETTES	11.9%	9.6%	14.1%	1.13%
SMOKELESS TOBACCO	3.6%	2.8%	4.5%	0.40%
ALCOHOL	36.2%	32.2%	40.3%	2.01%
INHALANTS	18.3%	16.3%	20.3%	0.99%
ANY ILLICIT DRUG	10.2%	7.9%	12.4%	1.12%

Past 30-day Use of Selected Substances - Overall Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.7%	3.0%	4.4%	0.35%
CIGARETTES	3.3%	2.6%	4.0%	0.36%
SMOKELESS TOBACCO	1.1%	0.7%	1.5%	0.18%
ALCOHOL	11.5%	9.8%	13.1%	0.81%
INHALANTS	7.1%	6.3%	7.9%	0.40%
ANY ILLICIT DRUG	4.2%	3.3%	5.2%	0.47%

MARIJUANA	8.7%	6.6%	10.8%	1.04%
MARIJUANA ONLY	5.4%	4.2%	6.7%	0.62%
COCAINE OR CRACK	1.8%	1.3%	2.4%	0.29%
COCAINE	1.3%	0.9%	1.8%	0.23%
CRACK	1.2%	0.9%	1.6%	0.19%
HALLUCINOGENS	1.1%	0.8%	1.5%	0.19%
UPPERS	1.0%	0.7%	1.3%	0.16%
DOWNERS	0.9%	0.6%	1.1%	0.12%
ROHYPNOL	0.9%	0.6%	1.2%	0.16%
STEROIDS	1.4%	1.1%	1.7%	0.15%
ECSTASY	1.2%	0.9%	1.5%	0.15%
HEROIN	1.0%	0.6%	1.3%	0.16%
METHAMPHETAMINE	1.6%	1.2%	2.0%	0.21%
CODEINE	7.2%	6.1%	8.4%	0.57%
OXYCONTIN ETC	1.2%	0.9%	1.5%	0.14%
VICODIN ETC	1.7%	1.3%	2.1%	0.18%
VALIUM ETC	0.7%	0.4%	0.9%	0.12%
XANAX ETC	1.1%	0.8%	1.4%	0.16%
DXM ETC	3.6%	2.7%	4.6%	0.48%

MARIJUANA	3.2%	2.3%	4.0%	0.43%
MARIJUANA ONLY	1.7%	1.2%	2.2%	0.25%
COCAINE OR CRACK	0.6%	0.4%	0.8%	0.10%
COCAINE	0.4%	0.2%	0.5%	0.07%
CRACK	0.4%	0.2%	0.6%	0.08%
HALLUCINOGENS	0.5%	0.3%	0.7%	0.08%
UPPERS	0.4%	0.2%	0.6%	0.09%
DOWNERS	0.4%	0.2%	0.6%	0.10%
ROHYPNOL	0.4%	0.3%	0.6%	0.08%
STEROIDS	0.6%	0.4%	0.8%	0.10%
ECSTASY	0.5%	0.3%	0.6%	0.08%
HEROIN	0.3%	0.2%	0.4%	0.07%
METHAMPHETAMINE	0.5%	0.3%	0.7%	0.08%
CODEINE	3.1%	2.5%	3.7%	0.30%
OXYCONTIN ETC	0.4%	0.3%	0.6%	0.09%
VICODIN ETC	0.7%	0.4%	0.9%	0.14%
VALIUM ETC	0.1%	0.1%	0.2%	0.03%
XANAX ETC	0.4%	0.3%	0.5%	0.07%
DXM ETC	1.6%	1.2%	2.0%	0.22%

Lifetime Use of Selected Substances - Overall Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	19.1%	17.1%	21.1%	1.01%
CIGARETTES	17.8%	15.7%	19.8%	1.01%
SMOKELESS TOBACCO	5.7%	4.8%	6.5%	0.42%
ALCOHOL	47.7%	45.3%	50.1%	1.20%
INHALANTS	18.0%	17.0%	19.1%	0.51%
ANY ILLICIT DRUG	16.9%	14.8%	18.9%	1.01%
MARIJUANA	15.6%	13.5%	17.6%	1.02%
MARIJUANA ONLY	9.4%	7.9%	10.9%	0.73%
COCAINE OR CRACK	2.6%	2.1%	3.1%	0.27%
COCAINE	2.0%	1.6%	2.4%	0.22%
CRACK	1.4%	1.1%	1.7%	0.15%
HALLUCINOGENS	2.4%	2.0%	2.8%	0.22%
UPPERS	1.7%	1.3%	2.1%	0.20%
DOWNERS	2.0%	1.5%	2.4%	0.21%
ROHYPNOL	2.2%	1.7%	2.6%	0.21%
STEROIDS	1.5%	1.2%	1.9%	0.17%

Past 30-day Use of Selected Substances - Overall Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.5%	4.7%	6.2%	0.38%
CIGARETTES	4.7%	4.1%	5.4%	0.33%
SMOKELESS TOBACCO	1.9%	1.4%	2.4%	0.26%
ALCOHOL	17.3%	15.8%	18.8%	0.76%
INHALANTS	6.1%	5.3%	6.9%	0.38%
ANY ILLICIT DRUG	7.2%	6.1%	8.3%	0.54%
MARIJUANA	6.2%	5.2%	7.2%	0.48%
MARIJUANA ONLY	3.0%	2.5%	3.5%	0.25%
COCAINE OR CRACK	0.9%	0.7%	1.1%	0.11%
COCAINE	0.6%	0.4%	0.8%	0.08%
CRACK	0.4%	0.2%	0.7%	0.10%
HALLUCINOGENS	0.8%	0.7%	1.0%	0.09%
UPPERS	0.8%	0.6%	1.0%	0.10%
DOWNERS	0.9%	0.7%	1.1%	0.10%
ROHYPNOL	0.9%	0.6%	1.1%	0.12%
STEROIDS	0.3%	0.2%	0.4%	0.06%

ECSTASY	2.6%	2.1%	3.0%	0.21%
HEROIN	1.0%	0.7%	1.3%	0.15%
METHAMPHETAMINE	2.0%	1.6%	2.5%	0.23%
CODEINE	8.2%	7.2%	9.2%	0.52%
OXYCONTIN ETC	1.8%	1.4%	2.2%	0.20%
VICODIN ETC	2.9%	2.2%	3.5%	0.33%
VALIUM ETC	0.9%	0.6%	1.2%	0.14%
XANAX ETC	1.9%	1.4%	2.4%	0.25%
DXM ETC	4.5%	3.5%	5.5%	0.51%

ECSTASY	0.9%	0.6%	1.1%	0.12%
HEROIN	0.4%	0.2%	0.5%	0.07%
METHAMPHETAMINE	0.5%	0.4%	0.7%	0.08%
CODEINE	3.5%	2.9%	4.1%	0.29%
OXYCONTIN ETC	0.6%	0.4%	0.7%	0.07%
VICODIN ETC	1.2%	0.9%	1.5%	0.16%
VALIUM ETC	0.3%	0.2%	0.4%	0.05%
XANAX ETC	0.8%	0.5%	1.0%	0.11%
DXM ETC	2.2%	1.5%	2.8%	0.32%

Lifetime Use of Selected Substances - Overall Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	27.3%	25.0%	29.5%	1.12%
CIGARETTES	25.3%	23.0%	27.6%	1.15%
SMOKELESS TOBACCO	8.8%	8.0%	9.6%	0.41%
ALCOHOL	59.7%	57.5%	61.9%	1.10%
INHALANTS	17.3%	16.1%	18.5%	0.60%
ANY ILLICIT DRUG	27.2%	24.6%	29.8%	1.30%
MARIJUANA	26.2%	23.6%	28.7%	1.28%
MARIJUANA ONLY	15.4%	13.7%	17.2%	0.88%
COCAINE OR CRACK	4.0%	3.3%	4.7%	0.36%
COCAINE	3.6%	2.9%	4.2%	0.32%
CRACK	1.4%	1.1%	1.6%	0.14%
HALLUCINOGENS	3.8%	3.2%	4.3%	0.30%
UPPERS	3.9%	3.4%	4.3%	0.25%
DOWNERS	4.2%	3.5%	4.8%	0.31%
ROHYPNOL	2.4%	2.0%	2.8%	0.20%
STEROIDS	1.1%	0.9%	1.4%	0.13%
ECSTASY	5.1%	4.2%	6.0%	0.45%
HEROIN	1.2%	0.9%	1.4%	0.11%
METHAMPHETAMINE	2.4%	2.0%	2.8%	0.20%
CODEINE	10.4%	9.3%	11.4%	0.53%
OXYCONTIN ETC	3.5%	3.1%	4.0%	0.23%
VICODIN ETC	6.4%	5.7%	7.1%	0.35%
VALIUM ETC	2.1%	1.6%	2.5%	0.21%
XANAX ETC	3.8%	3.0%	4.7%	0.42%
DXM ETC	4.7%	4.1%	5.4%	0.32%

Past 30-day Use of Selected Substances - Overall Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	9.8%	8.6%	11.1%	0.62%
CIGARETTES	8.5%	7.2%	9.9%	0.65%
SMOKELESS TOBACCO	3.3%	2.8%	3.8%	0.25%
ALCOHOL	24.9%	23.2%	26.7%	0.88%
INHALANTS	5.2%	4.6%	5.7%	0.27%
ANY ILLICIT DRUG	12.3%	10.8%	13.8%	0.74%
MARIJUANA	11.3%	9.8%	12.7%	0.73%
MARIJUANA ONLY	5.5%	4.7%	6.2%	0.38%
COCAINE OR CRACK	1.2%	0.9%	1.4%	0.11%
COCAINE	1.0%	0.8%	1.2%	0.09%
CRACK	0.4%	0.3%	0.6%	0.07%
HALLUCINOGENS	1.5%	1.2%	1.7%	0.11%
UPPERS	1.6%	1.3%	1.8%	0.14%
DOWNERS	1.7%	1.4%	2.1%	0.16%
ROHYPNOL	1.0%	0.7%	1.2%	0.11%
STEROIDS	0.2%	0.2%	0.3%	0.04%
ECSTASY	1.8%	1.4%	2.1%	0.17%
HEROIN	0.4%	0.3%	0.5%	0.07%
METHAMPHETAMINE	0.7%	0.5%	0.8%	0.09%
CODEINE	3.9%	3.3%	4.5%	0.29%
OXYCONTIN ETC	1.2%	0.9%	1.5%	0.15%
VICODIN ETC	2.7%	2.2%	3.1%	0.24%
VALIUM ETC	0.9%	0.7%	1.1%	0.10%
XANAX ETC	1.5%	1.1%	2.0%	0.20%
DXM ETC	1.8%	1.4%	2.2%	0.19%

Lifetime Use of Selected Substances - Overall Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	31.7%	30.0%	33.3%	0.84%
CIGARETTES	29.7%	27.9%	31.4%	0.86%
SMOKELESS TOBACCO	10.4%	8.9%	11.9%	0.74%
ALCOHOL	64.3%	62.5%	66.0%	0.88%
INHALANTS	14.5%	13.3%	15.7%	0.60%
ANY ILLICIT DRUG	33.3%	31.7%	34.9%	0.79%
MARIJUANA	32.3%	30.7%	33.9%	0.81%
MARIJUANA ONLY	18.9%	17.5%	20.2%	0.67%
COCAINE OR CRACK	5.4%	4.6%	6.3%	0.43%
COCAINE	5.1%	4.2%	6.0%	0.44%
CRACK	1.7%	1.3%	2.0%	0.17%
HALLUCINOGENS	5.3%	4.6%	5.9%	0.34%
UPPERS	5.9%	5.2%	6.6%	0.34%
DOWNERS	6.3%	5.4%	7.3%	0.46%
ROHYPNOL	2.4%	1.8%	3.1%	0.32%
STEROIDS	1.3%	1.1%	1.6%	0.11%
ECSTASY	7.3%	6.1%	8.4%	0.57%
HEROIN	1.1%	0.9%	1.3%	0.09%
METHAMPHETAMINE	2.7%	2.3%	3.1%	0.22%
CODEINE	12.0%	10.9%	13.2%	0.58%
OXYCONTIN ETC	4.3%	3.7%	4.9%	0.28%
VICODIN ETC	9.5%	8.4%	10.5%	0.54%
VALIUM ETC	2.4%	1.9%	2.8%	0.23%
XANAX ETC	4.4%	3.7%	5.2%	0.38%
DXM ETC	4.8%	4.4%	5.2%	0.20%

Past 30-day Use of Selected Substances - Overall Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	12.5%	11.4%	13.7%	0.58%
CIGARETTES	11.2%	10.2%	12.3%	0.53%
SMOKELESS TOBACCO	4.0%	3.2%	4.8%	0.41%
ALCOHOL	28.4%	27.0%	29.8%	0.70%
INHALANTS	3.9%	3.4%	4.4%	0.25%
ANY ILLICIT DRUG	15.0%	14.2%	15.8%	0.40%
MARIJUANA	13.6%	12.7%	14.5%	0.45%
MARIJUANA ONLY	6.5%	5.9%	7.1%	0.30%
COCAINE OR CRACK	1.6%	1.3%	2.0%	0.15%
COCAINE	1.5%	1.2%	1.8%	0.15%
CRACK	0.4%	0.3%	0.6%	0.07%
HALLUCINOGENS	1.4%	1.1%	1.7%	0.15%
UPPERS	2.3%	2.1%	2.6%	0.14%
DOWNERS	2.6%	2.1%	3.0%	0.21%
ROHYPNOL	0.9%	0.6%	1.2%	0.15%
STEROIDS	0.6%	0.4%	0.8%	0.10%
ECSTASY	2.1%	1.5%	2.6%	0.28%
HEROIN	0.3%	0.2%	0.4%	0.04%
METHAMPHETAMINE	0.8%	0.6%	1.0%	0.11%
CODEINE	4.5%	4.0%	5.0%	0.23%
OXYCONTIN ETC	1.4%	1.1%	1.6%	0.14%
VICODIN ETC	3.4%	2.8%	4.0%	0.30%
VALIUM ETC	0.8%	0.6%	1.1%	0.11%
XANAX ETC	1.7%	1.3%	2.1%	0.21%
DXM ETC	1.7%	1.4%	2.0%	0.15%

Lifetime Use of Selected Substances - Overall Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	36.7%	34.6%	38.8%	1.05%
CIGARETTES	34.2%	32.2%	36.1%	0.98%
SMOKELESS TOBACCO	13.4%	11.9%	15.0%	0.77%
ALCOHOL	68.6%	66.8%	70.5%	0.93%
INHALANTS	13.3%	12.1%	14.5%	0.62%
ANY ILLICIT DRUG	37.8%	36.1%	39.5%	0.85%
MARIJUANA	37.0%	35.3%	38.6%	0.83%
MARIJUANA ONLY	20.9%	19.4%	22.4%	0.75%

Past 30-day Use of Selected Substances - Overall Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	15.7%	14.2%	17.2%	0.75%
CIGARETTES	13.9%	12.5%	15.3%	0.70%
SMOKELESS TOBACCO	5.6%	4.9%	6.4%	0.36%
ALCOHOL	32.0%	30.4%	33.5%	0.77%
INHALANTS	3.1%	2.5%	3.7%	0.30%
ANY ILLICIT DRUG	17.0%	15.3%	18.6%	0.82%
MARIJUANA	15.4%	13.6%	17.2%	0.89%
MARIJUANA ONLY	6.8%	6.0%	7.5%	0.38%

COCAINE OR CRACK	7.0%	6.3%	7.7%	0.35%
COCAINE	6.7%	6.0%	7.5%	0.36%
CRACK	1.5%	1.1%	1.9%	0.21%
HALLUCINOGENS	6.0%	5.0%	7.0%	0.49%
UPPERS	7.6%	6.6%	8.6%	0.51%
DOWNERS	8.2%	7.0%	9.3%	0.58%
ROHYPNOL	2.2%	1.7%	2.7%	0.27%
STERIODS	1.6%	1.3%	1.9%	0.15%
ECSTASY	9.2%	8.1%	10.3%	0.56%
HEROIN	1.2%	1.0%	1.3%	0.08%
METHAMPHETAMINE	3.1%	2.8%	3.4%	0.14%
CODEINE	13.7%	12.4%	15.0%	0.64%
OXYCONTIN ETC	5.2%	4.5%	5.9%	0.37%
VICODIN ETC	12.0%	10.8%	13.3%	0.62%
VALIUM ETC	2.8%	2.3%	3.3%	0.27%
XANAX ETC	5.5%	4.5%	6.5%	0.49%
DXM ETC	5.2%	4.5%	5.8%	0.33%

COCAINE OR CRACK	2.0%	1.5%	2.5%	0.24%
COCAINE	1.9%	1.5%	2.4%	0.23%
CRACK	0.3%	0.2%	0.5%	0.06%
HALLUCINOGENS	1.7%	1.4%	2.1%	0.17%
UPPERS	2.6%	1.9%	3.3%	0.35%
DOWNERS	3.2%	2.4%	3.9%	0.37%
ROHYPNOL	0.6%	0.4%	0.8%	0.11%
STERIODS	0.6%	0.3%	0.8%	0.12%
ECSTASY	2.5%	2.1%	2.9%	0.22%
HEROIN	0.4%	0.2%	0.5%	0.06%
METHAMPHETAMINE	1.1%	0.8%	1.3%	0.12%
CODEINE	4.9%	4.1%	5.7%	0.40%
OXYCONTIN ETC	1.9%	1.6%	2.3%	0.19%
VICODIN ETC	4.2%	3.6%	4.9%	0.32%
VALIUM ETC	0.9%	0.7%	1.2%	0.12%
XANAX ETC	2.5%	1.9%	3.1%	0.30%
DXM ETC	1.7%	1.4%	2.1%	0.18%

Lifetime Use of Selected Substances - Overall Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	42.3%	40.5%	44.1%	0.92%
CIGARETTES	40.0%	38.1%	41.9%	0.95%
SMOKELESS TOBACCO	15.7%	14.3%	17.2%	0.73%
ALCOHOL	72.7%	71.0%	74.3%	0.82%
INHALANTS	12.0%	10.8%	13.2%	0.60%
ANY ILLICIT DRUG	42.4%	40.4%	44.5%	1.02%
MARIJUANA	41.8%	39.8%	43.8%	0.99%
MARIJUANA ONLY	23.6%	21.6%	25.6%	1.00%
COCAINE OR CRACK	7.3%	6.3%	8.2%	0.48%
COCAINE	7.2%	6.2%	8.2%	0.48%
CRACK	1.1%	0.8%	1.3%	0.15%
HALLUCINOGENS	6.7%	5.6%	7.8%	0.54%
UPPERS	9.1%	8.2%	10.0%	0.45%
DOWNERS	9.8%	8.8%	10.7%	0.48%
ROHYPNOL	2.1%	1.5%	2.7%	0.29%
STERIODS	1.5%	1.2%	1.9%	0.17%
ECSTASY	10.3%	8.4%	12.1%	0.94%
HEROIN	1.1%	0.9%	1.4%	0.12%
METHAMPHETAMINE	3.4%	2.8%	4.0%	0.29%

Past 30-day Use of Selected Substances - Overall Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	21.3%	20.2%	22.3%	0.53%
CIGARETTES	19.2%	18.2%	20.2%	0.50%
SMOKELESS TOBACCO	6.6%	5.7%	7.6%	0.48%
ALCOHOL	40.3%	38.7%	42.0%	0.83%
INHALANTS	2.9%	2.5%	3.4%	0.22%
ANY ILLICIT DRUG	20.4%	19.4%	21.3%	0.48%
MARIJUANA	18.9%	18.0%	19.9%	0.49%
MARIJUANA ONLY	8.2%	7.2%	9.1%	0.47%
COCAINE OR CRACK	2.4%	2.0%	2.8%	0.20%
COCAINE	2.3%	1.9%	2.7%	0.19%
CRACK	0.3%	0.1%	0.4%	0.06%
HALLUCINOGENS	2.0%	1.6%	2.3%	0.18%
UPPERS	3.2%	2.9%	3.6%	0.20%
DOWNERS	3.7%	3.2%	4.1%	0.22%
ROHYPNOL	0.6%	0.4%	0.8%	0.10%
STERIODS	0.5%	0.4%	0.6%	0.06%
ECSTASY	2.8%	2.2%	3.4%	0.31%
HEROIN	0.3%	0.2%	0.5%	0.06%
METHAMPHETAMINE	1.1%	0.8%	1.3%	0.12%

CODEINE	14.7%	13.6%	15.8%	0.53%
OXYCONTIN ETC	6.4%	5.7%	7.1%	0.36%
VICODIN ETC	14.2%	13.1%	15.3%	0.55%
VALIUM ETC	3.7%	2.9%	4.4%	0.37%
XANAX ETC	7.4%	6.2%	8.6%	0.59%
DXM ETC	4.5%	4.0%	5.1%	0.25%

CODEINE	4.5%	4.0%	5.1%	0.26%
OXYCONTIN ETC	1.8%	1.5%	2.1%	0.15%
VICODIN ETC	4.5%	4.1%	4.9%	0.21%
VALIUM ETC	1.1%	0.8%	1.4%	0.14%
XANAX ETC	2.3%	1.8%	2.7%	0.23%
DXM ETC	1.4%	1.3%	1.6%	0.09%

Lifetime Use of Selected Substances - Male Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	30.9%	29.3%	32.6%	0.84%
CIGARETTES	27.9%	26.2%	29.7%	0.88%
SMOKELESS TOBACCO	13.9%	12.4%	15.4%	0.76%
ALCOHOL	55.9%	54.1%	57.6%	0.86%
INHALANTS	14.6%	13.9%	15.3%	0.35%
ANY ILLICIT DRUG	29.8%	28.1%	31.5%	0.84%
MARIJUANA	29.0%	27.3%	30.7%	0.86%
MARIJUANA ONLY	16.8%	15.4%	18.1%	0.66%
COCAINE OR CRACK	5.3%	4.7%	6.0%	0.31%
COCAINE	5.0%	4.4%	5.7%	0.31%
CRACK	1.4%	1.2%	1.7%	0.12%
HALLUCINOGENS	5.0%	4.4%	5.6%	0.29%
UPPERS	5.0%	4.5%	5.4%	0.20%
DOWNERS	5.5%	5.1%	6.0%	0.23%
ROHYPNOL	2.0%	1.7%	2.4%	0.18%
STEROIDS	1.8%	1.5%	2.0%	0.12%
ECSTASY	6.0%	5.3%	6.8%	0.37%
HEROIN	1.1%	0.9%	1.3%	0.08%
METHAMPHETAMINE	2.6%	2.3%	2.9%	0.15%
CODEINE	11.2%	10.4%	12.0%	0.40%
OXYCONTIN ETC	4.0%	3.6%	4.4%	0.20%
VICODIN ETC	7.8%	7.2%	8.4%	0.30%
VALIUM ETC	2.2%	1.8%	2.5%	0.16%
XANAX ETC	4.1%	3.5%	4.7%	0.29%
DXM ETC	4.6%	4.0%	5.2%	0.29%

Past 30-day Use of Selected Substances - Male Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	13.2%	12.2%	14.2%	0.49%
CIGARETTES	11.1%	10.2%	12.1%	0.46%
SMOKELESS TOBACCO	5.7%	4.9%	6.5%	0.40%
ALCOHOL	24.9%	23.7%	26.1%	0.61%
INHALANTS	4.3%	3.8%	4.7%	0.23%
ANY ILLICIT DRUG	14.0%	13.2%	14.9%	0.42%
MARIJUANA	12.7%	11.9%	13.5%	0.40%
MARIJUANA ONLY	5.9%	5.4%	6.4%	0.25%
COCAINE OR CRACK	1.8%	1.5%	2.0%	0.12%
COCAINE	1.6%	1.4%	1.8%	0.10%
CRACK	0.5%	0.4%	0.6%	0.06%
HALLUCINOGENS	1.6%	1.4%	1.8%	0.10%
UPPERS	1.9%	1.7%	2.1%	0.11%
DOWNERS	2.3%	2.0%	2.6%	0.14%
ROHYPNOL	0.8%	0.6%	0.9%	0.08%
STEROIDS	0.6%	0.5%	0.8%	0.08%
ECSTASY	1.9%	1.6%	2.1%	0.12%
HEROIN	0.3%	0.3%	0.4%	0.04%
METHAMPHETAMINE	0.9%	0.7%	1.0%	0.06%
CODEINE	4.2%	3.7%	4.7%	0.23%
OXYCONTIN ETC	1.4%	1.2%	1.5%	0.06%
VICODIN ETC	2.9%	2.6%	3.2%	0.15%
VALIUM ETC	0.8%	0.7%	0.9%	0.05%
XANAX ETC	1.7%	1.4%	1.9%	0.12%
DXM ETC	1.7%	1.5%	2.0%	0.11%

Lifetime Use of Selected Substances - Male Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	

Past 30-day Use of Selected Substances - Male Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	

TOBACCO	14.2%	12.3%	16.2%	0.97%
CIGARETTES	12.6%	10.6%	14.6%	1.01%
SMOKELESS TOBACCO	4.9%	3.9%	6.0%	0.52%
ALCOHOL	35.8%	32.8%	38.8%	1.51%
INHALANTS	15.9%	14.4%	17.5%	0.75%
ANY ILLICIT DRUG	11.1%	8.9%	13.3%	1.10%
MARIJUANA	10.0%	7.8%	12.2%	1.10%
MARIJUANA ONLY	6.4%	4.9%	7.9%	0.75%
COCAINE OR CRACK	1.6%	1.2%	2.0%	0.20%
COCAINE	1.3%	0.9%	1.7%	0.20%
CRACK	1.0%	0.7%	1.3%	0.15%
HALLUCINOGENS	1.3%	0.9%	1.7%	0.19%
UPPERS	1.0%	0.7%	1.3%	0.17%
DOWNERS	0.9%	0.6%	1.2%	0.16%
ROHYPNOL	0.9%	0.6%	1.2%	0.17%
STEROIDS	1.5%	1.2%	1.8%	0.16%
ECSTASY	1.3%	0.9%	1.7%	0.21%
HEROIN	0.7%	0.3%	1.0%	0.16%
METHAMPHETAMINE	1.2%	0.8%	1.6%	0.20%
CODEINE	6.2%	5.3%	7.2%	0.46%
OXYCONTIN ETC	1.1%	0.7%	1.4%	0.17%
VICODIN ETC	1.9%	1.4%	2.4%	0.26%
VALIUM ETC	0.7%	0.3%	1.0%	0.17%
XANAX ETC	1.2%	0.7%	1.6%	0.22%
DXM ETC	2.9%	2.2%	3.7%	0.40%

TOBACCO	4.2%	3.3%	5.1%	0.44%
CIGARETTES	3.5%	2.6%	4.4%	0.44%
SMOKELESS TOBACCO	1.7%	1.1%	2.3%	0.30%
ALCOHOL	10.9%	9.4%	12.4%	0.76%
INHALANTS	6.0%	5.1%	6.9%	0.45%
ANY ILLICIT DRUG	4.5%	3.5%	5.6%	0.52%
MARIJUANA	3.6%	2.6%	4.6%	0.49%
MARIJUANA ONLY	2.1%	1.4%	2.8%	0.36%
COCAINE OR CRACK	0.5%	0.3%	0.7%	0.10%
COCAINE	0.4%	0.2%	0.5%	0.08%
CRACK	0.3%	0.2%	0.5%	0.08%
HALLUCINOGENS	0.6%	0.3%	0.8%	0.13%
UPPERS	0.3%	0.2%	0.5%	0.09%
DOWNERS	0.4%	0.2%	0.7%	0.12%
ROHYPNOL	0.4%	0.2%	0.6%	0.11%
STEROIDS	0.7%	0.4%	1.0%	0.16%
ECSTASY	0.5%	0.2%	0.7%	0.12%
HEROIN	0.2%	0.1%	0.3%	0.06%
METHAMPHETAMINE	0.4%	0.2%	0.5%	0.08%
CODEINE	2.7%	2.0%	3.3%	0.33%
OXYCONTIN ETC	0.4%	0.2%	0.5%	0.08%
VICODIN ETC	0.8%	0.4%	1.1%	0.18%
VALIUM ETC	0.2%	0.1%	0.3%	0.06%
XANAX ETC	0.4%	0.2%	0.6%	0.10%
DXM ETC	1.3%	0.9%	1.6%	0.18%

Lifetime Use of Selected Substances - Male Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	21.1%	18.9%	23.4%	1.12%
CIGARETTES	19.1%	16.9%	21.2%	1.07%
SMOKELESS TOBACCO	7.7%	6.2%	9.1%	0.72%
ALCOHOL	45.7%	43.2%	48.1%	1.25%
INHALANTS	15.5%	14.6%	16.3%	0.43%
ANY ILLICIT DRUG	18.5%	16.3%	20.7%	1.11%
MARIJUANA	17.6%	15.3%	19.9%	1.17%
MARIJUANA ONLY	11.0%	9.3%	12.7%	0.85%
COCAINE OR CRACK	2.7%	2.0%	3.5%	0.37%
COCAINE	2.2%	1.5%	2.9%	0.34%

Past 30-day Use of Selected Substances - Male Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.1%	5.0%	7.1%	0.52%
CIGARETTES	4.9%	4.2%	5.6%	0.35%
SMOKELESS TOBACCO	2.8%	1.8%	3.8%	0.49%
ALCOHOL	15.7%	14.6%	16.8%	0.56%
INHALANTS	5.2%	4.4%	5.9%	0.39%
ANY ILLICIT DRUG	7.4%	6.4%	8.5%	0.51%
MARIJUANA	6.5%	5.6%	7.4%	0.45%
MARIJUANA ONLY	3.5%	2.9%	4.2%	0.33%
COCAINE OR CRACK	0.9%	0.6%	1.1%	0.13%
COCAINE	0.7%	0.4%	0.9%	0.12%

CRACK	1.2%	0.8%	1.6%	0.18%
HALLUCINOGENS	2.9%	2.4%	3.5%	0.27%
UPPERS	1.7%	1.3%	2.1%	0.20%
DOWNERS	2.0%	1.6%	2.5%	0.23%
ROHYPNOL	2.0%	1.5%	2.4%	0.22%
STEROIDS	1.8%	1.3%	2.3%	0.25%
ECSTASY	2.4%	1.9%	2.9%	0.25%
HEROIN	1.0%	0.5%	1.4%	0.22%
METHAMPHETAMINE	1.7%	1.0%	2.4%	0.33%
CODEINE	7.4%	6.2%	8.5%	0.56%
OXYCONTIN ETC	1.7%	1.2%	2.2%	0.26%
VICODIN ETC	2.4%	1.9%	2.9%	0.25%
VALIUM ETC	0.7%	0.5%	0.9%	0.10%
XANAX ETC	1.3%	1.0%	1.7%	0.17%
DXM ETC	3.7%	2.8%	4.6%	0.45%

CRACK	0.3%	0.2%	0.5%	0.08%
HALLUCINOGENS	1.0%	0.7%	1.3%	0.14%
UPPERS	0.8%	0.6%	1.0%	0.09%
DOWNERS	0.9%	0.7%	1.2%	0.12%
ROHYPNOL	0.8%	0.5%	1.0%	0.13%
STEROIDS	0.3%	0.1%	0.5%	0.11%
ECSTASY	0.9%	0.6%	1.2%	0.16%
HEROIN	0.3%	0.2%	0.5%	0.07%
METHAMPHETAMINE	0.5%	0.4%	0.7%	0.08%
CODEINE	3.1%	2.5%	3.6%	0.27%
OXYCONTIN ETC	0.5%	0.3%	0.6%	0.07%
VICODIN ETC	0.9%	0.6%	1.2%	0.17%
VALIUM ETC	0.3%	0.2%	0.5%	0.08%
XANAX ETC	0.6%	0.5%	0.8%	0.08%
DXM ETC	1.6%	1.3%	1.9%	0.16%

Lifetime Use of Selected Substances - Male Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	29.5%	27.0%	31.9%	1.23%
CIGARETTES	26.2%	23.7%	28.7%	1.26%
SMOKELESS TOBACCO	12.2%	10.6%	13.8%	0.81%
ALCOHOL	56.9%	54.6%	59.2%	1.15%
INHALANTS	14.6%	13.3%	15.9%	0.64%
ANY ILLICIT DRUG	28.9%	26.2%	31.5%	1.34%
MARIJUANA	28.3%	25.6%	31.0%	1.37%
MARIJUANA ONLY	17.2%	15.3%	19.1%	0.94%
COCAINE OR CRACK	4.1%	3.3%	5.0%	0.41%
COCAINE	3.8%	3.0%	4.5%	0.37%
CRACK	1.3%	0.9%	1.7%	0.18%
HALLUCINOGENS	4.5%	3.6%	5.3%	0.44%
UPPERS	3.8%	3.2%	4.5%	0.34%
DOWNERS	4.1%	3.4%	4.9%	0.38%
ROHYPNOL	2.2%	1.8%	2.6%	0.21%
STEROIDS	1.2%	0.7%	1.6%	0.23%
ECSTASY	4.9%	4.0%	5.7%	0.41%
HEROIN	1.0%	0.7%	1.3%	0.15%
METHAMPHETAMINE	2.4%	1.7%	3.1%	0.35%
CODEINE	9.6%	8.2%	11.0%	0.69%
OXYCONTIN ETC	3.4%	2.9%	4.0%	0.29%

Past 30-day Use of Selected Substances - Male Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	11.4%	10.0%	12.7%	0.67%
CIGARETTES	9.2%	7.8%	10.6%	0.70%
SMOKELESS TOBACCO	4.8%	3.7%	5.8%	0.53%
ALCOHOL	23.3%	21.3%	25.3%	0.99%
INHALANTS	4.5%	3.9%	5.0%	0.29%
ANY ILLICIT DRUG	13.0%	11.1%	14.8%	0.91%
MARIJUANA	12.0%	10.2%	13.8%	0.90%
MARIJUANA ONLY	5.9%	5.0%	6.8%	0.45%
COCAINE OR CRACK	1.3%	0.9%	1.7%	0.18%
COCAINE	1.1%	0.8%	1.4%	0.15%
CRACK	0.5%	0.3%	0.7%	0.10%
HALLUCINOGENS	1.7%	1.3%	2.2%	0.23%
UPPERS	1.6%	1.2%	2.0%	0.20%
DOWNERS	1.8%	1.4%	2.3%	0.22%
ROHYPNOL	0.8%	0.6%	1.0%	0.11%
STEROIDS	0.2%	0.1%	0.3%	0.05%
ECSTASY	1.6%	1.4%	1.9%	0.13%
HEROIN	0.3%	0.1%	0.4%	0.07%
METHAMPHETAMINE	0.6%	0.3%	1.0%	0.16%
CODEINE	3.8%	3.1%	4.5%	0.36%
OXYCONTIN ETC	1.2%	0.9%	1.4%	0.14%

VICODIN ETC	6.3%	5.3%	7.2%	0.46%
VALIUM ETC	2.2%	1.7%	2.7%	0.25%
XANAX ETC	3.8%	3.0%	4.6%	0.39%
DXM ETC	4.0%	3.1%	4.9%	0.45%

VICODIN ETC	2.8%	2.2%	3.3%	0.29%
VALIUM ETC	0.9%	0.6%	1.1%	0.12%
XANAX ETC	1.7%	1.3%	2.1%	0.20%
DXM ETC	1.7%	1.2%	2.2%	0.26%

Lifetime Use of Selected Substances - Male Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	35.2%	33.6%	36.8%	0.80%
CIGARETTES	31.7%	30.0%	33.3%	0.83%
SMOKELESS TOBACCO	16.0%	13.6%	18.3%	1.17%
ALCOHOL	61.6%	59.6%	63.5%	0.98%
INHALANTS	13.5%	12.2%	14.8%	0.66%
ANY ILLICIT DRUG	36.1%	34.6%	37.6%	0.73%
MARIJUANA	35.2%	33.7%	36.7%	0.77%
MARIJUANA ONLY	20.6%	19.0%	22.2%	0.78%
COCAINE OR CRACK	6.4%	5.3%	7.6%	0.57%
COCAINE	6.1%	5.0%	7.3%	0.59%
CRACK	1.9%	1.2%	2.5%	0.32%
HALLUCINOGENS	6.0%	4.8%	7.2%	0.58%
UPPERS	5.8%	4.7%	6.8%	0.53%
DOWNERS	6.7%	5.4%	8.0%	0.64%
ROHYPNOL	2.4%	1.7%	3.2%	0.36%
STEROIDS	1.7%	1.3%	2.1%	0.20%
ECSTASY	7.4%	6.2%	8.6%	0.61%
HEROIN	1.3%	1.0%	1.7%	0.16%
METHAMPHETAMINE	3.0%	2.4%	3.5%	0.29%
CODEINE	12.4%	11.2%	13.6%	0.60%
OXYCONTIN ETC	4.7%	3.9%	5.5%	0.38%
VICODIN ETC	9.4%	8.1%	10.8%	0.67%
VALIUM ETC	2.4%	1.7%	3.0%	0.32%
XANAX ETC	4.6%	3.6%	5.5%	0.47%
DXM ETC	5.1%	4.6%	5.7%	0.29%

Past 30-day Use of Selected Substances - Male Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	14.7%	13.4%	16.0%	0.65%
CIGARETTES	12.4%	11.3%	13.5%	0.57%
SMOKELESS TOBACCO	6.6%	5.2%	8.0%	0.70%
ALCOHOL	28.2%	26.7%	29.7%	0.75%
INHALANTS	3.3%	2.7%	4.0%	0.34%
ANY ILLICIT DRUG	17.0%	15.9%	18.1%	0.55%
MARIJUANA	15.2%	13.9%	16.5%	0.65%
MARIJUANA ONLY	7.3%	6.5%	8.1%	0.39%
COCAINE OR CRACK	2.2%	1.7%	2.6%	0.24%
COCAINE	1.9%	1.4%	2.3%	0.22%
CRACK	0.6%	0.4%	0.9%	0.13%
HALLUCINOGENS	1.7%	1.3%	2.1%	0.21%
UPPERS	2.3%	1.7%	2.9%	0.29%
DOWNERS	2.7%	2.1%	3.2%	0.28%
ROHYPNOL	1.0%	0.7%	1.4%	0.18%
STEROIDS	0.8%	0.4%	1.2%	0.20%
ECSTASY	2.2%	1.6%	2.7%	0.29%
HEROIN	0.4%	0.2%	0.6%	0.09%
METHAMPHETAMINE	1.1%	0.6%	1.6%	0.23%
CODEINE	4.9%	4.4%	5.5%	0.28%
OXYCONTIN ETC	1.7%	1.3%	2.1%	0.21%
VICODIN ETC	3.4%	2.7%	4.2%	0.36%
VALIUM ETC	0.9%	0.7%	1.2%	0.13%
XANAX ETC	1.7%	1.4%	2.1%	0.19%
DXM ETC	2.1%	1.6%	2.5%	0.22%

Lifetime Use of Selected Substances - Male Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	41.4%	38.9%	43.8%	1.22%
CIGARETTES	37.3%	35.1%	39.6%	1.14%

Past 30-day Use of Selected Substances - Male Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	19.1%	17.0%	21.2%	1.03%
CIGARETTES	16.3%	14.4%	18.3%	0.97%

SMOKELESS TOBACCO	20.7%	17.6%	23.8%	1.55%
ALCOHOL	66.6%	64.7%	68.5%	0.95%
INHALANTS	13.9%	12.5%	15.3%	0.69%
ANY ILLICIT DRUG	41.8%	40.0%	43.6%	0.90%
MARIJUANA	40.9%	39.3%	42.6%	0.83%
MARIJUANA ONLY	23.0%	21.5%	24.5%	0.74%
COCAINE OR CRACK	8.6%	7.6%	9.7%	0.54%
COCAINE	8.5%	7.4%	9.6%	0.56%
CRACK	1.9%	1.2%	2.5%	0.32%
HALLUCINOGENS	7.7%	6.4%	8.9%	0.62%
UPPERS	8.0%	6.9%	9.0%	0.53%
DOWNERS	9.2%	8.1%	10.2%	0.53%
ROHYPNOL	2.2%	1.6%	2.8%	0.30%
STEROIDS	2.3%	1.6%	3.0%	0.34%
ECSTASY	10.1%	9.1%	11.1%	0.49%
HEROIN	1.3%	0.9%	1.8%	0.23%
METHAMPHETAMINE	3.8%	3.3%	4.3%	0.24%
CODEINE	15.5%	13.8%	17.3%	0.88%
OXYCONTIN ETC	5.9%	5.0%	6.8%	0.45%
VICODIN ETC	12.9%	11.2%	14.6%	0.85%
VALIUM ETC	3.3%	2.7%	4.0%	0.32%
XANAX ETC	6.2%	5.1%	7.3%	0.55%
DXM ETC	6.1%	5.1%	7.2%	0.53%

SMOKELESS TOBACCO	8.9%	7.4%	10.3%	0.72%
ALCOHOL	32.6%	30.8%	34.3%	0.88%
INHALANTS	3.0%	2.2%	3.8%	0.40%
ANY ILLICIT DRUG	20.0%	17.9%	22.0%	1.01%
MARIJUANA	17.8%	15.6%	19.9%	1.09%
MARIJUANA ONLY	8.0%	7.1%	8.8%	0.45%
COCAINE OR CRACK	2.8%	2.2%	3.5%	0.32%
COCAINE	2.7%	2.1%	3.3%	0.31%
CRACK	0.6%	0.3%	0.8%	0.11%
HALLUCINOGENS	2.4%	1.9%	2.9%	0.25%
UPPERS	2.8%	2.0%	3.5%	0.37%
DOWNERS	3.7%	2.7%	4.7%	0.51%
ROHYPNOL	0.9%	0.5%	1.2%	0.16%
STEROIDS	1.1%	0.5%	1.6%	0.26%
ECSTASY	3.1%	2.5%	3.7%	0.30%
HEROIN	0.5%	0.2%	0.8%	0.14%
METHAMPHETAMINE	1.4%	1.0%	1.7%	0.16%
CODEINE	5.5%	4.2%	6.8%	0.63%
OXYCONTIN ETC	2.3%	1.7%	2.8%	0.26%
VICODIN ETC	4.6%	3.8%	5.4%	0.40%
VALIUM ETC	1.1%	0.8%	1.4%	0.15%
XANAX ETC	3.3%	2.5%	4.0%	0.37%
DXM ETC	1.9%	1.3%	2.4%	0.29%

Lifetime Use of Selected Substances - Male Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	49.1%	47.0%	51.2%	1.06%
CIGARETTES	45.2%	42.6%	47.8%	1.29%
SMOKELESS TOBACCO	24.9%	22.6%	27.3%	1.16%
ALCOHOL	73.2%	71.3%	75.1%	0.96%
INHALANTS	13.6%	11.9%	15.4%	0.86%
ANY ILLICIT DRUG	47.4%	45.3%	49.5%	1.04%
MARIJUANA	46.9%	44.9%	49.0%	1.03%
MARIJUANA ONLY	24.8%	22.8%	26.9%	1.04%
COCAINE OR CRACK	9.8%	8.4%	11.2%	0.70%
COCAINE	9.7%	8.2%	11.1%	0.71%
CRACK	1.5%	1.1%	1.9%	0.21%
HALLUCINOGENS	8.8%	7.2%	10.4%	0.79%
UPPERS	10.9%	9.8%	12.0%	0.55%

Past 30-day Use of Selected Substances - Male Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	27.3%	25.8%	28.8%	0.76%
CIGARETTES	23.7%	22.1%	25.2%	0.77%
SMOKELESS TOBACCO	11.0%	9.5%	12.4%	0.72%
ALCOHOL	43.3%	41.2%	45.4%	1.05%
INHALANTS	3.3%	2.7%	3.9%	0.30%
ANY ILLICIT DRUG	25.4%	23.9%	27.0%	0.76%
MARIJUANA	24.0%	22.3%	25.7%	0.85%
MARIJUANA ONLY	9.7%	8.4%	10.9%	0.62%
COCAINE OR CRACK	3.5%	2.8%	4.3%	0.37%
COCAINE	3.4%	2.7%	4.1%	0.36%
CRACK	0.5%	0.2%	0.7%	0.11%
HALLUCINOGENS	2.7%	2.2%	3.2%	0.24%
UPPERS	3.9%	3.3%	4.6%	0.33%

DOWNERS	11.9%	10.7%	13.2%	0.62%
ROHYPNOL	2.6%	1.9%	3.4%	0.38%
STEROIDS	2.2%	1.7%	2.8%	0.27%
ECSTASY	11.7%	9.5%	13.9%	1.12%
HEROIN	1.3%	1.0%	1.7%	0.18%
METHAMPHETAMINE	4.2%	3.4%	5.1%	0.42%
CODEINE	18.3%	16.7%	19.9%	0.79%
OXYCONTIN ETC	8.3%	7.7%	9.0%	0.33%
VICODIN ETC	16.5%	15.1%	18.0%	0.73%
VALIUM ETC	4.3%	3.5%	5.1%	0.40%
XANAX ETC	8.6%	7.5%	9.7%	0.53%
DXM ETC	6.0%	5.2%	6.8%	0.38%

DOWNERS	4.8%	3.9%	5.6%	0.40%
ROHYPNOL	0.9%	0.6%	1.2%	0.15%
STEROIDS	0.8%	0.6%	1.0%	0.09%
ECSTASY	3.4%	2.7%	4.2%	0.39%
HEROIN	0.4%	0.3%	0.5%	0.06%
METHAMPHETAMINE	1.4%	0.9%	1.8%	0.21%
CODEINE	5.8%	5.0%	6.6%	0.40%
OXYCONTIN ETC	2.6%	2.2%	3.0%	0.20%
VICODIN ETC	5.9%	5.2%	6.6%	0.35%
VALIUM ETC	1.5%	1.1%	1.8%	0.17%
XANAX ETC	2.7%	2.2%	3.1%	0.23%
DXM ETC	2.1%	1.7%	2.4%	0.19%

Lifetime Use of Selected Substances - Female Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	24.6%	22.6%	26.6%	0.98%
CIGARETTES	23.9%	22.0%	25.8%	0.95%
SMOKELESS TOBACCO	5.1%	4.6%	5.5%	0.21%
ALCOHOL	59.1%	57.0%	61.2%	1.05%
INHALANTS	16.8%	15.6%	17.9%	0.58%
ANY ILLICIT DRUG	24.9%	23.4%	26.4%	0.76%
MARIJUANA	23.6%	22.1%	25.1%	0.73%
MARIJUANA ONLY	13.8%	12.7%	14.9%	0.55%
COCAINE OR CRACK	3.8%	3.3%	4.2%	0.22%
COCAINE	3.4%	3.0%	3.8%	0.20%
CRACK	1.3%	1.1%	1.5%	0.09%
HALLUCINOGENS	3.2%	2.7%	3.6%	0.23%
UPPERS	4.4%	3.9%	4.8%	0.23%
DOWNERS	4.5%	3.9%	5.0%	0.28%
ROHYPNOL	2.0%	1.6%	2.4%	0.20%
STEROIDS	1.1%	1.0%	1.2%	0.07%
ECSTASY	5.4%	4.6%	6.3%	0.43%
HEROIN	1.1%	0.9%	1.2%	0.08%
METHAMPHETAMINE	2.4%	2.2%	2.6%	0.11%
CODEINE	10.5%	9.5%	11.4%	0.46%
OXYCONTIN ETC	3.2%	2.8%	3.6%	0.18%
VICODIN ETC	7.1%	6.6%	7.7%	0.29%
VALIUM ETC	1.9%	1.5%	2.2%	0.19%

Past 30-day Use of Selected Substances - Female Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	8.9%	8.0%	9.8%	0.47%
CIGARETTES	8.5%	7.6%	9.4%	0.45%
SMOKELESS TOBACCO	1.7%	1.5%	1.9%	0.11%
ALCOHOL	25.3%	23.9%	26.6%	0.69%
INHALANTS	5.2%	4.8%	5.7%	0.22%
ANY ILLICIT DRUG	10.7%	9.8%	11.6%	0.46%
MARIJUANA	9.6%	8.6%	10.5%	0.46%
MARIJUANA ONLY	4.4%	3.9%	5.0%	0.26%
COCAINE OR CRACK	1.0%	0.8%	1.2%	0.08%
COCAINE	0.9%	0.7%	1.0%	0.08%
CRACK	0.3%	0.3%	0.4%	0.03%
HALLUCINOGENS	1.0%	0.8%	1.2%	0.09%
UPPERS	1.6%	1.4%	1.9%	0.11%
DOWNERS	1.7%	1.5%	2.0%	0.12%
ROHYPNOL	0.7%	0.5%	0.9%	0.08%
STEROIDS	0.3%	0.2%	0.3%	0.03%
ECSTASY	1.5%	1.2%	1.9%	0.17%
HEROIN	0.3%	0.3%	0.4%	0.04%
METHAMPHETAMINE	0.7%	0.6%	0.8%	0.05%
CODEINE	3.9%	3.4%	4.3%	0.21%
OXYCONTIN ETC	1.0%	0.9%	1.2%	0.07%
VICODIN ETC	2.5%	2.2%	2.8%	0.14%
VALIUM ETC	0.6%	0.4%	0.7%	0.07%

XANAX ETC	3.7%	3.0%	4.4%	0.35%
DXM ETC	4.5%	4.1%	4.9%	0.21%

XANAX ETC	1.3%	1.0%	1.6%	0.16%
DXM ETC	1.7%	1.4%	2.0%	0.16%

Lifetime Use of Selected Substances - Female Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	11.5%	8.7%	14.4%	1.42%
CIGARETTES	11.1%	8.3%	13.8%	1.37%
SMOKELESS TOBACCO	2.5%	1.7%	3.2%	0.37%
ALCOHOL	36.6%	31.3%	41.9%	2.65%
INHALANTS	20.4%	17.7%	23.1%	1.36%
ANY ILLICIT DRUG	9.2%	6.7%	11.7%	1.25%
MARIJUANA	7.4%	5.3%	9.5%	1.06%
MARIJUANA ONLY	4.4%	3.3%	5.6%	0.58%
COCAINE OR CRACK	2.0%	1.1%	2.8%	0.43%
COCAINE	1.3%	0.7%	1.9%	0.31%
CRACK	1.4%	0.8%	2.1%	0.32%
HALLUCINOGENS	1.0%	0.5%	1.4%	0.25%
UPPERS	0.9%	0.6%	1.3%	0.19%
DOWNERS	0.8%	0.5%	1.1%	0.16%
ROHYPNOL	0.9%	0.6%	1.2%	0.16%
STEROIDS	1.3%	1.0%	1.7%	0.18%
ECSTASY	1.1%	0.8%	1.4%	0.15%
HEROIN	1.2%	0.7%	1.7%	0.25%
METHAMPHETAMINE	1.9%	1.1%	2.7%	0.39%
CODEINE	8.1%	6.5%	9.7%	0.79%
OXYCONTIN ETC	1.2%	0.8%	1.7%	0.23%
VICODIN ETC	1.5%	1.0%	2.0%	0.26%
VALIUM ETC	0.7%	0.4%	0.9%	0.14%
XANAX ETC	1.0%	0.6%	1.4%	0.20%
DXM ETC	4.2%	2.9%	5.5%	0.67%

Past 30-day Use of Selected Substances - Female Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.2%	2.5%	3.9%	0.34%
CIGARETTES	3.1%	2.3%	3.8%	0.35%
SMOKELESS TOBACCO	0.6%	0.4%	0.8%	0.10%
ALCOHOL	11.8%	9.6%	14.1%	1.11%
INHALANTS	8.1%	7.0%	9.2%	0.55%
ANY ILLICIT DRUG	3.9%	2.8%	5.0%	0.54%
MARIJUANA	2.8%	1.8%	3.7%	0.46%
MARIJUANA ONLY	1.3%	0.9%	1.8%	0.21%
COCAINE OR CRACK	0.6%	0.3%	0.8%	0.13%
COCAINE	0.4%	0.2%	0.5%	0.07%
CRACK	0.4%	0.2%	0.6%	0.12%
HALLUCINOGENS	0.4%	0.2%	0.6%	0.10%
UPPERS	0.4%	0.2%	0.6%	0.12%
DOWNERS	0.3%	0.1%	0.5%	0.10%
ROHYPNOL	0.5%	0.3%	0.7%	0.09%
STEROIDS	0.4%	0.2%	0.6%	0.10%
ECSTASY	0.4%	0.3%	0.6%	0.08%
HEROIN	0.4%	0.2%	0.5%	0.08%
METHAMPHETAMINE	0.6%	0.4%	0.8%	0.11%
CODEINE	3.4%	2.7%	4.1%	0.35%
OXYCONTIN ETC	0.4%	0.1%	0.7%	0.15%
VICODIN ETC	0.6%	0.2%	0.9%	0.17%
VALIUM ETC	0.1%	0.0%	0.2%	0.03%
XANAX ETC	0.4%	0.3%	0.6%	0.09%
DXM ETC	1.9%	1.3%	2.6%	0.33%

Lifetime Use of Selected Substances - Female Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	17.1%	14.9%	19.3%	1.12%
CIGARETTES	16.4%	14.2%	18.6%	1.11%
SMOKELESS TOBACCO	3.8%	3.2%	4.4%	0.30%
ALCOHOL	49.7%	47.0%	52.4%	1.35%

Past 30-day Use of Selected Substances - Female Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.8%	3.8%	5.7%	0.47%
CIGARETTES	4.5%	3.7%	5.4%	0.41%
SMOKELESS TOBACCO	1.1%	0.7%	1.5%	0.18%
ALCOHOL	18.7%	16.5%	21.0%	1.12%

INHALANTS	20.4%	18.8%	22.0%	0.81%
ANY ILLICIT DRUG	15.3%	13.3%	17.4%	1.03%
MARIJUANA	13.6%	11.7%	15.6%	0.99%
MARIJUANA ONLY	7.8%	6.2%	9.4%	0.78%
COCAINE OR CRACK	2.5%	1.8%	3.2%	0.34%
COCAINE	1.8%	1.3%	2.3%	0.25%
CRACK	1.6%	1.0%	2.1%	0.27%
HALLUCINOGENS	1.9%	1.3%	2.5%	0.30%
UPPERS	1.7%	1.1%	2.2%	0.27%
DOWNERS	1.9%	1.4%	2.5%	0.27%
ROHYPNOL	2.4%	1.8%	2.9%	0.27%
STEROIDS	1.2%	0.5%	2.0%	0.38%
ECSTASY	2.7%	2.1%	3.2%	0.28%
HEROIN	1.1%	0.7%	1.4%	0.16%
METHAMPHETAMINE	2.3%	1.8%	2.9%	0.27%
CODEINE	8.9%	7.4%	10.4%	0.74%
OXYCONTIN ETC	1.8%	1.3%	2.3%	0.26%
VICODIN ETC	3.3%	2.4%	4.3%	0.46%
VALIUM ETC	1.0%	0.6%	1.5%	0.21%
XANAX ETC	2.3%	1.5%	3.1%	0.39%
DXM ETC	5.1%	3.7%	6.4%	0.67%

INHALANTS	7.0%	5.9%	8.0%	0.53%
ANY ILLICIT DRUG	6.9%	5.7%	8.2%	0.64%
MARIJUANA	5.8%	4.7%	6.9%	0.56%
MARIJUANA ONLY	2.5%	2.1%	2.9%	0.22%
COCAINE OR CRACK	0.9%	0.5%	1.3%	0.21%
COCAINE	0.6%	0.3%	0.8%	0.13%
CRACK	0.6%	0.2%	0.9%	0.19%
HALLUCINOGENS	0.7%	0.4%	0.9%	0.12%
UPPERS	0.8%	0.5%	1.1%	0.17%
DOWNERS	0.9%	0.6%	1.2%	0.15%
ROHYPNOL	0.9%	0.7%	1.2%	0.14%
STEROIDS	0.3%	0.1%	0.4%	0.08%
ECSTASY	0.9%	0.7%	1.1%	0.12%
HEROIN	0.4%	0.2%	0.6%	0.10%
METHAMPHETAMINE	0.6%	0.3%	0.8%	0.11%
CODEINE	3.9%	2.9%	4.9%	0.48%
OXYCONTIN ETC	0.7%	0.4%	0.9%	0.10%
VICODIN ETC	1.5%	1.0%	1.9%	0.21%
VALIUM ETC	0.4%	0.2%	0.5%	0.08%
XANAX ETC	0.9%	0.5%	1.3%	0.19%
DXM ETC	2.6%	1.3%	3.8%	0.62%

Lifetime Use of Selected Substances - Female Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	25.3%	22.8%	27.8%	1.23%
CIGARETTES	24.5%	22.0%	27.0%	1.23%
SMOKELESS TOBACCO	5.7%	5.0%	6.3%	0.33%
ALCOHOL	62.4%	59.8%	65.0%	1.28%
INHALANTS	19.8%	18.1%	21.4%	0.81%
ANY ILLICIT DRUG	25.6%	22.8%	28.4%	1.41%
MARIJUANA	24.2%	21.5%	26.9%	1.36%
MARIJUANA ONLY	13.8%	11.8%	15.8%	1.01%
COCAINE OR CRACK	3.9%	2.9%	4.8%	0.46%
COCAINE	3.4%	2.6%	4.2%	0.41%
CRACK	1.4%	0.9%	2.0%	0.26%
HALLUCINOGENS	3.1%	2.6%	3.6%	0.24%
UPPERS	3.9%	3.3%	4.4%	0.29%
DOWNERS	4.2%	3.6%	4.8%	0.31%
ROHYPNOL	2.6%	2.0%	3.1%	0.27%

Past 30-day Use of Selected Substances - Female Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	8.5%	7.0%	10.0%	0.75%
CIGARETTES	8.0%	6.5%	9.4%	0.72%
SMOKELESS TOBACCO	2.0%	1.6%	2.4%	0.21%
ALCOHOL	26.5%	24.8%	28.2%	0.86%
INHALANTS	5.8%	5.0%	6.7%	0.43%
ANY ILLICIT DRUG	11.7%	10.3%	13.1%	0.69%
MARIJUANA	10.6%	9.2%	12.0%	0.68%
MARIJUANA ONLY	5.1%	4.2%	5.9%	0.42%
COCAINE OR CRACK	1.0%	0.8%	1.3%	0.13%
COCAINE	0.9%	0.7%	1.1%	0.10%
CRACK	0.4%	0.2%	0.6%	0.10%
HALLUCINOGENS	1.2%	1.0%	1.5%	0.12%
UPPERS	1.5%	1.2%	1.8%	0.16%
DOWNERS	1.7%	1.4%	2.0%	0.16%
ROHYPNOL	1.1%	0.8%	1.5%	0.16%

STEROIDS	1.1%	0.8%	1.5%	0.18%
ECSTASY	5.3%	4.0%	6.6%	0.66%
HEROIN	1.3%	1.0%	1.6%	0.16%
METHAMPHETAMINE	2.4%	1.9%	3.0%	0.27%
CODEINE	11.1%	9.9%	12.3%	0.61%
OXYCONTIN ETC	3.6%	2.8%	4.3%	0.37%
VICODIN ETC	6.6%	5.7%	7.4%	0.42%
VALIUM ETC	2.0%	1.5%	2.5%	0.26%
XANAX ETC	3.9%	2.9%	4.9%	0.52%
DXM ETC	5.3%	4.6%	6.0%	0.35%

STEROIDS	0.3%	0.2%	0.5%	0.07%
ECSTASY	1.9%	1.3%	2.5%	0.29%
HEROIN	0.5%	0.3%	0.8%	0.12%
METHAMPHETAMINE	0.7%	0.4%	0.9%	0.12%
CODEINE	4.0%	3.3%	4.7%	0.37%
OXYCONTIN ETC	1.3%	0.8%	1.8%	0.25%
VICODIN ETC	2.6%	1.8%	3.4%	0.38%
VALIUM ETC	0.9%	0.6%	1.1%	0.15%
XANAX ETC	1.4%	0.9%	1.9%	0.27%
DXM ETC	1.9%	1.4%	2.4%	0.24%

Lifetime Use of Selected Substances - Female Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	28.2%	26.3%	30.1%	0.96%
CIGARETTES	27.6%	25.6%	29.6%	1.00%
SMOKELESS TOBACCO	5.1%	4.1%	6.0%	0.46%
ALCOHOL	66.7%	64.5%	68.9%	1.09%
INHALANTS	15.2%	13.5%	16.9%	0.86%
ANY ILLICIT DRUG	30.5%	28.4%	32.7%	1.08%
MARIJUANA	29.5%	27.4%	31.6%	1.07%
MARIJUANA ONLY	17.3%	15.5%	19.0%	0.89%
COCAINE OR CRACK	4.5%	3.7%	5.3%	0.39%
COCAINE	4.2%	3.4%	5.0%	0.40%
CRACK	1.5%	1.1%	1.9%	0.19%
HALLUCINOGENS	4.4%	3.9%	5.0%	0.27%
UPPERS	6.0%	5.2%	6.8%	0.39%
DOWNERS	6.0%	5.1%	7.0%	0.47%
ROHYPNOL	2.4%	1.7%	3.1%	0.35%
STEROIDS	1.0%	0.7%	1.3%	0.16%
ECSTASY	7.2%	5.8%	8.5%	0.67%
HEROIN	0.9%	0.6%	1.1%	0.12%
METHAMPHETAMINE	2.5%	2.0%	3.0%	0.25%
CODEINE	11.6%	9.9%	13.4%	0.86%
OXYCONTIN ETC	3.9%	3.3%	4.6%	0.31%
VICODIN ETC	9.5%	8.3%	10.7%	0.60%
VALIUM ETC	2.3%	1.9%	2.8%	0.21%
XANAX ETC	4.2%	3.2%	5.2%	0.50%
DXM ETC	4.5%	3.9%	5.1%	0.29%

Past 30-day Use of Selected Substances - Female Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	10.6%	9.3%	11.8%	0.63%
CIGARETTES	10.2%	8.9%	11.5%	0.63%
SMOKELESS TOBACCO	1.6%	1.1%	2.2%	0.27%
ALCOHOL	28.4%	26.5%	30.3%	0.95%
INHALANTS	4.2%	3.3%	5.1%	0.44%
ANY ILLICIT DRUG	13.1%	12.2%	14.1%	0.47%
MARIJUANA	12.0%	11.0%	13.0%	0.49%
MARIJUANA ONLY	5.8%	4.9%	6.6%	0.43%
COCAINE OR CRACK	1.2%	0.9%	1.5%	0.15%
COCAINE	1.1%	0.8%	1.4%	0.17%
CRACK	0.3%	0.2%	0.4%	0.06%
HALLUCINOGENS	1.2%	0.9%	1.5%	0.16%
UPPERS	2.4%	1.9%	2.9%	0.25%
DOWNERS	2.5%	1.9%	3.1%	0.29%
ROHYPNOL	0.7%	0.4%	1.1%	0.19%
STEROIDS	0.3%	0.1%	0.5%	0.10%
ECSTASY	2.0%	1.2%	2.7%	0.38%
HEROIN	0.2%	0.1%	0.3%	0.07%
METHAMPHETAMINE	0.6%	0.3%	0.8%	0.13%
CODEINE	4.2%	3.4%	4.9%	0.35%
OXYCONTIN ETC	1.1%	0.8%	1.3%	0.13%
VICODIN ETC	3.5%	2.6%	4.3%	0.41%
VALIUM ETC	0.8%	0.4%	1.1%	0.15%
XANAX ETC	1.6%	1.1%	2.2%	0.28%
DXM ETC	1.3%	1.0%	1.6%	0.13%

Lifetime Use of Selected Substances - Female Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	32.5%	30.2%	34.7%	1.12%
CIGARETTES	31.3%	29.1%	33.5%	1.09%
SMOKELESS TOBACCO	6.6%	5.7%	7.6%	0.46%
ALCOHOL	70.5%	68.2%	72.8%	1.16%
INHALANTS	12.6%	10.8%	14.3%	0.89%
ANY ILLICIT DRUG	34.1%	32.2%	35.9%	0.92%
MARIJUANA	33.3%	31.3%	35.2%	0.97%
MARIJUANA ONLY	19.0%	16.9%	21.1%	1.05%
COCAINE OR CRACK	5.4%	4.5%	6.2%	0.41%
COCAINE	5.1%	4.3%	5.8%	0.39%
CRACK	1.2%	0.7%	1.7%	0.25%
HALLUCINOGENS	4.4%	3.3%	5.5%	0.56%
UPPERS	7.2%	5.8%	8.5%	0.65%
DOWNERS	7.1%	5.6%	8.7%	0.77%
ROHYPNOL	2.2%	1.5%	2.8%	0.31%
STEROIDS	0.9%	0.7%	1.2%	0.11%
ECSTASY	8.4%	6.9%	9.9%	0.75%
HEROIN	1.0%	0.7%	1.4%	0.16%
METHAMPHETAMINE	2.5%	2.0%	3.1%	0.26%
CODEINE	11.9%	10.5%	13.4%	0.71%
OXYCONTIN ETC	4.5%	3.6%	5.5%	0.46%
VICODIN ETC	11.1%	9.7%	12.5%	0.70%
VALIUM ETC	2.4%	1.7%	3.0%	0.31%
XANAX ETC	4.8%	3.7%	5.8%	0.52%
DXM ETC	4.3%	3.5%	5.1%	0.39%

Past 30-day Use of Selected Substances - Female Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	12.5%	11.2%	13.7%	0.63%
CIGARETTES	11.7%	10.4%	12.9%	0.62%
SMOKELESS TOBACCO	2.4%	2.0%	2.9%	0.24%
ALCOHOL	31.4%	29.3%	33.4%	1.02%
INHALANTS	3.0%	2.4%	3.6%	0.31%
ANY ILLICIT DRUG	14.0%	12.4%	15.7%	0.81%
MARIJUANA	13.1%	11.4%	14.7%	0.81%
MARIJUANA ONLY	5.7%	4.7%	6.6%	0.47%
COCAINE OR CRACK	1.1%	0.7%	1.5%	0.19%
COCAINE	1.1%	0.7%	1.5%	0.19%
CRACK	0.1%	0.1%	0.2%	0.04%
HALLUCINOGENS	1.1%	0.5%	1.6%	0.27%
UPPERS	2.3%	1.6%	3.1%	0.38%
DOWNERS	2.6%	2.0%	3.2%	0.31%
ROHYPNOL	0.4%	0.2%	0.6%	0.10%
STEROIDS	0.2%	0.1%	0.3%	0.05%
ECSTASY	2.0%	1.3%	2.6%	0.34%
HEROIN	0.3%	0.1%	0.5%	0.10%
METHAMPHETAMINE	0.8%	0.5%	1.1%	0.14%
CODEINE	4.3%	3.4%	5.2%	0.46%
OXYCONTIN ETC	1.6%	1.1%	2.1%	0.25%
VICODIN ETC	3.7%	3.0%	4.4%	0.36%
VALIUM ETC	0.7%	0.4%	1.1%	0.15%
XANAX ETC	1.8%	1.2%	2.3%	0.28%
DXM ETC	1.6%	1.2%	2.1%	0.22%

Lifetime Use of Selected Substances - Female Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	36.0%	33.8%	38.2%	1.10%
CIGARETTES	35.2%	33.1%	37.3%	1.05%
SMOKELESS TOBACCO	7.3%	6.3%	8.4%	0.53%
ALCOHOL	72.3%	70.2%	74.4%	1.05%
INHALANTS	10.5%	9.1%	11.9%	0.71%
ANY ILLICIT DRUG	37.9%	35.1%	40.7%	1.38%
MARIJUANA	37.0%	34.3%	39.7%	1.35%

Past 30-day Use of Selected Substances - Female Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	15.6%	14.3%	17.0%	0.67%
CIGARETTES	15.0%	13.6%	16.3%	0.69%
SMOKELESS TOBACCO	2.6%	1.9%	3.3%	0.34%
ALCOHOL	37.7%	35.7%	39.6%	0.98%
INHALANTS	2.6%	1.9%	3.2%	0.33%
ANY ILLICIT DRUG	15.7%	14.0%	17.4%	0.86%
MARIJUANA	14.3%	12.5%	16.1%	0.90%

MARIJUANA ONLY	22.5%	20.2%	24.8%	1.14%
COCAINE OR CRACK	4.9%	4.0%	5.8%	0.44%
COCAINE	4.9%	4.0%	5.8%	0.44%
CRACK	0.7%	0.4%	0.9%	0.12%
HALLUCINOGENS	4.7%	3.7%	5.7%	0.51%
UPPERS	7.5%	6.4%	8.6%	0.54%
DOWNERS	7.7%	6.7%	8.8%	0.54%
ROHYPNOL	1.6%	1.0%	2.2%	0.30%
STEROIDS	0.9%	0.6%	1.1%	0.15%
ECSTASY	8.9%	7.0%	10.8%	0.95%
HEROIN	0.9%	0.6%	1.3%	0.17%
METHAMPHETAMINE	2.6%	1.9%	3.3%	0.34%
CODEINE	11.4%	10.1%	12.8%	0.69%
OXYCONTIN ETC	4.6%	3.6%	5.6%	0.49%
VICODIN ETC	12.2%	10.7%	13.6%	0.72%
VALIUM ETC	3.1%	2.2%	4.0%	0.44%
XANAX ETC	6.4%	5.0%	7.8%	0.70%
DXM ETC	3.2%	2.6%	3.9%	0.32%

MARIJUANA ONLY	6.9%	5.5%	8.2%	0.66%
COCAINE OR CRACK	1.3%	1.0%	1.5%	0.12%
COCAINE	1.3%	1.0%	1.5%	0.12%
CRACK	0.1%	0.0%	0.1%	0.03%
HALLUCINOGENS	1.3%	0.9%	1.7%	0.22%
UPPERS	2.6%	2.1%	3.0%	0.23%
DOWNERS	2.7%	2.2%	3.1%	0.24%
ROHYPNOL	0.4%	0.2%	0.6%	0.11%
STEROIDS	0.2%	0.1%	0.4%	0.07%
ECSTASY	2.1%	1.5%	2.8%	0.32%
HEROIN	0.3%	0.1%	0.5%	0.10%
METHAMPHETAMINE	0.8%	0.5%	1.2%	0.16%
CODEINE	3.4%	2.8%	3.9%	0.27%
OXYCONTIN ETC	1.0%	0.7%	1.4%	0.19%
VICODIN ETC	3.3%	2.9%	3.7%	0.22%
VALIUM ETC	0.7%	0.4%	1.1%	0.17%
XANAX ETC	2.0%	1.4%	2.6%	0.29%
DXM ETC	0.9%	0.6%	1.2%	0.14%

Lifetime Use of Selected Substances - White Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	28.7%	26.0%	31.4%	1.37%
CIGARETTES	25.5%	22.9%	28.0%	1.29%
SMOKELESS TOBACCO	13.1%	11.5%	14.6%	0.76%
ALCOHOL	55.5%	53.4%	57.7%	1.06%
INHALANTS	14.2%	13.0%	15.4%	0.61%
ANY ILLICIT DRUG	23.3%	21.9%	24.6%	0.68%
MARIJUANA	22.4%	21.1%	23.7%	0.65%
MARIJUANA ONLY	12.8%	12.0%	13.6%	0.41%
COCAINE OR CRACK	3.1%	2.6%	3.7%	0.28%
COCAINE	2.9%	2.3%	3.4%	0.27%
CRACK	1.0%	0.8%	1.2%	0.11%
HALLUCINOGENS	4.9%	4.4%	5.5%	0.28%
UPPERS	5.3%	4.8%	5.8%	0.25%
DOWNERS	5.0%	4.5%	5.6%	0.29%
ROHYPNOL	1.2%	0.9%	1.4%	0.12%
STEROIDS	1.5%	1.3%	1.7%	0.10%

Past 30-day Use of Selected Substances - White Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	13.7%	12.3%	15.1%	0.71%
CIGARETTES	11.5%	10.2%	12.8%	0.67%
SMOKELESS TOBACCO	5.7%	4.8%	6.6%	0.46%
ALCOHOL	24.3%	23.0%	25.6%	0.65%
INHALANTS	3.8%	3.3%	4.3%	0.26%
ANY ILLICIT DRUG	10.7%	9.9%	11.6%	0.42%
MARIJUANA	9.7%	8.8%	10.5%	0.41%
MARIJUANA ONLY	4.1%	3.8%	4.5%	0.18%
COCAINE OR CRACK	0.8%	0.7%	1.0%	0.10%
COCAINE	0.8%	0.6%	0.9%	0.09%
CRACK	0.3%	0.2%	0.4%	0.05%
HALLUCINOGENS	1.4%	1.2%	1.6%	0.10%
UPPERS	2.0%	1.8%	2.3%	0.12%
DOWNERS	2.1%	1.9%	2.4%	0.13%
ROHYPNOL	0.4%	0.2%	0.5%	0.08%
STEROIDS	0.5%	0.3%	0.6%	0.06%

ECSTASY	5.0%	4.3%	5.8%	0.39%
HEROIN	0.9%	0.7%	1.0%	0.07%
METHAMPHETAMINE	2.6%	2.2%	3.0%	0.20%
CODEINE	10.1%	9.1%	11.0%	0.47%
OXYCONTIN ETC	4.7%	4.1%	5.4%	0.32%
VICODIN ETC	9.9%	9.1%	10.6%	0.37%
VALIUM ETC	2.8%	2.4%	3.1%	0.19%
XANAX ETC	5.0%	4.3%	5.6%	0.33%
DXM ETC	4.3%	3.8%	4.8%	0.27%

ECSTASY	1.3%	1.1%	1.6%	0.13%
HEROIN	0.3%	0.2%	0.3%	0.03%
METHAMPHETAMINE	0.8%	0.7%	1.0%	0.09%
CODEINE	3.5%	2.9%	4.0%	0.28%
OXYCONTIN ETC	1.4%	1.1%	1.7%	0.15%
VICODIN ETC	3.4%	3.0%	3.8%	0.20%
VALIUM ETC	0.8%	0.6%	1.0%	0.10%
XANAX ETC	1.8%	1.4%	2.1%	0.18%
DXM ETC	1.4%	1.1%	1.7%	0.15%

Lifetime Use of Selected Substances - White Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	11.4%	9.0%	13.7%	1.17%
CIGARETTES	9.6%	7.5%	11.6%	1.02%
SMOKELESS TOBACCO	4.5%	3.1%	5.9%	0.70%
ALCOHOL	32.0%	28.6%	35.3%	1.69%
INHALANTS	15.8%	13.5%	18.1%	1.17%
ANY ILLICIT DRUG	6.1%	4.6%	7.7%	0.77%
MARIJUANA	5.1%	3.6%	6.5%	0.71%
MARIJUANA ONLY	2.9%	2.0%	3.9%	0.46%
COCAINE OR CRACK	0.9%	0.6%	1.2%	0.14%
COCAINE	0.7%	0.4%	1.0%	0.15%
CRACK	0.6%	0.3%	0.8%	0.13%
HALLUCINOGENS	1.3%	0.9%	1.7%	0.20%
UPPERS	0.8%	0.5%	1.1%	0.13%
DOWNERS	0.6%	0.4%	0.9%	0.13%
ROHYPNOL	0.7%	0.3%	1.0%	0.17%
STEROIDS	1.3%	0.9%	1.7%	0.18%
ECSTASY	1.0%	0.6%	1.5%	0.22%
HEROIN	0.6%	0.2%	0.9%	0.18%
METHAMPHETAMINE	1.2%	0.8%	1.6%	0.20%
CODEINE	7.7%	6.3%	9.1%	0.72%
OXYCONTIN ETC	1.4%	1.0%	1.8%	0.19%
VICODIN ETC	2.4%	1.7%	3.0%	0.33%
VALIUM ETC	0.6%	0.3%	1.0%	0.15%
XANAX ETC	1.3%	0.8%	1.7%	0.21%
DXM ETC	3.0%	2.0%	4.1%	0.52%

Past 30-day Use of Selected Substances - White Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.3%	2.4%	4.2%	0.45%
CIGARETTES	2.8%	2.0%	3.7%	0.42%
SMOKELESS TOBACCO	1.4%	0.7%	2.1%	0.34%
ALCOHOL	8.4%	6.8%	10.1%	0.82%
INHALANTS	5.6%	4.6%	6.7%	0.54%
ANY ILLICIT DRUG	2.9%	2.0%	3.7%	0.43%
MARIJUANA	2.3%	1.6%	3.0%	0.35%
MARIJUANA ONLY	1.0%	0.5%	1.4%	0.24%
COCAINE OR CRACK	0.3%	0.1%	0.5%	0.10%
COCAINE	0.2%	0.1%	0.4%	0.07%
CRACK	0.2%	0.1%	0.4%	0.09%
HALLUCINOGENS	0.5%	0.3%	0.8%	0.12%
UPPERS	0.3%	0.1%	0.4%	0.09%
DOWNERS	0.3%	0.1%	0.4%	0.10%
ROHYPNOL	0.4%	0.1%	0.7%	0.16%
STEROIDS	0.4%	0.2%	0.7%	0.14%
ECSTASY	0.4%	0.1%	0.7%	0.15%
HEROIN	0.2%	0.1%	0.3%	0.07%
METHAMPHETAMINE	0.3%	0.1%	0.5%	0.10%
CODEINE	2.9%	2.0%	3.7%	0.42%
OXYCONTIN ETC	0.4%	0.2%	0.6%	0.10%
VICODIN ETC	0.8%	0.3%	1.2%	0.22%
VALIUM ETC	0.2%	0.1%	0.3%	0.05%
XANAX ETC	0.4%	0.3%	0.6%	0.10%
DXM ETC	1.2%	0.8%	1.6%	0.21%

Lifetime Use of Selected Substances - White Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	17.9%	15.1%	20.8%	1.43%
CIGARETTES	15.7%	12.9%	18.4%	1.38%
SMOKELESS TOBACCO	6.7%	5.2%	8.1%	0.72%
ALCOHOL	41.7%	38.5%	44.9%	1.58%
INHALANTS	14.2%	12.5%	15.9%	0.85%
ANY ILLICIT DRUG	10.7%	8.5%	12.8%	1.08%
MARIJUANA	9.7%	7.7%	11.6%	0.96%
MARIJUANA ONLY	5.7%	4.6%	6.9%	0.59%
COCAINE OR CRACK	1.5%	1.0%	1.9%	0.22%
COCAINE	0.9%	0.5%	1.3%	0.20%
CRACK	0.9%	0.6%	1.2%	0.17%
HALLUCINOGENS	2.1%	1.4%	2.7%	0.32%
UPPERS	1.6%	1.1%	2.1%	0.26%
DOWNERS	1.4%	1.0%	1.7%	0.19%
ROHYPNOL	1.0%	0.7%	1.4%	0.19%
STEROIDS	1.5%	1.1%	1.9%	0.19%
ECSTASY	1.7%	1.3%	2.0%	0.19%
HEROIN	0.5%	0.3%	0.6%	0.08%
METHAMPHETAMINE	1.6%	1.2%	2.0%	0.20%
CODEINE	7.8%	6.8%	8.8%	0.52%
OXYCONTIN ETC	2.4%	1.7%	3.0%	0.32%
VICODIN ETC	4.0%	3.3%	4.7%	0.37%
VALIUM ETC	1.0%	0.6%	1.4%	0.18%
XANAX ETC	2.1%	1.4%	2.7%	0.33%
DXM ETC	3.6%	2.1%	5.0%	0.72%

Past 30-day Use of Selected Substances - White Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.6%	4.4%	6.8%	0.60%
CIGARETTES	4.6%	3.7%	5.5%	0.45%
SMOKELESS TOBACCO	2.1%	1.2%	3.1%	0.46%
ALCOHOL	12.7%	11.0%	14.5%	0.88%
INHALANTS	3.9%	3.1%	4.7%	0.39%
ANY ILLICIT DRUG	4.6%	3.2%	6.0%	0.70%
MARIJUANA	3.8%	2.7%	5.0%	0.59%
MARIJUANA ONLY	1.9%	1.4%	2.3%	0.23%
COCAINE OR CRACK	0.5%	0.2%	0.8%	0.13%
COCAINE	0.3%	0.1%	0.6%	0.12%
CRACK	0.2%	0.1%	0.4%	0.09%
HALLUCINOGENS	0.6%	0.5%	0.8%	0.08%
UPPERS	0.8%	0.2%	1.3%	0.27%
DOWNERS	0.6%	0.3%	0.9%	0.16%
ROHYPNOL	0.2%	0.1%	0.3%	0.07%
STEROIDS	0.3%	0.1%	0.4%	0.08%
ECSTASY	0.5%	0.3%	0.6%	0.09%
HEROIN	0.1%	0.0%	0.2%	0.04%
METHAMPHETAMINE	0.5%	0.3%	0.6%	0.09%
CODEINE	2.7%	2.0%	3.5%	0.39%
OXYCONTIN ETC	0.7%	0.3%	1.0%	0.16%
VICODIN ETC	1.3%	0.9%	1.6%	0.18%
VALIUM ETC	0.4%	0.2%	0.6%	0.10%
XANAX ETC	0.7%	0.4%	1.0%	0.16%
DXM ETC	1.6%	0.7%	2.5%	0.44%

Lifetime Use of Selected Substances - White Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	26.4%	23.2%	29.6%	1.62%
CIGARETTES	22.3%	19.6%	25.0%	1.33%
SMOKELESS TOBACCO	12.2%	10.0%	14.5%	1.11%
ALCOHOL	56.9%	54.0%	59.7%	1.43%
INHALANTS	15.5%	13.4%	17.5%	1.04%
ANY ILLICIT DRUG	20.1%	17.8%	22.4%	1.15%
MARIJUANA	19.1%	16.8%	21.3%	1.14%
MARIJUANA ONLY	11.3%	10.0%	12.6%	0.63%

Past 30-day Use of Selected Substances - White Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	11.6%	9.3%	13.9%	1.15%
CIGARETTES	9.0%	7.0%	10.9%	0.96%
SMOKELESS TOBACCO	5.2%	3.7%	6.6%	0.72%
ALCOHOL	22.2%	20.2%	24.1%	0.96%
INHALANTS	4.0%	3.1%	4.9%	0.45%
ANY ILLICIT DRUG	9.2%	7.9%	10.6%	0.68%
MARIJUANA	8.3%	6.8%	9.7%	0.72%
MARIJUANA ONLY	3.7%	3.1%	4.3%	0.29%

COCAINE OR CRACK	1.9%	1.2%	2.7%	0.37%
COCAINE	1.8%	1.1%	2.6%	0.38%
CRACK	0.7%	0.5%	0.9%	0.10%
HALLUCINOGENS	4.2%	3.5%	4.9%	0.36%
UPPERS	3.6%	2.9%	4.2%	0.32%
DOWNERS	3.2%	2.4%	4.0%	0.39%
ROHYPNOL	1.1%	0.8%	1.4%	0.15%
STEROIDS	1.3%	1.0%	1.7%	0.16%
ECSTASY	3.6%	2.8%	4.5%	0.42%
HEROIN	0.9%	0.6%	1.3%	0.18%
METHAMPHETAMINE	2.4%	1.8%	2.9%	0.26%
CODEINE	9.0%	7.3%	10.7%	0.85%
OXYCONTIN ETC	4.2%	3.2%	5.3%	0.53%
VICODIN ETC	7.9%	6.6%	9.1%	0.62%
VALIUM ETC	2.0%	1.4%	2.6%	0.30%
XANAX ETC	4.7%	3.3%	6.0%	0.69%
DXM ETC	3.7%	3.0%	4.3%	0.32%

COCAINE OR CRACK	0.6%	0.4%	0.8%	0.10%
COCAINE	0.6%	0.4%	0.8%	0.10%
CRACK	0.1%	0.1%	0.2%	0.04%
HALLUCINOGENS	1.3%	1.0%	1.6%	0.14%
UPPERS	1.4%	1.0%	1.7%	0.18%
DOWNERS	1.4%	1.0%	1.9%	0.21%
ROHYPNOL	0.3%	0.1%	0.4%	0.08%
STEROIDS	0.2%	0.0%	0.4%	0.09%
ECSTASY	0.9%	0.6%	1.1%	0.13%
HEROIN	0.2%	0.0%	0.4%	0.08%
METHAMPHETAMINE	0.8%	0.4%	1.1%	0.16%
CODEINE	3.6%	2.6%	4.6%	0.52%
OXYCONTIN ETC	1.3%	0.7%	2.0%	0.31%
VICODIN ETC	3.0%	2.3%	3.8%	0.39%
VALIUM ETC	0.8%	0.5%	1.1%	0.17%
XANAX ETC	1.7%	1.2%	2.3%	0.29%
DXM ETC	1.1%	0.6%	1.6%	0.23%

Lifetime Use of Selected Substances - White Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	32.8%	29.9%	35.8%	1.47%
CIGARETTES	29.3%	25.9%	32.6%	1.66%
SMOKELESS TOBACCO	15.6%	13.8%	17.5%	0.91%
ALCOHOL	61.5%	59.2%	63.9%	1.16%
INHALANTS	14.3%	12.9%	15.8%	0.73%
ANY ILLICIT DRUG	28.4%	26.3%	30.4%	1.01%
MARIJUANA	27.5%	25.3%	29.6%	1.07%
MARIJUANA ONLY	15.5%	13.9%	17.0%	0.76%
COCAINE OR CRACK	3.8%	3.0%	4.7%	0.44%
COCAINE	3.7%	2.8%	4.5%	0.44%
CRACK	1.4%	0.9%	1.9%	0.23%
HALLUCINOGENS	6.3%	5.4%	7.2%	0.44%
UPPERS	7.0%	6.1%	7.8%	0.44%
DOWNERS	6.9%	5.7%	8.0%	0.58%
ROHYPNOL	1.7%	1.2%	2.1%	0.23%
STEROIDS	1.6%	1.1%	2.1%	0.26%
ECSTASY	6.6%	5.6%	7.5%	0.48%
HEROIN	1.0%	0.7%	1.3%	0.14%

Past 30-day Use of Selected Substances - White Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	16.8%	15.1%	18.6%	0.88%
CIGARETTES	14.3%	12.5%	16.1%	0.89%
SMOKELESS TOBACCO	7.5%	5.9%	9.0%	0.78%
ALCOHOL	28.3%	26.6%	30.1%	0.87%
INHALANTS	3.8%	3.0%	4.6%	0.39%
ANY ILLICIT DRUG	13.4%	12.5%	14.4%	0.47%
MARIJUANA	12.2%	11.2%	13.3%	0.51%
MARIJUANA ONLY	5.1%	4.4%	5.9%	0.37%
COCAINE OR CRACK	1.2%	0.8%	1.6%	0.20%
COCAINE	1.2%	0.8%	1.6%	0.20%
CRACK	0.4%	0.1%	0.6%	0.11%
HALLUCINOGENS	1.8%	1.4%	2.2%	0.19%
UPPERS	3.0%	2.6%	3.5%	0.22%
DOWNERS	3.1%	2.5%	3.7%	0.29%
ROHYPNOL	0.6%	0.3%	0.9%	0.15%
STEROIDS	0.7%	0.4%	1.0%	0.16%
ECSTASY	2.1%	1.5%	2.6%	0.26%
HEROIN	0.4%	0.2%	0.6%	0.08%

METHAMPHETAMINE	3.1%	2.4%	3.9%	0.38%
CODEINE	11.2%	10.0%	12.4%	0.61%
OXYCONTIN ETC	6.2%	5.2%	7.1%	0.47%
VICODIN ETC	12.1%	10.5%	13.7%	0.79%
VALIUM ETC	3.7%	3.1%	4.4%	0.33%
XANAX ETC	6.0%	4.8%	7.1%	0.58%
DXM ETC	5.3%	4.4%	6.1%	0.40%

METHAMPHETAMINE	1.0%	0.5%	1.4%	0.22%
CODEINE	4.1%	3.3%	4.9%	0.39%
OXYCONTIN ETC	1.8%	1.1%	2.4%	0.33%
VICODIN ETC	4.5%	3.5%	5.4%	0.48%
VALIUM ETC	1.2%	0.6%	1.8%	0.29%
XANAX ETC	2.4%	1.6%	3.1%	0.37%
DXM ETC	1.7%	1.2%	2.2%	0.25%

Lifetime Use of Selected Substances - White Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	41.8%	39.0%	44.7%	1.42%
TOBACCO	39.8%	36.8%	42.7%	1.49%
CIGARETTES	35.5%	32.9%	38.1%	1.29%
SMOKELESS TOBACCO	18.7%	16.2%	21.1%	1.24%
ALCOHOL	69.4%	67.2%	71.5%	1.06%
INHALANTS	13.0%	11.2%	14.7%	0.87%
ANY ILLICIT DRUG	36.2%	34.2%	38.2%	1.00%
MARIJUANA	35.2%	32.9%	37.5%	1.14%
MARIJUANA ONLY	20.7%	18.9%	22.6%	0.92%
COCAINE OR CRACK	5.0%	4.2%	5.9%	0.42%
COCAINE	4.7%	3.8%	5.5%	0.41%
CRACK	1.6%	1.1%	2.1%	0.26%
HALLUCINOGENS	7.3%	6.1%	8.4%	0.58%
UPPERS	8.4%	7.2%	9.6%	0.61%
DOWNERS	7.9%	6.6%	9.2%	0.65%
ROHYPNOL	1.4%	0.9%	2.0%	0.26%
STEROIDS	1.7%	1.2%	2.1%	0.22%
ECSTASY	8.0%	6.6%	9.3%	0.66%
HEROIN	1.1%	0.6%	1.7%	0.26%
METHAMPHETAMINE	3.9%	3.2%	4.6%	0.36%
CODEINE	11.7%	10.4%	12.9%	0.62%
OXYCONTIN ETC	6.6%	5.5%	7.8%	0.56%
VICODIN ETC	16.1%	14.9%	17.3%	0.60%
VALIUM ETC	4.2%	3.5%	4.9%	0.37%
XANAX ETC	7.4%	6.5%	8.2%	0.41%
DXM ETC	5.1%	4.5%	5.7%	0.31%

Lifetime Use of Selected Substances - White Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	

Past 30-day Use of Selected Substances - White Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	21.9%	19.6%	24.2%	1.13%
TOBACCO	19.9%	17.5%	22.3%	1.20%
CIGARETTES	17.1%	14.9%	19.2%	1.08%
SMOKELESS TOBACCO	8.0%	6.5%	9.4%	0.70%
ALCOHOL	33.6%	31.1%	36.2%	1.28%
INHALANTS	2.6%	1.7%	3.5%	0.45%
ANY ILLICIT DRUG	15.9%	14.2%	17.6%	0.83%
MARIJUANA	14.5%	12.8%	16.1%	0.82%
MARIJUANA ONLY	6.8%	5.8%	7.7%	0.48%
COCAINE OR CRACK	1.2%	0.8%	1.6%	0.21%
COCAINE	1.1%	0.7%	1.5%	0.19%
CRACK	0.4%	0.2%	0.6%	0.12%
HALLUCINOGENS	1.9%	1.4%	2.4%	0.25%
UPPERS	2.7%	1.9%	3.6%	0.44%
DOWNERS	3.2%	2.3%	4.0%	0.42%
ROHYPNOL	0.5%	0.2%	0.9%	0.16%
STEROIDS	0.7%	0.4%	0.9%	0.14%
ECSTASY	1.9%	1.4%	2.3%	0.25%
HEROIN	0.4%	0.1%	0.7%	0.15%
METHAMPHETAMINE	1.4%	0.8%	1.9%	0.29%
CODEINE	3.4%	2.7%	4.1%	0.34%
OXYCONTIN ETC	2.0%	1.4%	2.7%	0.32%
VICODIN ETC	5.3%	4.4%	6.2%	0.44%
VALIUM ETC	1.4%	0.9%	1.9%	0.23%
XANAX ETC	2.7%	2.1%	3.3%	0.29%
DXM ETC	1.5%	1.1%	1.9%	0.20%

Past 30-day Use of Selected Substances - White Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	

TOBACCO	45.8%	42.7%	48.9%	1.54%
CIGARETTES	42.3%	39.0%	45.6%	1.66%
SMOKELESS TOBACCO	21.5%	19.9%	23.1%	0.80%
ALCOHOL	73.8%	72.3%	75.2%	0.72%
INHALANTS	12.2%	10.8%	13.5%	0.68%
ANY ILLICIT DRUG	40.5%	38.6%	42.3%	0.93%
MARIJUANA	39.8%	38.1%	41.6%	0.88%
MARIJUANA ONLY	21.7%	19.7%	23.7%	1.00%
COCAINE OR CRACK	5.9%	4.2%	7.6%	0.84%
COCAINE	5.9%	4.2%	7.5%	0.84%
CRACK	1.0%	0.4%	1.5%	0.28%
HALLUCINOGENS	8.7%	6.8%	10.6%	0.94%
UPPERS	10.9%	9.2%	12.6%	0.84%
DOWNERS	10.9%	9.6%	12.2%	0.65%
ROHYPNOL	1.2%	0.6%	1.8%	0.29%
STEROIDS	1.6%	1.1%	2.2%	0.29%
ECSTASY	9.8%	7.5%	12.1%	1.14%
HEROIN	1.2%	0.8%	1.6%	0.19%
METHAMPHETAMINE	3.9%	3.0%	4.9%	0.48%
CODEINE	13.6%	11.8%	15.4%	0.89%
OXYCONTIN ETC	7.9%	6.2%	9.6%	0.85%
VICODIN ETC	17.8%	15.5%	20.2%	1.17%
VALIUM ETC	5.2%	3.8%	6.7%	0.73%
XANAX ETC	8.9%	7.1%	10.7%	0.91%
DXM ETC	5.3%	4.5%	6.1%	0.42%

TOBACCO	26.1%	23.6%	28.6%	1.25%
CIGARETTES	22.5%	20.0%	25.0%	1.25%
SMOKELESS TOBACCO	10.6%	8.8%	12.3%	0.86%
ALCOHOL	42.4%	40.1%	44.7%	1.13%
INHALANTS	2.8%	2.1%	3.5%	0.35%
ANY ILLICIT DRUG	19.3%	17.8%	20.9%	0.78%
MARIJUANA	17.7%	16.1%	19.2%	0.80%
MARIJUANA ONLY	6.6%	5.7%	7.6%	0.46%
COCAINE OR CRACK	1.4%	0.9%	1.8%	0.23%
COCAINE	1.3%	0.9%	1.8%	0.22%
CRACK	0.2%	0.0%	0.4%	0.09%
HALLUCINOGENS	2.3%	1.7%	3.0%	0.35%
UPPERS	4.2%	3.4%	5.0%	0.40%
DOWNERS	4.4%	3.8%	5.1%	0.32%
ROHYPNOL	0.3%	0.1%	0.4%	0.08%
STEROIDS	0.5%	0.3%	0.7%	0.10%
ECSTASY	2.4%	1.6%	3.2%	0.41%
HEROIN	0.4%	0.2%	0.6%	0.09%
METHAMPHETAMINE	1.2%	0.9%	1.5%	0.16%
CODEINE	4.2%	3.4%	5.0%	0.40%
OXYCONTIN ETC	2.1%	1.4%	2.8%	0.37%
VICODIN ETC	5.7%	4.9%	6.4%	0.38%
VALIUM ETC	1.1%	0.6%	1.6%	0.24%
XANAX ETC	2.7%	2.1%	3.4%	0.33%
DXM ETC	1.4%	0.9%	1.9%	0.23%

Lifetime Use of Selected Substances - African American Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	20.5%	17.9%	23.2%	1.32%
CIGARETTES	18.9%	16.4%	21.5%	1.28%
SMOKELESS TOBACCO	6.1%	4.8%	7.5%	0.67%
ALCOHOL	54.5%	51.4%	57.6%	1.55%
INHALANTS	12.3%	11.2%	13.3%	0.53%
ANY ILLICIT DRUG	27.2%	25.2%	29.3%	1.03%
MARIJUANA	27.0%	25.0%	29.0%	1.02%
MARIJUANA ONLY	20.0%	18.5%	21.5%	0.74%
COCAINE OR CRACK	1.8%	1.0%	2.6%	0.39%
COCAINE	1.5%	0.9%	2.1%	0.31%

Past 30-day Use of Selected Substances - African American Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.7%	5.4%	8.0%	0.64%
CIGARETTES	5.7%	4.5%	6.9%	0.59%
SMOKELESS TOBACCO	2.1%	1.5%	2.6%	0.28%
ALCOHOL	21.1%	19.2%	23.1%	0.98%
INHALANTS	3.7%	3.3%	4.1%	0.20%
ANY ILLICIT DRUG	12.2%	10.7%	13.7%	0.76%
MARIJUANA	11.5%	10.1%	12.9%	0.71%
MARIJUANA ONLY	7.7%	6.9%	8.6%	0.40%
COCAINE OR CRACK	0.6%	0.3%	1.0%	0.18%
COCAINE	0.5%	0.2%	0.9%	0.18%

CRACK	0.9%	0.5%	1.2%	0.19%
HALLUCINOGENS	1.9%	1.1%	2.6%	0.38%
UPPERS	2.4%	1.5%	3.3%	0.44%
DOWNERS	2.7%	1.6%	3.9%	0.56%
ROHYPNOL	0.9%	0.6%	1.3%	0.19%
STEROIDS	1.4%	1.0%	1.7%	0.17%
ECSTASY	3.0%	2.1%	3.8%	0.42%
HEROIN	0.9%	0.6%	1.2%	0.14%
METHAMPHETAMINE	1.3%	0.9%	1.8%	0.23%
CODEINE	11.8%	10.3%	13.3%	0.76%
OXYCONTIN ETC	2.2%	1.6%	2.8%	0.28%
VICODIN ETC	6.2%	5.3%	7.2%	0.46%
VALIUM ETC	1.2%	0.8%	1.6%	0.21%
XANAX ETC	2.5%	1.6%	3.3%	0.44%
DXM ETC	3.5%	2.6%	4.4%	0.45%

CRACK	0.3%	0.1%	0.4%	0.07%
HALLUCINOGENS	0.6%	0.2%	1.0%	0.19%
UPPERS	0.8%	0.5%	1.2%	0.19%
DOWNERS	1.0%	0.4%	1.7%	0.32%
ROHYPNOL	0.3%	0.1%	0.5%	0.10%
STEROIDS	0.4%	0.2%	0.6%	0.11%
ECSTASY	1.2%	0.8%	1.6%	0.19%
HEROIN	0.4%	0.2%	0.7%	0.11%
METHAMPHETAMINE	0.6%	0.3%	1.0%	0.18%
CODEINE	4.7%	3.9%	5.4%	0.39%
OXYCONTIN ETC	0.9%	0.5%	1.3%	0.20%
VICODIN ETC	2.3%	1.8%	2.9%	0.26%
VALIUM ETC	0.6%	0.3%	0.8%	0.13%
XANAX ETC	1.1%	0.5%	1.7%	0.31%
DXM ETC	1.8%	1.1%	2.5%	0.34%

Lifetime Use of Selected Substances - African American Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	11.9%	8.0%	15.8%	1.94%
CIGARETTES	11.3%	7.9%	14.8%	1.73%
SMOKELESS TOBACCO	2.5%	1.4%	3.6%	0.55%
ALCOHOL	33.3%	26.3%	40.4%	3.51%
INHALANTS	12.6%	8.5%	16.6%	2.03%
ANY ILLICIT DRUG	10.2%	7.6%	12.7%	1.27%
MARIJUANA	9.1%	6.8%	11.4%	1.13%
MARIJUANA ONLY	6.6%	4.5%	8.8%	1.08%
COCAINE OR CRACK	1.0%	0.3%	1.8%	0.37%
COCAINE	0.9%	0.2%	1.5%	0.34%
CRACK	0.9%	0.2%	1.6%	0.35%
HALLUCINOGENS	0.4%	0.1%	0.7%	0.14%
UPPERS	1.2%	0.6%	1.9%	0.34%
DOWNERS	0.9%	0.5%	1.3%	0.20%
ROHYPNOL	0.7%	0.0%	1.4%	0.34%
STEROIDS	1.6%	0.6%	2.6%	0.50%
ECSTASY	1.1%	0.5%	1.7%	0.31%
HEROIN	0.9%	0.2%	1.7%	0.38%
METHAMPHETAMINE	0.6%	0.1%	1.1%	0.25%
CODEINE	6.8%	5.1%	8.6%	0.87%
OXYCONTIN ETC	1.6%	0.7%	2.6%	0.46%

Past 30-day Use of Selected Substances - African American Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.1%	1.5%	4.6%	0.76%
CIGARETTES	3.0%	1.5%	4.5%	0.74%
SMOKELESS TOBACCO	0.3%	0.0%	0.5%	0.11%
ALCOHOL	8.8%	6.3%	11.4%	1.26%
INHALANTS	5.4%	3.9%	6.9%	0.75%
ANY ILLICIT DRUG	3.8%	2.3%	5.2%	0.71%
MARIJUANA	2.7%	1.4%	4.0%	0.66%
MARIJUANA ONLY	2.1%	1.1%	3.1%	0.51%
COCAINE OR CRACK	0.4%	0.1%	0.8%	0.18%
COCAINE	0.2%	0.0%	0.5%	0.12%
CRACK	0.3%	0.0%	0.7%	0.16%
HALLUCINOGENS	0.3%	0.0%	0.5%	0.12%
UPPERS	0.4%	0.1%	0.7%	0.16%
DOWNERS	0.1%	0.0%	0.3%	0.08%
ROHYPNOL	0.2%	-0.1%	0.5%	0.13%
STEROIDS	0.8%	0.2%	1.5%	0.32%
ECSTASY	0.7%	0.1%	1.3%	0.31%
HEROIN	0.4%	0.0%	0.9%	0.21%
METHAMPHETAMINE	0.1%	0.0%	0.3%	0.08%
CODEINE	3.5%	2.2%	4.8%	0.67%
OXYCONTIN ETC	0.7%	0.2%	1.3%	0.28%

VICODIN ETC	1.2%	0.4%	2.0%	0.39%
VALIUM ETC	0.3%	0.0%	0.6%	0.14%
XANAX ETC	0.6%	0.2%	1.0%	0.19%
DXM ETC	3.8%	1.9%	5.7%	0.95%

VICODIN ETC	0.7%	0.1%	1.3%	0.30%
VALIUM ETC	0.1%	-0.1%	0.3%	0.09%
XANAX ETC	0.1%	-0.1%	0.3%	0.09%
DXM ETC	2.1%	0.8%	3.5%	0.66%

Lifetime Use of Selected Substances - African American Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	15.7%	12.1%	19.4%	1.81%
CIGARETTES	14.2%	11.1%	17.4%	1.57%
SMOKELESS TOBACCO	4.0%	2.0%	6.0%	1.00%
ALCOHOL	45.3%	40.7%	49.8%	2.28%
INHALANTS	16.5%	13.6%	19.5%	1.48%
ANY ILLICIT DRUG	18.7%	12.8%	24.5%	2.93%
MARIJUANA	18.1%	12.6%	23.6%	2.77%
MARIJUANA ONLY	13.3%	8.6%	18.1%	2.36%
COCAINE OR CRACK	1.3%	0.5%	2.1%	0.40%
COCAINE	0.9%	0.1%	1.7%	0.41%
CRACK	0.8%	0.4%	1.3%	0.22%
HALLUCINOGENS	1.8%	0.8%	2.8%	0.49%
UPPERS	0.9%	-0.1%	1.9%	0.48%
DOWNERS	0.8%	-0.1%	1.8%	0.46%
ROHYPNOL	1.1%	0.5%	1.8%	0.33%
STEROIDS	2.5%	1.2%	3.8%	0.64%
ECSTASY	1.0%	0.1%	1.9%	0.44%
HEROIN	1.2%	-0.1%	2.6%	0.65%
METHAMPHETAMINE	1.0%	0.6%	1.5%	0.23%
CODEINE	7.9%	5.3%	10.6%	1.34%
OXYCONTIN ETC	0.5%	0.1%	1.0%	0.23%
VICODIN ETC	1.6%	0.5%	2.8%	0.58%
VALIUM ETC	0.7%	0.2%	1.2%	0.26%
XANAX ETC	1.6%	0.4%	2.9%	0.64%
DXM ETC	2.8%	2.1%	3.4%	0.32%

Past 30-day Use of Selected Substances - African American Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	2.8%	1.6%	4.0%	0.61%
CIGARETTES	2.4%	1.1%	3.6%	0.62%
SMOKELESS TOBACCO	1.1%	0.4%	1.8%	0.34%
ALCOHOL	17.0%	14.0%	19.9%	1.48%
INHALANTS	5.5%	4.6%	6.4%	0.46%
ANY ILLICIT DRUG	7.7%	5.2%	10.1%	1.23%
MARIJUANA	6.7%	4.4%	9.0%	1.16%
MARIJUANA ONLY	4.6%	2.7%	6.5%	0.96%
COCAINE OR CRACK	0.3%	0.0%	0.7%	0.17%
COCAINE	0.1%	0.0%	0.1%	0.05%
CRACK	0.3%	0.0%	0.7%	0.17%
HALLUCINOGENS	0.5%	-0.2%	1.1%	0.33%
UPPERS	0.4%	0.0%	0.7%	0.18%
DOWNERS	0.5%	-0.1%	1.1%	0.31%
ROHYPNOL	0.5%	0.0%	1.0%	0.27%
STEROIDS	0.7%	-0.1%	1.5%	0.41%
ECSTASY	0.4%	0.1%	0.8%	0.18%
HEROIN	0.6%	0.0%	1.3%	0.33%
METHAMPHETAMINE	0.3%	0.0%	0.7%	0.17%
CODEINE	3.9%	2.2%	5.6%	0.85%
OXYCONTIN ETC	0.1%	0.0%	0.2%	0.06%
VICODIN ETC	0.8%	0.1%	1.6%	0.35%
VALIUM ETC	0.2%	0.0%	0.4%	0.11%
XANAX ETC	0.5%	0.0%	1.0%	0.25%
DXM ETC	1.2%	0.3%	2.0%	0.42%

Lifetime Use of Selected Substances - African American Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	21.1%	16.6%	25.5%	2.23%
CIGARETTES	20.6%	16.0%	25.2%	2.29%

Past 30-day Use of Selected Substances - African American Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.6%	4.3%	9.0%	1.18%
CIGARETTES	6.3%	3.9%	8.7%	1.19%

SMOKELESS TOBACCO	5.4%	4.3%	6.5%	0.55%
ALCOHOL	58.1%	54.7%	61.6%	1.72%
INHALANTS	15.6%	13.5%	17.7%	1.07%
ANY ILLICIT DRUG	27.9%	24.1%	31.8%	1.93%
MARIJUANA	27.8%	23.7%	31.8%	2.02%
MARIJUANA ONLY	20.7%	17.0%	24.5%	1.88%
COCAINE OR CRACK	2.3%	1.3%	3.2%	0.47%
COCAINE	1.5%	0.9%	2.1%	0.31%
CRACK	1.3%	0.3%	2.3%	0.48%
HALLUCINOGENS	1.4%	0.5%	2.3%	0.44%
UPPERS	2.0%	0.9%	3.1%	0.55%
DOWNERS	2.4%	1.0%	3.8%	0.70%
ROHYPNOL	1.6%	0.5%	2.6%	0.53%
STEROIDS	0.5%	0.0%	1.0%	0.25%
ECSTASY	3.6%	2.5%	4.6%	0.51%
HEROIN	1.0%	0.3%	1.7%	0.35%
METHAMPHETAMINE	1.3%	0.4%	2.2%	0.45%
CODEINE	11.3%	9.0%	13.6%	1.13%
OXYCONTIN ETC	2.6%	1.2%	4.0%	0.68%
VICODIN ETC	5.4%	3.8%	6.9%	0.77%
VALIUM ETC	1.5%	0.5%	2.5%	0.49%
XANAX ETC	2.5%	1.0%	4.0%	0.75%
DXM ETC	4.4%	2.4%	6.4%	1.01%

SMOKELESS TOBACCO	1.9%	0.9%	2.9%	0.48%
ALCOHOL	21.4%	19.0%	23.8%	1.20%
INHALANTS	4.4%	2.6%	6.2%	0.91%
ANY ILLICIT DRUG	11.8%	9.2%	14.4%	1.32%
MARIJUANA	11.8%	9.0%	14.5%	1.37%
MARIJUANA ONLY	7.7%	5.7%	9.6%	0.97%
COCAINE OR CRACK	0.9%	0.3%	1.4%	0.27%
COCAINE	0.8%	0.3%	1.2%	0.23%
CRACK	0.5%	0.0%	0.9%	0.21%
HALLUCINOGENS	0.4%	0.1%	0.6%	0.12%
UPPERS	0.6%	0.1%	1.1%	0.26%
DOWNERS	0.7%	0.2%	1.2%	0.26%
ROHYPNOL	0.5%	0.1%	1.0%	0.24%
STEROIDS	0.0%	0.0%	0.0%	0.01%
ECSTASY	1.7%	1.0%	2.4%	0.35%
HEROIN	0.4%	-0.2%	0.9%	0.29%
METHAMPHETAMINE	0.3%	0.0%	0.6%	0.13%
CODEINE	4.1%	2.7%	5.5%	0.69%
OXYCONTIN ETC	1.2%	0.2%	2.3%	0.51%
VICODIN ETC	3.1%	1.8%	4.5%	0.66%
VALIUM ETC	1.0%	0.2%	1.8%	0.41%
XANAX ETC	1.1%	0.3%	1.9%	0.40%
DXM ETC	2.4%	1.2%	3.5%	0.57%

Lifetime Use of Selected Substances - African American Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	21.0%	17.4%	24.6%	1.78%
CIGARETTES	19.8%	16.2%	23.4%	1.82%
SMOKELESS TOBACCO	4.8%	3.2%	6.3%	0.78%
ALCOHOL	59.5%	54.8%	64.3%	2.37%
INHALANTS	9.5%	7.4%	11.7%	1.06%
ANY ILLICIT DRUG	32.1%	27.2%	37.1%	2.48%
MARIJUANA	31.6%	27.1%	36.2%	2.27%
MARIJUANA ONLY	24.2%	19.6%	28.7%	2.28%
COCAINE OR CRACK	2.3%	0.7%	3.9%	0.81%
COCAINE	1.9%	0.4%	3.5%	0.77%
CRACK	0.8%	0.1%	1.4%	0.33%
HALLUCINOGENS	2.6%	1.2%	3.9%	0.70%

Past 30-day Use of Selected Substances - African American Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.1%	4.1%	8.1%	0.99%
CIGARETTES	5.8%	3.8%	7.7%	0.97%
SMOKELESS TOBACCO	0.7%	0.2%	1.2%	0.25%
ALCOHOL	21.6%	17.1%	26.1%	2.26%
INHALANTS	2.5%	1.3%	3.7%	0.60%
ANY ILLICIT DRUG	14.3%	12.4%	16.2%	0.95%
MARIJUANA	13.5%	11.5%	15.6%	1.03%
MARIJUANA ONLY	9.6%	8.0%	11.3%	0.82%
COCAINE OR CRACK	0.5%	0.1%	0.8%	0.16%
COCAINE	0.3%	0.0%	0.5%	0.13%
CRACK	0.2%	0.0%	0.5%	0.15%
HALLUCINOGENS	0.3%	0.0%	0.6%	0.16%

UPPERS	1.9%	0.8%	3.1%	0.57%
DOWNERS	1.9%	0.6%	3.1%	0.64%
ROHYPNOL	0.7%	0.1%	1.3%	0.32%
STEROIDS	1.0%	0.4%	1.6%	0.31%
ECSTASY	3.4%	1.6%	5.2%	0.90%
HEROIN	0.5%	0.1%	0.9%	0.20%
METHAMPHETAMINE	1.5%	0.3%	2.6%	0.59%
CODEINE	12.2%	9.2%	15.1%	1.48%
OXYCONTIN ETC	2.5%	1.8%	3.1%	0.33%
VICODIN ETC	7.2%	4.5%	9.9%	1.35%
VALIUM ETC	0.9%	0.3%	1.6%	0.32%
XANAX ETC	1.9%	0.4%	3.4%	0.75%
DXM ETC	2.6%	1.4%	3.7%	0.56%

UPPERS	0.5%	0.1%	1.0%	0.22%
DOWNERS	0.4%	0.0%	0.9%	0.21%
ROHYPNOL	0.2%	0.0%	0.4%	0.11%
STEROIDS	0.4%	0.1%	0.8%	0.19%
ECSTASY	0.7%	0.2%	1.1%	0.23%
HEROIN	0.2%	-0.1%	0.5%	0.15%
METHAMPHETAMINE	1.3%	0.1%	2.4%	0.57%
CODEINE	5.6%	3.7%	7.5%	0.96%
OXYCONTIN ETC	0.9%	0.4%	1.3%	0.25%
VICODIN ETC	2.1%	1.2%	3.1%	0.47%
VALIUM ETC	0.6%	0.1%	1.1%	0.25%
XANAX ETC	0.5%	0.1%	0.9%	0.21%
DXM ETC	1.4%	0.3%	2.4%	0.51%

Lifetime Use of Selected Substances - African American Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	26.1%	21.9%	30.4%	2.11%
CIGARETTES	22.7%	18.9%	26.5%	1.91%
SMOKELESS TOBACCO	10.3%	6.4%	14.2%	1.96%
ALCOHOL	65.6%	62.4%	68.8%	1.59%
INHALANTS	10.6%	7.4%	13.7%	1.57%
ANY ILLICIT DRUG	35.3%	29.0%	41.6%	3.15%
MARIJUANA	35.9%	29.5%	42.3%	3.20%
MARIJUANA ONLY	25.2%	20.2%	30.1%	2.47%
COCAINE OR CRACK	2.8%	0.7%	5.0%	1.06%
COCAINE	2.8%	0.7%	5.0%	1.06%
CRACK	0.7%	0.1%	1.3%	0.30%
HALLUCINOGENS	3.2%	1.2%	5.2%	1.02%
UPPERS	4.6%	2.2%	7.0%	1.20%
DOWNERS	6.0%	2.7%	9.3%	1.66%
ROHYPNOL	0.5%	0.0%	0.9%	0.21%
STEROIDS	1.6%	0.2%	3.0%	0.70%
ECSTASY	4.3%	2.7%	5.9%	0.80%
HEROIN	0.8%	0.1%	1.5%	0.35%
METHAMPHETAMINE	1.8%	0.8%	2.8%	0.50%
CODEINE	18.7%	14.0%	23.3%	2.33%
OXYCONTIN ETC	3.2%	1.5%	4.9%	0.86%
VICODIN ETC	11.9%	8.6%	15.3%	1.69%
VALIUM ETC	1.4%	0.6%	2.1%	0.38%

Past 30-day Use of Selected Substances - African American Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	10.1%	6.3%	13.8%	1.87%
CIGARETTES	6.7%	3.9%	9.5%	1.41%
SMOKELESS TOBACCO	5.2%	2.6%	7.8%	1.31%
ALCOHOL	27.1%	23.1%	31.1%	2.02%
INHALANTS	2.0%	0.9%	3.1%	0.54%
ANY ILLICIT DRUG	16.7%	11.5%	21.9%	2.61%
MARIJUANA	15.8%	10.7%	20.8%	2.51%
MARIJUANA ONLY	10.1%	7.2%	12.9%	1.42%
COCAINE OR CRACK	1.2%	-0.5%	2.9%	0.85%
COCAINE	1.2%	-0.5%	2.9%	0.86%
CRACK	0.2%	-0.1%	0.4%	0.11%
HALLUCINOGENS	1.0%	0.2%	1.9%	0.42%
UPPERS	1.6%	0.3%	2.8%	0.62%
DOWNERS	2.9%	0.0%	5.7%	1.41%
ROHYPNOL	0.1%	-0.1%	0.3%	0.11%
STEROIDS	0.0%	0.0%	0.0%	0.00%
ECSTASY	1.5%	0.4%	2.5%	0.50%
HEROIN	0.6%	0.0%	1.3%	0.34%
METHAMPHETAMINE	1.1%	0.2%	2.0%	0.47%
CODEINE	7.4%	4.0%	10.7%	1.67%
OXYCONTIN ETC	1.4%	0.1%	2.6%	0.62%
VICODIN ETC	4.2%	1.8%	6.6%	1.21%
VALIUM ETC	0.5%	0.1%	1.0%	0.24%

XANAX ETC	4.0%	0.8%	7.2%	1.61%
DXM ETC	4.0%	1.7%	6.2%	1.11%

XANAX ETC	3.2%	0.2%	6.2%	1.50%
DXM ETC	1.6%	0.4%	2.8%	0.62%

Lifetime Use of Selected Substances - African American Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	29.4%	22.7%	36.1%	3.34%
CIGARETTES	26.4%	20.8%	31.9%	2.78%
SMOKELESS TOBACCO	11.1%	5.1%	17.1%	3.00%
ALCOHOL	68.3%	64.1%	72.4%	2.07%
INHALANTS	7.5%	5.3%	9.7%	1.10%
ANY ILLICIT DRUG	42.6%	38.4%	46.8%	2.11%
MARIJUANA	43.0%	38.7%	47.3%	2.14%
MARIJUANA ONLY	32.5%	28.8%	36.3%	1.87%
COCAINE OR CRACK	1.1%	0.2%	2.0%	0.45%
COCAINE	1.1%	0.2%	1.9%	0.41%
CRACK	0.4%	0.0%	0.9%	0.24%
HALLUCINOGENS	2.2%	0.4%	4.0%	0.92%
UPPERS	4.1%	2.8%	5.4%	0.66%
DOWNERS	5.0%	3.0%	7.1%	1.02%
ROHYPNOL	0.9%	0.0%	1.8%	0.46%
STEROIDS	1.0%	0.4%	1.7%	0.33%
ECSTASY	4.8%	2.9%	6.7%	0.94%
HEROIN	0.6%	-0.2%	1.4%	0.40%
METHAMPHETAMINE	1.9%	0.9%	3.0%	0.52%
CODEINE	15.4%	11.9%	18.9%	1.75%
OXYCONTIN ETC	3.0%	1.9%	4.1%	0.55%
VICODIN ETC	11.7%	8.5%	14.9%	1.59%
VALIUM ETC	2.5%	1.5%	3.5%	0.50%
XANAX ETC	4.4%	3.0%	5.8%	0.71%
DXM ETC	3.1%	1.8%	4.4%	0.65%

Past 30-day Use of Selected Substances - African American Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	12.9%	9.8%	16.0%	1.56%
CIGARETTES	11.2%	8.8%	13.6%	1.21%
SMOKELESS TOBACCO	3.7%	1.7%	5.7%	1.01%
ALCOHOL	33.3%	28.2%	38.5%	2.58%
INHALANTS	2.0%	0.6%	3.4%	0.71%
ANY ILLICIT DRUG	20.7%	18.1%	23.3%	1.30%
MARIJUANA	20.6%	18.2%	22.9%	1.17%
MARIJUANA ONLY	13.6%	11.4%	15.9%	1.11%
COCAINE OR CRACK	0.6%	0.1%	1.1%	0.23%
COCAINE	0.6%	0.1%	1.1%	0.24%
CRACK	0.1%	-0.1%	0.2%	0.06%
HALLUCINOGENS	1.4%	0.1%	2.7%	0.67%
UPPERS	1.8%	0.7%	2.9%	0.56%
DOWNERS	1.8%	0.7%	2.8%	0.53%
ROHYPNOL	0.2%	-0.2%	0.6%	0.18%
STEROIDS	0.4%	0.0%	0.8%	0.20%
ECSTASY	2.1%	0.8%	3.4%	0.65%
HEROIN	0.4%	-0.3%	1.1%	0.34%
METHAMPHETAMINE	0.8%	0.3%	1.3%	0.26%
CODEINE	3.8%	2.4%	5.2%	0.70%
OXYCONTIN ETC	1.1%	0.4%	1.8%	0.37%
VICODIN ETC	3.2%	2.1%	4.4%	0.57%
VALIUM ETC	1.1%	0.3%	1.9%	0.40%
XANAX ETC	1.2%	0.4%	1.9%	0.37%
DXM ETC	2.2%	1.0%	3.4%	0.58%

Lifetime Use of Selected Substances - Mexican American Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	29.3%	27.7%	30.8%	0.78%
CIGARETTES	28.3%	26.8%	29.7%	0.72%
SMOKELESS TOBACCO	7.8%	7.1%	8.6%	0.38%
ALCOHOL	60.1%	57.9%	62.3%	1.10%

Past 30-day Use of Selected Substances - Mexican American Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	10.5%	9.5%	11.5%	0.48%
CIGARETTES	9.8%	8.9%	10.7%	0.44%
SMOKELESS TOBACCO	2.7%	2.3%	3.2%	0.24%
ALCOHOL	27.1%	25.4%	28.8%	0.86%

INHALANTS	17.7%	16.4%	19.0%	0.64%
ANY ILLICIT DRUG	30.4%	28.7%	32.1%	0.85%
MARIJUANA	29.1%	27.3%	30.8%	0.88%
MARIJUANA ONLY	15.9%	14.5%	17.3%	0.68%
COCAINE OR CRACK	6.3%	5.8%	6.9%	0.26%
COCAINE	5.9%	5.4%	6.4%	0.25%
CRACK	1.8%	1.5%	2.1%	0.14%
HALLUCINOGENS	4.0%	3.5%	4.6%	0.28%
UPPERS	4.9%	4.4%	5.3%	0.23%
DOWNERS	5.6%	4.9%	6.3%	0.34%
ROHYPNOL	2.9%	2.3%	3.5%	0.31%
STEROIDS	1.3%	1.1%	1.5%	0.12%
ECSTASY	7.0%	5.9%	8.0%	0.52%
HEROIN	1.3%	1.1%	1.5%	0.09%
METHAMPHETAMINE	2.7%	2.4%	2.9%	0.14%
CODEINE	11.1%	10.0%	12.3%	0.59%
OXYCONTIN ETC	3.2%	2.7%	3.7%	0.25%
VICODIN ETC	6.2%	5.5%	6.9%	0.35%
VALIUM ETC	1.7%	1.3%	2.1%	0.18%
XANAX ETC	3.5%	2.7%	4.3%	0.41%
DXM ETC	5.0%	4.4%	5.6%	0.32%

INHALANTS	5.8%	5.1%	6.4%	0.31%
ANY ILLICIT DRUG	13.6%	12.4%	14.8%	0.58%
MARIJUANA	12.1%	11.0%	13.3%	0.58%
MARIJUANA ONLY	5.3%	4.7%	5.9%	0.31%
COCAINE OR CRACK	2.0%	1.7%	2.2%	0.11%
COCAINE	1.8%	1.6%	2.0%	0.10%
CRACK	0.5%	0.4%	0.6%	0.05%
HALLUCINOGENS	1.4%	1.2%	1.6%	0.10%
UPPERS	1.8%	1.5%	2.1%	0.14%
DOWNERS	2.1%	1.8%	2.5%	0.17%
ROHYPNOL	1.1%	0.8%	1.4%	0.15%
STEROIDS	0.4%	0.3%	0.5%	0.06%
ECSTASY	2.1%	1.7%	2.5%	0.18%
HEROIN	0.4%	0.3%	0.4%	0.04%
METHAMPHETAMINE	0.7%	0.6%	0.8%	0.06%
CODEINE	4.3%	3.8%	4.8%	0.26%
OXYCONTIN ETC	1.1%	1.0%	1.3%	0.08%
VICODIN ETC	2.4%	2.0%	2.7%	0.16%
VALIUM ETC	0.6%	0.5%	0.7%	0.06%
XANAX ETC	1.4%	1.1%	1.8%	0.20%
DXM ETC	2.0%	1.7%	2.2%	0.14%

Lifetime Use of Selected Substances - Mexican American Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	14.2%	11.3%	17.2%	1.48%
CIGARETTES	13.5%	10.5%	16.5%	1.51%
SMOKELESS TOBACCO	3.5%	2.5%	4.5%	0.49%
ALCOHOL	39.8%	34.6%	45.0%	2.58%
INHALANTS	21.1%	18.6%	23.6%	1.25%
ANY ILLICIT DRUG	12.9%	9.7%	16.1%	1.60%
MARIJUANA	11.1%	8.2%	13.9%	1.43%
MARIJUANA ONLY	6.8%	5.3%	8.3%	0.76%
COCAINE OR CRACK	2.7%	1.6%	3.7%	0.51%
COCAINE	1.8%	1.1%	2.6%	0.38%
CRACK	1.8%	1.1%	2.5%	0.34%
HALLUCINOGENS	1.2%	0.7%	1.8%	0.27%
UPPERS	1.0%	0.5%	1.5%	0.23%
DOWNERS	0.9%	0.5%	1.4%	0.20%
ROHYPNOL	1.2%	0.6%	1.8%	0.30%

Past 30-day Use of Selected Substances - Mexican American Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.2%	3.3%	5.1%	0.46%
CIGARETTES	3.7%	2.7%	4.7%	0.48%
SMOKELESS TOBACCO	1.2%	0.8%	1.6%	0.20%
ALCOHOL	14.2%	11.8%	16.5%	1.18%
INHALANTS	8.6%	7.5%	9.6%	0.54%
ANY ILLICIT DRUG	5.3%	3.9%	6.7%	0.70%
MARIJUANA	4.0%	2.8%	5.1%	0.58%
MARIJUANA ONLY	2.1%	1.5%	2.7%	0.30%
COCAINE OR CRACK	0.7%	0.4%	1.0%	0.15%
COCAINE	0.5%	0.3%	0.7%	0.09%
CRACK	0.5%	0.3%	0.8%	0.13%
HALLUCINOGENS	0.5%	0.3%	0.7%	0.11%
UPPERS	0.4%	0.1%	0.7%	0.15%
DOWNERS	0.5%	0.2%	0.8%	0.15%
ROHYPNOL	0.5%	0.3%	0.8%	0.12%

STEROIDS	1.3%	1.0%	1.7%	0.18%
ECSTASY	1.4%	0.9%	1.8%	0.23%
HEROIN	1.3%	0.8%	1.8%	0.25%
METHAMPHETAMINE	2.1%	1.3%	2.9%	0.38%
CODEINE	6.9%	5.5%	8.4%	0.74%
OXYCONTIN ETC	0.9%	0.6%	1.2%	0.16%
VICODIN ETC	1.3%	0.8%	1.9%	0.26%
VALIUM ETC	0.7%	0.3%	1.1%	0.19%
XANAX ETC	1.1%	0.6%	1.6%	0.24%
DXM ETC	3.9%	2.8%	5.1%	0.55%

STEROIDS	0.5%	0.2%	0.8%	0.15%
ECSTASY	0.5%	0.3%	0.7%	0.09%
HEROIN	0.4%	0.2%	0.5%	0.09%
METHAMPHETAMINE	0.7%	0.4%	1.0%	0.16%
CODEINE	3.0%	2.3%	3.8%	0.38%
OXYCONTIN ETC	0.4%	0.2%	0.6%	0.11%
VICODIN ETC	0.5%	0.2%	0.8%	0.16%
VALIUM ETC	0.1%	0.0%	0.2%	0.05%
XANAX ETC	0.5%	0.2%	0.7%	0.10%
DXM ETC	1.7%	1.1%	2.3%	0.30%

Lifetime Use of Selected Substances - Mexican American Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	20.8%	18.1%	23.5%	1.36%
CIGARETTES	20.0%	17.3%	22.7%	1.37%
SMOKELESS TOBACCO	5.5%	4.4%	6.6%	0.55%
ALCOHOL	52.2%	49.4%	55.0%	1.41%
INHALANTS	20.8%	19.1%	22.5%	0.85%
ANY ILLICIT DRUG	20.6%	18.3%	22.8%	1.11%
MARIJUANA	18.8%	16.5%	21.2%	1.18%
MARIJUANA ONLY	10.8%	9.2%	12.4%	0.79%
COCAINE OR CRACK	3.7%	2.9%	4.6%	0.43%
COCAINE	3.0%	2.3%	3.7%	0.36%
CRACK	1.9%	1.3%	2.5%	0.29%
HALLUCINOGENS	2.8%	2.1%	3.5%	0.35%
UPPERS	2.0%	1.5%	2.5%	0.25%
DOWNERS	2.6%	2.0%	3.2%	0.30%
ROHYPNOL	3.2%	2.5%	4.0%	0.39%
STEROIDS	1.2%	0.8%	1.7%	0.23%
ECSTASY	3.5%	2.9%	4.2%	0.32%
HEROIN	1.3%	0.9%	1.6%	0.16%
METHAMPHETAMINE	2.5%	1.8%	3.2%	0.36%
CODEINE	8.6%	7.0%	10.2%	0.79%
OXYCONTIN ETC	1.7%	1.1%	2.2%	0.28%
VICODIN ETC	2.4%	1.5%	3.3%	0.43%
VALIUM ETC	0.8%	0.5%	1.2%	0.17%
XANAX ETC	1.8%	1.1%	2.4%	0.33%
DXM ETC	5.5%	4.3%	6.7%	0.60%

Past 30-day Use of Selected Substances - Mexican American Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.0%	5.0%	7.0%	0.50%
CIGARETTES	5.3%	4.4%	6.2%	0.44%
SMOKELESS TOBACCO	2.0%	1.4%	2.6%	0.29%
ALCOHOL	20.4%	18.3%	22.5%	1.04%
INHALANTS	7.5%	6.1%	8.9%	0.70%
ANY ILLICIT DRUG	8.8%	7.4%	10.3%	0.73%
MARIJUANA	7.6%	6.3%	9.0%	0.66%
MARIJUANA ONLY	3.5%	2.7%	4.2%	0.37%
COCAINE OR CRACK	1.3%	0.9%	1.7%	0.21%
COCAINE	0.9%	0.6%	1.2%	0.16%
CRACK	0.6%	0.3%	1.0%	0.17%
HALLUCINOGENS	1.0%	0.7%	1.3%	0.14%
UPPERS	0.9%	0.6%	1.3%	0.15%
DOWNERS	1.2%	0.8%	1.6%	0.19%
ROHYPNOL	1.4%	0.9%	1.8%	0.23%
STEROIDS	0.2%	0.0%	0.3%	0.07%
ECSTASY	1.3%	0.9%	1.7%	0.20%
HEROIN	0.5%	0.3%	0.7%	0.10%
METHAMPHETAMINE	0.6%	0.4%	0.9%	0.13%
CODEINE	3.9%	3.1%	4.7%	0.40%
OXYCONTIN ETC	0.6%	0.4%	0.8%	0.10%
VICODIN ETC	1.2%	0.7%	1.7%	0.25%
VALIUM ETC	0.4%	0.2%	0.6%	0.09%
XANAX ETC	0.9%	0.6%	1.1%	0.14%
DXM ETC	2.7%	2.1%	3.4%	0.31%

Lifetime Use of Selected Substances - Mexican American Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	30.0%	27.4%	32.6%	1.29%
CIGARETTES	28.8%	25.9%	31.7%	1.46%
SMOKELESS TOBACCO	7.8%	7.1%	8.5%	0.37%
ALCOHOL	62.5%	59.7%	65.2%	1.37%
INHALANTS	18.9%	17.1%	20.7%	0.89%
ANY ILLICIT DRUG	31.9%	29.3%	34.6%	1.32%
MARIJUANA	30.8%	28.3%	33.3%	1.25%
MARIJUANA ONLY	16.9%	14.9%	18.9%	1.01%
COCAINE OR CRACK	5.9%	4.9%	6.9%	0.50%
COCAINE	5.3%	4.3%	6.3%	0.49%
CRACK	1.8%	1.5%	2.2%	0.19%
HALLUCINOGENS	4.1%	3.3%	4.8%	0.38%
UPPERS	4.6%	4.0%	5.1%	0.28%
DOWNERS	5.3%	4.6%	6.0%	0.35%
ROHYPNOL	3.5%	2.8%	4.1%	0.33%
STEROIDS	1.2%	0.8%	1.6%	0.19%
ECSTASY	6.5%	5.1%	7.8%	0.68%
HEROIN	1.4%	1.1%	1.7%	0.15%
METHAMPHETAMINE	2.8%	2.3%	3.4%	0.29%
CODEINE	11.1%	9.3%	12.8%	0.87%
OXYCONTIN ETC	3.4%	2.7%	4.0%	0.32%
VICODIN ETC	5.9%	5.1%	6.8%	0.40%
VALIUM ETC	2.3%	1.7%	2.9%	0.28%
XANAX ETC	3.7%	2.6%	4.9%	0.58%
DXM ETC	5.5%	4.6%	6.3%	0.44%

Past 30-day Use of Selected Substances - Mexican American Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	9.9%	8.7%	11.0%	0.57%
CIGARETTES	9.0%	7.8%	10.3%	0.64%
SMOKELESS TOBACCO	2.6%	2.1%	3.1%	0.26%
ALCOHOL	28.2%	25.7%	30.7%	1.23%
INHALANTS	6.2%	5.4%	7.0%	0.40%
ANY ILLICIT DRUG	14.7%	12.9%	16.5%	0.90%
MARIJUANA	13.3%	11.5%	15.2%	0.90%
MARIJUANA ONLY	6.2%	5.1%	7.2%	0.51%
COCAINE OR CRACK	1.6%	1.2%	2.1%	0.22%
COCAINE	1.4%	1.0%	1.8%	0.19%
CRACK	0.6%	0.4%	0.9%	0.10%
HALLUCINOGENS	1.9%	1.5%	2.3%	0.18%
UPPERS	2.0%	1.5%	2.4%	0.21%
DOWNERS	2.3%	1.9%	2.6%	0.18%
ROHYPNOL	1.5%	1.1%	2.0%	0.21%
STEROIDS	0.3%	0.2%	0.4%	0.07%
ECSTASY	2.4%	1.9%	3.0%	0.26%
HEROIN	0.6%	0.4%	0.7%	0.07%
METHAMPHETAMINE	0.7%	0.5%	0.9%	0.11%
CODEINE	4.1%	3.3%	4.9%	0.39%
OXYCONTIN ETC	1.2%	0.9%	1.5%	0.15%
VICODIN ETC	2.4%	2.0%	2.8%	0.21%
VALIUM ETC	0.9%	0.6%	1.2%	0.14%
XANAX ETC	1.5%	0.9%	2.2%	0.30%
DXM ETC	2.1%	1.5%	2.8%	0.33%

Lifetime Use of Selected Substances - Mexican American Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	34.0%	31.8%	36.3%	1.14%
CIGARETTES	32.9%	31.0%	34.8%	0.96%
SMOKELESS TOBACCO	8.3%	6.7%	9.9%	0.81%
ALCOHOL	68.0%	66.2%	69.9%	0.93%
INHALANTS	15.9%	13.9%	18.0%	1.02%
ANY ILLICIT DRUG	37.5%	35.7%	39.3%	0.89%

Past 30-day Use of Selected Substances - Mexican American Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	11.4%	10.1%	12.7%	0.67%
CIGARETTES	10.7%	9.5%	12.0%	0.61%
SMOKELESS TOBACCO	2.6%	1.8%	3.4%	0.40%
ALCOHOL	30.6%	29.3%	31.9%	0.66%
INHALANTS	4.3%	3.5%	5.1%	0.39%
ANY ILLICIT DRUG	16.4%	15.2%	17.7%	0.63%

MARIJUANA	36.3%	34.5%	38.1%	0.90%
MARIJUANA ONLY	20.2%	18.6%	21.9%	0.83%
COCAINE OR CRACK	7.6%	6.7%	8.5%	0.45%
COCAINE	7.2%	6.3%	8.1%	0.46%
CRACK	2.1%	1.6%	2.6%	0.27%
HALLUCINOGENS	5.1%	4.1%	6.1%	0.50%
UPPERS	6.4%	5.4%	7.4%	0.49%
DOWNERS	7.3%	6.0%	8.7%	0.68%
ROHYPNOL	3.3%	2.3%	4.3%	0.49%
STEROIDS	1.3%	0.9%	1.7%	0.19%
ECSTASY	8.7%	7.1%	10.4%	0.83%
HEROIN	1.3%	0.9%	1.7%	0.22%
METHAMPHETAMINE	2.7%	2.2%	3.2%	0.27%
CODEINE	12.4%	10.5%	14.3%	0.95%
OXYCONTIN ETC	3.4%	2.6%	4.2%	0.40%
VICODIN ETC	8.4%	7.1%	9.7%	0.66%
VALIUM ETC	1.8%	1.3%	2.3%	0.26%
XANAX ETC	3.8%	3.0%	4.7%	0.43%
DXM ETC	5.1%	4.3%	5.8%	0.38%

MARIJUANA	14.6%	13.3%	15.9%	0.64%
MARIJUANA ONLY	6.7%	6.0%	7.4%	0.36%
COCAINE OR CRACK	2.4%	1.8%	2.9%	0.29%
COCAINE	2.1%	1.5%	2.6%	0.29%
CRACK	0.6%	0.4%	0.8%	0.11%
HALLUCINOGENS	1.4%	1.0%	1.8%	0.20%
UPPERS	2.4%	1.9%	2.8%	0.22%
DOWNERS	2.8%	2.1%	3.5%	0.36%
ROHYPNOL	1.2%	0.7%	1.7%	0.25%
STEROIDS	0.5%	0.2%	0.8%	0.15%
ECSTASY	2.4%	1.7%	3.2%	0.38%
HEROIN	0.2%	0.1%	0.3%	0.05%
METHAMPHETAMINE	0.6%	0.4%	0.8%	0.11%
CODEINE	4.6%	3.7%	5.5%	0.45%
OXYCONTIN ETC	1.2%	0.8%	1.6%	0.19%
VICODIN ETC	3.1%	2.4%	3.8%	0.36%
VALIUM ETC	0.7%	0.4%	1.0%	0.14%
XANAX ETC	1.5%	1.0%	2.0%	0.25%
DXM ETC	1.7%	1.3%	2.1%	0.20%

Lifetime Use of Selected Substances - Mexican American Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	38.2%	35.3%	41.1%	1.44%
CIGARETTES	37.1%	34.3%	39.9%	1.40%
SMOKELESS TOBACCO	10.9%	9.4%	12.3%	0.73%
ALCOHOL	69.9%	67.1%	72.8%	1.42%
INHALANTS	14.2%	12.4%	16.0%	0.92%
ANY ILLICIT DRUG	40.5%	38.6%	42.3%	0.94%
MARIJUANA	39.5%	37.7%	41.3%	0.89%
MARIJUANA ONLY	20.5%	18.5%	22.5%	1.00%
COCAINE OR CRACK	9.7%	8.7%	10.7%	0.50%
COCAINE	9.6%	8.6%	10.6%	0.51%
CRACK	1.7%	1.0%	2.4%	0.37%
HALLUCINOGENS	5.7%	4.7%	6.7%	0.51%
UPPERS	7.9%	6.7%	9.1%	0.61%
DOWNERS	9.0%	7.5%	10.5%	0.74%
ROHYPNOL	3.3%	2.2%	4.4%	0.53%
STEROIDS	1.4%	0.9%	2.0%	0.28%
ECSTASY	11.5%	9.9%	13.1%	0.79%

Past 30-day Use of Selected Substances - Mexican American Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	14.5%	12.5%	16.5%	1.00%
CIGARETTES	13.8%	11.8%	15.7%	0.97%
SMOKELESS TOBACCO	4.2%	3.4%	5.0%	0.41%
ALCOHOL	32.8%	30.3%	35.3%	1.25%
INHALANTS	3.7%	2.8%	4.6%	0.46%
ANY ILLICIT DRUG	18.0%	16.1%	19.8%	0.90%
MARIJUANA	16.1%	14.1%	18.1%	1.01%
MARIJUANA ONLY	6.0%	5.3%	6.8%	0.37%
COCAINE OR CRACK	2.9%	2.2%	3.6%	0.34%
COCAINE	2.8%	2.1%	3.5%	0.33%
CRACK	0.3%	0.1%	0.6%	0.11%
HALLUCINOGENS	1.8%	1.3%	2.2%	0.24%
UPPERS	2.8%	1.8%	3.7%	0.45%
DOWNERS	3.2%	2.4%	4.0%	0.38%
ROHYPNOL	0.8%	0.4%	1.3%	0.23%
STEROIDS	0.6%	0.3%	0.9%	0.16%
ECSTASY	3.3%	2.4%	4.1%	0.43%

HEROIN	1.3%	0.9%	1.6%	0.18%
METHAMPHETAMINE	2.8%	2.3%	3.3%	0.25%
CODEINE	13.9%	12.8%	15.1%	0.57%
OXYCONTIN ETC	4.5%	3.4%	5.7%	0.57%
VICODIN ETC	9.0%	7.9%	10.1%	0.57%
VALIUM ETC	2.1%	1.4%	2.7%	0.33%
XANAX ETC	4.6%	3.6%	5.6%	0.52%
DXM ETC	5.6%	4.5%	6.8%	0.56%

HEROIN	0.2%	0.1%	0.4%	0.07%
METHAMPHETAMINE	0.8%	0.5%	1.2%	0.16%
CODEINE	5.4%	4.5%	6.3%	0.44%
OXYCONTIN ETC	2.0%	1.4%	2.6%	0.30%
VICODIN ETC	3.5%	3.0%	4.1%	0.29%
VALIUM ETC	0.6%	0.2%	0.9%	0.16%
XANAX ETC	2.4%	1.7%	3.1%	0.35%
DXM ETC	2.0%	1.5%	2.5%	0.24%

Lifetime Use of Selected Substances - Mexican American Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	43.9%	41.7%	46.1%	1.09%
CIGARETTES	42.7%	40.6%	44.9%	1.09%
SMOKELESS TOBACCO	12.8%	11.1%	14.6%	0.87%
ALCOHOL	73.9%	71.7%	76.2%	1.14%
INHALANTS	13.1%	11.2%	15.0%	0.95%
ANY ILLICIT DRUG	44.3%	40.8%	47.8%	1.75%
MARIJUANA	43.5%	40.2%	46.7%	1.63%
MARIJUANA ONLY	23.0%	20.2%	25.9%	1.42%
COCAINE OR CRACK	10.1%	9.0%	11.3%	0.57%
COCAINE	10.0%	8.9%	11.1%	0.57%
CRACK	1.3%	0.9%	1.6%	0.16%
HALLUCINOGENS	6.3%	4.9%	7.6%	0.68%
UPPERS	9.0%	7.8%	10.3%	0.62%
DOWNERS	10.2%	8.7%	11.6%	0.73%
ROHYPNOL	3.0%	2.0%	4.1%	0.50%
STEROIDS	1.5%	1.0%	2.1%	0.28%
ECSTASY	12.3%	9.6%	14.9%	1.34%
HEROIN	1.2%	0.7%	1.6%	0.21%
METHAMPHETAMINE	3.2%	2.3%	4.1%	0.45%
CODEINE	15.5%	13.9%	17.1%	0.79%
OXYCONTIN ETC	6.1%	5.1%	7.0%	0.48%
VICODIN ETC	12.4%	10.6%	14.1%	0.88%
VALIUM ETC	2.8%	1.9%	3.6%	0.44%
XANAX ETC	7.1%	5.2%	9.0%	0.95%
DXM ETC	4.4%	3.6%	5.2%	0.41%

Past 30-day Use of Selected Substances - Mexican American Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	20.2%	18.7%	21.7%	0.75%
CIGARETTES	19.1%	17.6%	20.6%	0.76%
SMOKELESS TOBACCO	4.5%	3.6%	5.5%	0.48%
ALCOHOL	41.2%	39.1%	43.4%	1.09%
INHALANTS	3.3%	2.6%	4.0%	0.34%
ANY ILLICIT DRUG	21.1%	19.4%	22.8%	0.84%
MARIJUANA	19.6%	17.9%	21.4%	0.87%
MARIJUANA ONLY	8.1%	6.8%	9.3%	0.61%
COCAINE OR CRACK	3.6%	3.0%	4.3%	0.33%
COCAINE	3.5%	2.9%	4.2%	0.32%
CRACK	0.3%	0.1%	0.5%	0.09%
HALLUCINOGENS	1.7%	1.2%	2.2%	0.27%
UPPERS	2.8%	2.3%	3.3%	0.25%
DOWNERS	3.5%	2.9%	4.0%	0.29%
ROHYPNOL	1.1%	0.7%	1.5%	0.19%
STEROIDS	0.4%	0.3%	0.6%	0.08%
ECSTASY	3.2%	2.5%	3.9%	0.33%
HEROIN	0.3%	0.1%	0.4%	0.07%
METHAMPHETAMINE	0.9%	0.6%	1.3%	0.18%
CODEINE	5.1%	4.4%	5.7%	0.33%
OXYCONTIN ETC	1.8%	1.4%	2.1%	0.19%
VICODIN ETC	4.1%	3.5%	4.6%	0.28%
VALIUM ETC	1.0%	0.6%	1.5%	0.23%
XANAX ETC	2.3%	1.5%	3.1%	0.40%
DXM ETC	1.3%	1.0%	1.6%	0.14%

Lifetime Use of Selected Substances - Border Overall
--

Past 30-day Use of Selected Substances - Border Overall

CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	29.4%	27.9%	30.9%	0.77%
CIGARETTES	28.8%	27.3%	30.3%	0.75%
SMOKELESS TOBACCO	7.4%	7.1%	7.8%	0.19%
ALCOHOL	56.6%	52.0%	61.1%	2.26%
INHALANTS	18.9%	17.8%	20.1%	0.57%
ANY ILLICIT DRUG	28.5%	25.8%	31.2%	1.37%
MARIJUANA	26.6%	24.0%	29.3%	1.31%
MARIJUANA ONLY	12.6%	11.4%	13.9%	0.63%
COCAINE OR CRACK	6.9%	5.9%	7.8%	0.47%
COCAINE	6.3%	5.4%	7.2%	0.45%
CRACK	2.0%	1.7%	2.3%	0.15%
HALLUCINOGENS	3.9%	3.0%	4.9%	0.48%
UPPERS	5.4%	4.8%	6.0%	0.31%
DOWNERS	6.8%	5.6%	8.1%	0.63%
ROHYPNOL	4.6%	3.2%	6.0%	0.70%
STEROIDS	1.2%	1.0%	1.5%	0.12%
ECSTASY	8.1%	6.1%	10.2%	1.03%
HEROIN	1.1%	0.9%	1.4%	0.12%
METHAMPHETAMINE	2.4%	2.0%	2.7%	0.17%
CODEINE	9.9%	8.6%	11.1%	0.64%
OXYCONTIN ETC	2.6%	2.1%	3.2%	0.26%
VICODIN ETC	4.4%	3.1%	5.6%	0.63%
VALIUM ETC	1.6%	1.4%	1.8%	0.10%
XANAX ETC	3.4%	2.8%	4.0%	0.29%
DXM ETC	4.6%	3.5%	5.6%	0.53%

CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	11.5%	10.8%	12.1%	0.33%
CIGARETTES	11.0%	10.4%	11.7%	0.32%
SMOKELESS TOBACCO	2.8%	2.6%	3.1%	0.12%
ALCOHOL	26.1%	24.0%	28.2%	1.03%
INHALANTS	6.7%	5.4%	8.1%	0.66%
ANY ILLICIT DRUG	13.1%	11.7%	14.5%	0.70%
MARIJUANA	11.2%	9.9%	12.5%	0.64%
MARIJUANA ONLY	4.3%	3.8%	4.8%	0.24%
COCAINE OR CRACK	2.3%	1.9%	2.8%	0.22%
COCAINE	2.1%	1.6%	2.5%	0.22%
CRACK	0.7%	0.5%	0.9%	0.08%
HALLUCINOGENS	1.3%	1.0%	1.5%	0.12%
UPPERS	2.0%	1.6%	2.4%	0.19%
DOWNERS	2.7%	2.1%	3.3%	0.30%
ROHYPNOL	1.7%	1.1%	2.4%	0.32%
STEROIDS	0.5%	0.4%	0.5%	0.02%
ECSTASY	2.6%	2.0%	3.2%	0.29%
HEROIN	0.4%	0.4%	0.5%	0.05%
METHAMPHETAMINE	0.7%	0.6%	0.9%	0.06%
CODEINE	4.1%	3.6%	4.6%	0.25%
OXYCONTIN ETC	1.1%	0.9%	1.2%	0.09%
VICODIN ETC	1.8%	1.3%	2.3%	0.25%
VALIUM ETC	0.7%	0.6%	0.8%	0.06%
XANAX ETC	1.5%	1.3%	1.8%	0.13%
DXM ETC	1.9%	1.6%	2.2%	0.15%

Lifetime Use of Selected Substances - Border Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	11.8%	10.2%	13.4%	0.80%
CIGARETTES	11.3%	9.8%	12.8%	0.75%
SMOKELESS TOBACCO	2.7%	2.2%	3.3%	0.28%
ALCOHOL	32.5%	26.0%	39.1%	3.26%
INHALANTS	17.7%	15.8%	19.6%	0.95%
ANY ILLICIT DRUG	9.8%	7.4%	12.2%	1.18%
MARIJUANA	8.1%	5.9%	10.3%	1.09%
MARIJUANA ONLY	4.7%	3.7%	5.7%	0.50%
COCAINE OR CRACK	1.9%	1.1%	2.6%	0.37%

Past 30-day Use of Selected Substances - Border Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	4.2%	3.2%	5.1%	0.47%
CIGARETTES	3.7%	2.8%	4.6%	0.44%
SMOKELESS TOBACCO	1.1%	0.7%	1.5%	0.20%
ALCOHOL	11.3%	9.3%	13.4%	1.02%
INHALANTS	8.7%	6.9%	10.6%	0.94%
ANY ILLICIT DRUG	4.7%	3.1%	6.3%	0.81%
MARIJUANA	3.3%	1.9%	4.7%	0.71%
MARIJUANA ONLY	1.6%	0.8%	2.4%	0.41%
COCAINE OR CRACK	0.7%	0.4%	1.1%	0.18%

COCAINE	1.4%	0.8%	2.1%	0.32%
CRACK	1.2%	0.7%	1.6%	0.22%
HALLUCINOGENS	0.8%	0.5%	1.2%	0.18%
UPPERS	0.9%	0.3%	1.4%	0.28%
DOWNERS	1.0%	0.5%	1.6%	0.28%
ROHYPNOL	1.5%	0.8%	2.3%	0.38%
STEROIDS	1.1%	0.9%	1.4%	0.11%
ECSTASY	1.4%	0.7%	2.1%	0.35%
HEROIN	0.7%	0.4%	1.1%	0.16%
METHAMPHETAMINE	1.7%	1.1%	2.3%	0.32%
CODEINE	5.4%	4.2%	6.7%	0.63%
OXYCONTIN ETC	0.8%	0.5%	1.1%	0.15%
VICODIN ETC	0.8%	0.4%	1.2%	0.20%
VALIUM ETC	0.6%	0.2%	0.9%	0.17%
XANAX ETC	0.8%	0.5%	1.1%	0.16%
DXM ETC	2.8%	2.0%	3.7%	0.42%

COCAINE	0.5%	0.2%	0.8%	0.14%
CRACK	0.5%	0.3%	0.7%	0.11%
HALLUCINOGENS	0.3%	0.1%	0.5%	0.08%
UPPERS	0.4%	0.0%	0.8%	0.19%
DOWNERS	0.5%	0.2%	0.8%	0.16%
ROHYPNOL	0.8%	0.3%	1.2%	0.24%
STEROIDS	0.4%	0.2%	0.6%	0.08%
ECSTASY	0.5%	0.2%	0.8%	0.15%
HEROIN	0.3%	0.1%	0.4%	0.07%
METHAMPHETAMINE	0.6%	0.3%	0.9%	0.15%
CODEINE	2.2%	2.0%	2.5%	0.14%
OXYCONTIN ETC	0.4%	0.2%	0.6%	0.10%
VICODIN ETC	0.3%	0.1%	0.6%	0.12%
VALIUM ETC	0.3%	0.1%	0.5%	0.11%
XANAX ETC	0.5%	0.3%	0.7%	0.10%
DXM ETC	1.4%	1.0%	1.8%	0.19%

Lifetime Use of Selected Substances - Border Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	20.1%	17.9%	22.3%	1.09%
CIGARETTES	19.8%	17.7%	21.9%	1.04%
SMOKELESS TOBACCO	5.4%	4.6%	6.1%	0.38%
ALCOHOL	49.5%	44.1%	54.8%	2.69%
INHALANTS	22.0%	20.3%	23.7%	0.84%
ANY ILLICIT DRUG	19.1%	16.1%	22.1%	1.51%
MARIJUANA	16.5%	13.6%	19.4%	1.44%
MARIJUANA ONLY	8.0%	6.5%	9.6%	0.78%
COCAINE OR CRACK	4.7%	3.7%	5.8%	0.52%
COCAINE	3.6%	2.8%	4.4%	0.41%
CRACK	2.3%	1.6%	3.1%	0.37%
HALLUCINOGENS	2.3%	1.7%	3.0%	0.33%
UPPERS	2.6%	2.1%	3.2%	0.27%
DOWNERS	4.1%	3.2%	5.0%	0.46%
ROHYPNOL	4.1%	2.7%	5.6%	0.73%
STEROIDS	1.0%	0.6%	1.4%	0.21%
ECSTASY	3.5%	2.8%	4.1%	0.32%
HEROIN	1.4%	1.0%	1.7%	0.19%
METHAMPHETAMINE	2.4%	1.6%	3.2%	0.38%

Past 30-day Use of Selected Substances - Border Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	6.8%	5.7%	7.8%	0.52%
CIGARETTES	6.4%	5.4%	7.4%	0.49%
SMOKELESS TOBACCO	2.2%	1.8%	2.6%	0.21%
ALCOHOL	20.7%	18.8%	22.7%	0.95%
INHALANTS	9.5%	7.5%	11.6%	1.04%
ANY ILLICIT DRUG	8.9%	7.1%	10.8%	0.93%
MARIJUANA	6.9%	5.5%	8.3%	0.70%
MARIJUANA ONLY	2.8%	2.3%	3.4%	0.28%
COCAINE OR CRACK	1.9%	1.3%	2.5%	0.29%
COCAINE	1.4%	0.8%	2.0%	0.31%
CRACK	0.9%	0.5%	1.4%	0.21%
HALLUCINOGENS	1.0%	0.6%	1.4%	0.18%
UPPERS	1.4%	0.8%	2.0%	0.29%
DOWNERS	2.1%	1.4%	2.7%	0.34%
ROHYPNOL	1.8%	1.0%	2.6%	0.40%
STEROIDS	0.3%	0.1%	0.4%	0.07%
ECSTASY	1.6%	1.3%	1.9%	0.16%
HEROIN	0.9%	0.5%	1.2%	0.16%
METHAMPHETAMINE	0.9%	0.5%	1.2%	0.17%

CODEINE	8.1%	6.8%	9.4%	0.63%
OXYCONTIN ETC	1.5%	1.0%	1.9%	0.22%
VICODIN ETC	1.9%	1.2%	2.5%	0.32%
VALIUM ETC	1.0%	0.6%	1.4%	0.19%
XANAX ETC	1.8%	1.4%	2.1%	0.17%
DXM ETC	4.8%	3.9%	5.7%	0.45%

CODEINE	3.9%	3.2%	4.6%	0.34%
OXYCONTIN ETC	0.8%	0.6%	0.9%	0.08%
VICODIN ETC	1.1%	0.7%	1.4%	0.19%
VALIUM ETC	0.4%	0.2%	0.6%	0.08%
XANAX ETC	1.1%	0.8%	1.3%	0.13%
DXM ETC	2.4%	1.8%	3.0%	0.30%

Lifetime Use of Selected Substances - Border Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	29.8%	26.8%	32.7%	1.48%
CIGARETTES	29.0%	26.1%	31.9%	1.45%
SMOKELESS TOBACCO	7.5%	6.7%	8.3%	0.38%
ALCOHOL	58.8%	52.9%	64.6%	2.94%
INHALANTS	20.5%	18.6%	22.4%	0.96%
ANY ILLICIT DRUG	29.0%	25.8%	32.3%	1.63%
MARIJUANA	27.0%	23.9%	30.2%	1.57%
MARIJUANA ONLY	12.9%	10.9%	14.8%	0.98%
COCAINE OR CRACK	6.6%	5.3%	7.9%	0.64%
COCAINE	5.7%	4.5%	6.8%	0.57%
CRACK	2.7%	1.8%	3.5%	0.42%
HALLUCINOGENS	3.7%	2.1%	5.3%	0.82%
UPPERS	5.8%	4.6%	7.0%	0.59%
DOWNERS	7.1%	5.7%	8.6%	0.71%
ROHYPNOL	5.0%	3.6%	6.4%	0.70%
STEROIDS	1.0%	0.5%	1.5%	0.24%
ECSTASY	7.0%	4.6%	9.4%	1.20%
HEROIN	1.5%	1.0%	2.1%	0.28%
METHAMPHETAMINE	2.7%	1.9%	3.4%	0.36%
CODEINE	9.2%	7.3%	11.1%	0.96%
OXYCONTIN ETC	2.5%	1.5%	3.6%	0.52%
VICODIN ETC	3.7%	2.3%	5.0%	0.67%
VALIUM ETC	2.2%	1.4%	3.0%	0.40%
XANAX ETC	3.6%	2.4%	4.8%	0.59%
DXM ETC	5.2%	3.5%	6.9%	0.84%

Past 30-day Use of Selected Substances - Border Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	10.6%	9.8%	11.5%	0.41%
CIGARETTES	10.4%	9.5%	11.2%	0.43%
SMOKELESS TOBACCO	2.7%	2.1%	3.3%	0.31%
ALCOHOL	27.9%	24.5%	31.3%	1.70%
INHALANTS	7.0%	5.7%	8.3%	0.66%
ANY ILLICIT DRUG	13.9%	12.1%	15.8%	0.93%
MARIJUANA	12.2%	10.6%	13.7%	0.79%
MARIJUANA ONLY	4.6%	3.2%	5.9%	0.68%
COCAINE OR CRACK	2.1%	1.7%	2.6%	0.23%
COCAINE	1.8%	1.4%	2.2%	0.18%
CRACK	0.8%	0.5%	1.1%	0.15%
HALLUCINOGENS	1.7%	0.8%	2.5%	0.42%
UPPERS	2.4%	1.8%	3.0%	0.30%
DOWNERS	3.0%	2.4%	3.6%	0.28%
ROHYPNOL	2.2%	1.4%	3.0%	0.39%
STEROIDS	0.4%	0.2%	0.6%	0.10%
ECSTASY	2.6%	1.7%	3.4%	0.43%
HEROIN	0.6%	0.4%	0.8%	0.11%
METHAMPHETAMINE	0.8%	0.5%	1.0%	0.13%
CODEINE	4.0%	3.0%	5.0%	0.50%
OXYCONTIN ETC	1.2%	0.8%	1.6%	0.18%
VICODIN ETC	2.0%	1.2%	2.7%	0.38%
VALIUM ETC	1.2%	0.7%	1.7%	0.24%
XANAX ETC	1.6%	1.2%	2.0%	0.21%
DXM ETC	2.0%	1.3%	2.7%	0.33%

Lifetime Use of Selected Substances - Border Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	

Past 30-day Use of Selected Substances - Border Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	

TOBACCO	35.7%	34.0%	37.5%	0.86%
CIGARETTES	35.0%	33.3%	36.7%	0.86%
SMOKELESS TOBACCO	8.6%	8.0%	9.2%	0.31%
ALCOHOL	66.3%	64.2%	68.3%	1.01%
INHALANTS	18.6%	16.9%	20.4%	0.88%
ANY ILLICIT DRUG	36.5%	34.8%	38.2%	0.86%
MARIJUANA	34.7%	32.8%	36.5%	0.91%
MARIJUANA ONLY	17.0%	16.1%	17.8%	0.43%
COCAINE OR CRACK	8.0%	6.7%	9.3%	0.65%
COCAINE	7.7%	6.5%	8.9%	0.58%
CRACK	2.0%	1.3%	2.7%	0.35%
HALLUCINOGENS	4.8%	3.5%	6.1%	0.67%
UPPERS	6.8%	5.7%	7.9%	0.54%
DOWNERS	8.6%	5.9%	11.2%	1.33%
ROHYPNOL	5.8%	3.7%	8.0%	1.09%
STEROIDS	1.3%	1.1%	1.6%	0.13%
ECSTASY	10.1%	7.3%	12.9%	1.39%
HEROIN	0.8%	0.3%	1.3%	0.23%
METHAMPHETAMINE	2.2%	1.7%	2.7%	0.26%
CODEINE	11.1%	9.6%	12.7%	0.79%
OXYCONTIN ETC	2.4%	1.6%	3.1%	0.38%
VICODIN ETC	4.8%	3.0%	6.7%	0.95%
VALIUM ETC	1.4%	1.0%	1.8%	0.20%
XANAX ETC	3.1%	2.2%	4.0%	0.45%
DXM ETC	4.6%	3.5%	5.8%	0.57%

TOBACCO	12.5%	11.6%	13.4%	0.43%
CIGARETTES	11.9%	11.1%	12.7%	0.40%
SMOKELESS TOBACCO	3.2%	2.8%	3.5%	0.18%
ALCOHOL	29.8%	27.7%	32.0%	1.06%
INHALANTS	5.0%	3.2%	6.9%	0.92%
ANY ILLICIT DRUG	16.2%	14.2%	18.3%	1.01%
MARIJUANA	14.0%	11.9%	16.2%	1.07%
MARIJUANA ONLY	5.6%	4.6%	6.5%	0.48%
COCAINE OR CRACK	2.6%	2.0%	3.3%	0.31%
COCAINE	2.3%	1.9%	2.8%	0.24%
CRACK	0.7%	0.3%	1.1%	0.20%
HALLUCINOGENS	1.4%	1.0%	1.8%	0.21%
UPPERS	2.3%	1.9%	2.8%	0.23%
DOWNERS	3.4%	2.3%	4.6%	0.58%
ROHYPNOL	1.9%	1.0%	2.8%	0.43%
STEROIDS	0.6%	0.4%	0.8%	0.10%
ECSTASY	3.2%	2.4%	3.9%	0.39%
HEROIN	0.3%	0.1%	0.4%	0.07%
METHAMPHETAMINE	0.5%	0.3%	0.7%	0.12%
CODEINE	4.5%	3.7%	5.3%	0.39%
OXYCONTIN ETC	0.9%	0.7%	1.1%	0.12%
VICODIN ETC	1.8%	1.3%	2.4%	0.27%
VALIUM ETC	0.7%	0.6%	0.9%	0.09%
XANAX ETC	1.5%	1.0%	2.0%	0.23%
DXM ETC	1.9%	1.3%	2.5%	0.30%

Lifetime Use of Selected Substances - Border Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	39.3%	35.4%	43.1%	1.94%
CIGARETTES	38.5%	35.0%	42.0%	1.76%
SMOKELESS TOBACCO	10.6%	9.3%	12.0%	0.68%
ALCOHOL	67.7%	62.4%	73.0%	2.65%
INHALANTS	17.3%	15.8%	18.9%	0.79%
ANY ILLICIT DRUG	39.8%	35.6%	43.9%	2.07%
MARIJUANA	38.0%	33.8%	42.3%	2.11%
MARIJUANA ONLY	17.0%	14.3%	19.6%	1.32%
COCAINE OR CRACK	9.9%	8.2%	11.7%	0.88%
COCAINE	9.6%	7.9%	11.4%	0.88%
CRACK	1.9%	1.3%	2.6%	0.32%

Past 30-day Use of Selected Substances - Border Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	15.5%	14.1%	17.0%	0.71%
CIGARETTES	14.8%	13.3%	16.4%	0.76%
SMOKELESS TOBACCO	4.2%	3.7%	4.7%	0.24%
ALCOHOL	32.8%	30.4%	35.2%	1.22%
INHALANTS	4.9%	3.3%	6.5%	0.79%
ANY ILLICIT DRUG	18.3%	16.3%	20.4%	1.04%
MARIJUANA	16.0%	13.9%	18.1%	1.07%
MARIJUANA ONLY	5.8%	4.8%	6.8%	0.48%
COCAINE OR CRACK	3.1%	2.4%	3.9%	0.38%
COCAINE	3.0%	2.2%	3.8%	0.39%
CRACK	0.6%	0.3%	0.9%	0.14%

HALLUCINOGENS	6.1%	4.8%	7.4%	0.64%
UPPERS	8.3%	7.4%	9.1%	0.42%
DOWNERS	11.0%	8.8%	13.1%	1.06%
ROHYPNOL	5.6%	3.5%	7.7%	1.05%
STEROIDS	1.5%	0.9%	2.1%	0.28%
ECSTASY	13.1%	10.3%	15.9%	1.38%
HEROIN	1.3%	1.0%	1.5%	0.12%
METHAMPHETAMINE	2.0%	1.7%	2.4%	0.16%
CODEINE	12.8%	11.0%	14.6%	0.90%
OXYCONTIN ETC	4.4%	3.8%	5.0%	0.30%
VICODIN ETC	7.4%	5.4%	9.5%	1.01%
VALIUM ETC	1.9%	1.6%	2.2%	0.17%
XANAX ETC	5.1%	4.4%	5.8%	0.37%
DXM ETC	5.2%	3.0%	7.4%	1.09%

HALLUCINOGENS	1.7%	1.5%	2.0%	0.13%
UPPERS	2.8%	2.2%	3.4%	0.29%
DOWNERS	4.1%	3.2%	5.0%	0.45%
ROHYPNOL	1.8%	0.9%	2.7%	0.43%
STEROIDS	0.7%	0.5%	1.0%	0.13%
ECSTASY	3.9%	2.8%	5.0%	0.55%
HEROIN	0.4%	0.3%	0.5%	0.06%
METHAMPHETAMINE	0.8%	0.6%	1.1%	0.12%
CODEINE	5.4%	4.7%	6.0%	0.33%
OXYCONTIN ETC	1.7%	1.0%	2.4%	0.34%
VICODIN ETC	2.5%	1.6%	3.4%	0.44%
VALIUM ETC	0.7%	0.5%	0.8%	0.07%
XANAX ETC	2.7%	2.1%	3.2%	0.26%
DXM ETC	2.0%	1.1%	3.0%	0.46%

Lifetime Use of Selected Substances - Border Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	44.6%	42.2%	47.0%	1.19%
CIGARETTES	44.2%	41.7%	46.7%	1.24%
SMOKELESS TOBACCO	11.0%	9.2%	12.8%	0.90%
ALCOHOL	69.6%	65.2%	74.0%	2.19%
INHALANTS	16.5%	14.3%	18.6%	1.07%
ANY ILLICIT DRUG	41.8%	38.1%	45.5%	1.87%
MARIJUANA	40.5%	37.4%	43.6%	1.57%
MARIJUANA ONLY	18.4%	17.2%	19.7%	0.63%
COCAINE OR CRACK	11.5%	10.0%	13.0%	0.76%
COCAINE	11.2%	9.8%	12.6%	0.70%
CRACK	1.8%	1.4%	2.2%	0.21%
HALLUCINOGENS	6.8%	4.4%	9.1%	1.19%
UPPERS	9.0%	7.1%	10.9%	0.94%
DOWNERS	10.6%	8.4%	12.8%	1.11%
ROHYPNOL	6.0%	3.8%	8.1%	1.07%
STEROIDS	1.6%	1.3%	1.9%	0.17%
ECSTASY	16.2%	11.8%	20.5%	2.17%
HEROIN	1.0%	0.4%	1.7%	0.31%
METHAMPHETAMINE	3.1%	1.4%	4.9%	0.87%
CODEINE	13.8%	11.2%	16.3%	1.29%
OXYCONTIN ETC	4.9%	3.9%	6.0%	0.54%
VICODIN ETC	8.9%	6.5%	11.3%	1.21%

Past 30-day Use of Selected Substances - Border Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	21.9%	20.7%	23.0%	0.57%
CIGARETTES	21.6%	20.4%	22.9%	0.62%
SMOKELESS TOBACCO	4.0%	3.3%	4.7%	0.35%
ALCOHOL	37.3%	34.9%	39.7%	1.21%
INHALANTS	4.2%	2.8%	5.7%	0.71%
ANY ILLICIT DRUG	18.7%	16.7%	20.7%	1.00%
MARIJUANA	16.8%	14.9%	18.7%	0.94%
MARIJUANA ONLY	5.8%	5.0%	6.7%	0.43%
COCAINE OR CRACK	3.9%	3.0%	4.8%	0.43%
COCAINE	3.7%	2.9%	4.5%	0.40%
CRACK	0.5%	0.2%	0.8%	0.16%
HALLUCINOGENS	1.7%	0.9%	2.6%	0.42%
UPPERS	3.0%	2.3%	3.7%	0.35%
DOWNERS	3.6%	2.6%	4.7%	0.52%
ROHYPNOL	2.0%	1.2%	2.9%	0.42%
STEROIDS	0.7%	0.3%	1.0%	0.19%
ECSTASY	4.5%	3.5%	5.4%	0.48%
HEROIN	0.2%	0.0%	0.5%	0.13%
METHAMPHETAMINE	0.8%	0.3%	1.3%	0.26%
CODEINE	5.0%	4.2%	5.8%	0.42%
OXYCONTIN ETC	1.5%	1.2%	1.9%	0.19%
VICODIN ETC	3.2%	2.2%	4.1%	0.47%

VALIUM ETC	2.6%	1.6%	3.6%	0.50%
XANAX ETC	6.5%	4.9%	8.2%	0.82%
DXM ETC	4.7%	3.4%	6.0%	0.65%

VALIUM ETC	0.9%	0.7%	1.1%	0.12%
XANAX ETC	2.1%	1.5%	2.8%	0.31%
DXM ETC	1.4%	1.1%	1.8%	0.16%

Lifetime Use of Selected Substances - Non-Border Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	27.3%	25.2%	29.4%	1.06%
CIGARETTES	25.2%	23.1%	27.2%	1.04%
SMOKELESS TOBACCO	9.8%	8.7%	10.9%	0.54%
ALCOHOL	57.8%	55.7%	59.8%	1.01%
INHALANTS	15.0%	14.1%	16.0%	0.47%
ANY ILLICIT DRUG	27.0%	25.2%	28.8%	0.92%
MARIJUANA	26.2%	24.3%	28.0%	0.92%
MARIJUANA ONLY	15.8%	14.5%	17.1%	0.65%
COCAINE OR CRACK	4.0%	3.4%	4.6%	0.30%
COCAINE	3.7%	3.1%	4.3%	0.29%
CRACK	1.2%	1.0%	1.4%	0.10%
HALLUCINOGENS	4.1%	3.5%	4.7%	0.29%
UPPERS	4.5%	4.0%	5.0%	0.23%
DOWNERS	4.6%	4.0%	5.1%	0.25%
ROHYPNOL	1.4%	1.2%	1.6%	0.09%
STEROIDS	1.5%	1.3%	1.6%	0.09%
ECSTASY	5.2%	4.5%	5.8%	0.32%
HEROIN	1.1%	0.9%	1.2%	0.07%
METHAMPHETAMINE	2.5%	2.3%	2.8%	0.13%
CODEINE	11.1%	10.1%	12.1%	0.49%
OXYCONTIN ETC	3.8%	3.4%	4.3%	0.22%
VICODIN ETC	8.2%	7.6%	8.8%	0.29%
VALIUM ETC	2.1%	1.7%	2.5%	0.20%
XANAX ETC	4.0%	3.3%	4.8%	0.37%
DXM ETC	4.6%	4.1%	5.1%	0.25%

Past 30-day Use of Selected Substances - Non-Border Overall				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	10.9%	9.8%	12.0%	0.56%
CIGARETTES	9.5%	8.4%	10.5%	0.53%
SMOKELESS TOBACCO	3.8%	3.2%	4.4%	0.29%
ALCOHOL	24.9%	23.5%	26.3%	0.72%
INHALANTS	4.5%	4.1%	4.9%	0.20%
ANY ILLICIT DRUG	12.2%	11.1%	13.2%	0.51%
MARIJUANA	11.1%	10.1%	12.1%	0.51%
MARIJUANA ONLY	5.4%	4.8%	5.9%	0.28%
COCAINE OR CRACK	1.2%	1.0%	1.4%	0.11%
COCAINE	1.0%	0.9%	1.2%	0.09%
CRACK	0.3%	0.2%	0.4%	0.04%
HALLUCINOGENS	1.3%	1.1%	1.5%	0.10%
UPPERS	1.7%	1.5%	1.9%	0.10%
DOWNERS	1.8%	1.6%	2.1%	0.13%
ROHYPNOL	0.5%	0.4%	0.6%	0.04%
STEROIDS	0.4%	0.3%	0.6%	0.06%
ECSTASY	1.5%	1.3%	1.7%	0.12%
HEROIN	0.3%	0.3%	0.4%	0.04%
METHAMPHETAMINE	0.8%	0.7%	0.9%	0.05%
CODEINE	4.0%	3.5%	4.5%	0.24%
OXYCONTIN ETC	1.2%	1.1%	1.3%	0.06%
VICODIN ETC	2.9%	2.7%	3.2%	0.13%
VALIUM ETC	0.7%	0.6%	0.8%	0.06%
XANAX ETC	1.5%	1.2%	1.8%	0.16%
DXM ETC	1.7%	1.4%	2.0%	0.14%

Lifetime Use of Selected Substances - Non-Border Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	13.2%	10.4%	16.0%	1.40%
CIGARETTES	12.0%	9.2%	14.8%	1.39%
SMOKELESS TOBACCO	3.9%	2.9%	4.8%	0.49%

Past 30-day Use of Selected Substances - Non-Border Grade 7				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	3.6%	2.8%	4.4%	0.42%
CIGARETTES	3.2%	2.3%	4.1%	0.44%
SMOKELESS TOBACCO	1.1%	0.7%	1.5%	0.22%

ALCOHOL	37.1%	32.4%	41.8%	2.35%
INHALANTS	18.4%	16.0%	20.8%	1.20%
ANY ILLICIT DRUG	10.3%	7.6%	13.0%	1.35%
MARIJUANA	8.8%	6.3%	11.3%	1.25%
MARIJUANA ONLY	5.6%	4.1%	7.1%	0.75%
COCAINE OR CRACK	1.8%	1.1%	2.5%	0.35%
COCAINE	1.3%	0.7%	1.9%	0.28%
CRACK	1.2%	0.8%	1.7%	0.22%
HALLUCINOGENS	1.2%	0.8%	1.7%	0.23%
UPPERS	1.0%	0.6%	1.4%	0.18%
DOWNERS	0.8%	0.5%	1.1%	0.14%
ROHYPNOL	0.8%	0.4%	1.1%	0.17%
STEROIDS	1.5%	1.1%	1.9%	0.19%
ECSTASY	1.2%	0.9%	1.5%	0.17%
HEROIN	1.0%	0.6%	1.4%	0.20%
METHAMPHETAMINE	1.6%	1.1%	2.1%	0.25%
CODEINE	7.7%	6.3%	9.0%	0.68%
OXYCONTIN ETC	1.3%	0.9%	1.6%	0.17%
VICODIN ETC	1.9%	1.5%	2.3%	0.22%
VALIUM ETC	0.7%	0.4%	1.0%	0.14%
XANAX ETC	1.2%	0.8%	1.6%	0.19%
DXM ETC	3.8%	2.7%	5.0%	0.57%

ALCOHOL	11.5%	9.5%	13.4%	0.98%
INHALANTS	6.8%	5.8%	7.7%	0.46%
ANY ILLICIT DRUG	4.1%	3.0%	5.2%	0.55%
MARIJUANA	3.2%	2.2%	4.2%	0.51%
MARIJUANA ONLY	1.7%	1.1%	2.3%	0.29%
COCAINE OR CRACK	0.5%	0.3%	0.8%	0.11%
COCAINE	0.3%	0.2%	0.5%	0.08%
CRACK	0.4%	0.2%	0.6%	0.10%
HALLUCINOGENS	0.5%	0.4%	0.7%	0.09%
UPPERS	0.4%	0.2%	0.6%	0.10%
DOWNERS	0.3%	0.1%	0.6%	0.12%
ROHYPNOL	0.4%	0.2%	0.5%	0.08%
STEROIDS	0.6%	0.4%	0.8%	0.12%
ECSTASY	0.5%	0.3%	0.7%	0.09%
HEROIN	0.3%	0.2%	0.5%	0.08%
METHAMPHETAMINE	0.5%	0.3%	0.7%	0.09%
CODEINE	3.3%	2.6%	4.0%	0.35%
OXYCONTIN ETC	0.4%	0.2%	0.6%	0.10%
VICODIN ETC	0.7%	0.4%	1.1%	0.16%
VALIUM ETC	0.1%	0.0%	0.2%	0.03%
XANAX ETC	0.4%	0.2%	0.5%	0.08%
DXM ETC	1.7%	1.1%	2.2%	0.26%

Lifetime Use of Selected Substances - Non-Border Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	18.9%	16.4%	21.4%	1.24%
CIGARETTES	17.3%	14.8%	19.7%	1.24%
SMOKELESS TOBACCO	5.8%	4.7%	6.8%	0.52%
ALCOHOL	47.3%	44.6%	50.0%	1.34%
INHALANTS	17.1%	15.9%	18.2%	0.56%
ANY ILLICIT DRUG	16.3%	13.9%	18.8%	1.23%
MARIJUANA	15.3%	12.9%	17.8%	1.23%
MARIJUANA ONLY	9.7%	8.0%	11.5%	0.87%
COCAINE OR CRACK	2.1%	1.5%	2.7%	0.30%
COCAINE	1.6%	1.1%	2.1%	0.26%
CRACK	1.2%	0.8%	1.5%	0.16%
HALLUCINOGENS	2.4%	1.9%	3.0%	0.27%
UPPERS	1.5%	1.0%	2.0%	0.24%

Past 30-day Use of Selected Substances - Non-Border Grade 8				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	5.1%	4.2%	6.1%	0.46%
CIGARETTES	4.3%	3.5%	5.1%	0.40%
SMOKELESS TOBACCO	1.9%	1.2%	2.5%	0.32%
ALCOHOL	16.4%	14.6%	18.2%	0.91%
INHALANTS	5.4%	4.7%	6.2%	0.35%
ANY ILLICIT DRUG	6.8%	5.5%	8.1%	0.65%
MARIJUANA	6.0%	4.9%	7.2%	0.58%
MARIJUANA ONLY	3.1%	2.5%	3.7%	0.31%
COCAINE OR CRACK	0.6%	0.4%	0.9%	0.12%
COCAINE	0.4%	0.3%	0.5%	0.07%
CRACK	0.3%	0.1%	0.6%	0.12%
HALLUCINOGENS	0.8%	0.6%	1.0%	0.10%
UPPERS	0.7%	0.5%	0.9%	0.11%

DOWNERS	1.4%	1.0%	1.8%	0.22%
ROHYPNOL	1.7%	1.3%	2.0%	0.18%
STEROIDS	1.6%	1.2%	2.1%	0.21%
ECSTASY	2.3%	1.8%	2.8%	0.24%
HEROIN	0.9%	0.5%	1.3%	0.19%
METHAMPHETAMINE	1.9%	1.4%	2.5%	0.27%
CODEINE	8.2%	7.0%	9.5%	0.63%
OXYCONTIN ETC	1.8%	1.4%	2.3%	0.24%
VICODIN ETC	3.1%	2.3%	4.0%	0.40%
VALIUM ETC	0.8%	0.5%	1.2%	0.17%
XANAX ETC	1.9%	1.2%	2.5%	0.31%
DXM ETC	4.4%	3.2%	5.7%	0.63%

DOWNERS	0.6%	0.5%	0.8%	0.09%
ROHYPNOL	0.6%	0.4%	0.8%	0.10%
STEROIDS	0.3%	0.2%	0.4%	0.07%
ECSTASY	0.7%	0.4%	1.0%	0.14%
HEROIN	0.2%	0.1%	0.4%	0.06%
METHAMPHETAMINE	0.5%	0.3%	0.6%	0.09%
CODEINE	3.4%	2.7%	4.1%	0.36%
OXYCONTIN ETC	0.5%	0.3%	0.7%	0.08%
VICODIN ETC	1.2%	0.8%	1.6%	0.20%
VALIUM ETC	0.3%	0.2%	0.5%	0.06%
XANAX ETC	0.7%	0.4%	1.0%	0.14%
DXM ETC	2.1%	1.3%	2.9%	0.39%

Lifetime Use of Selected Substances - Non-Border Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	26.7%	24.0%	29.4%	1.35%
CIGARETTES	24.4%	21.6%	27.2%	1.38%
SMOKELESS TOBACCO	9.1%	8.2%	10.1%	0.48%
ALCOHOL	59.9%	57.6%	62.3%	1.18%
INHALANTS	16.5%	15.1%	17.9%	0.70%
ANY ILLICIT DRUG	26.7%	23.6%	29.9%	1.57%
MARIJUANA	26.0%	22.9%	29.1%	1.55%
MARIJUANA ONLY	16.0%	14.0%	18.0%	1.01%
COCAINE OR CRACK	3.4%	2.5%	4.2%	0.42%
COCAINE	3.1%	2.3%	3.9%	0.40%
CRACK	1.0%	0.8%	1.3%	0.12%
HALLUCINOGENS	3.8%	3.1%	4.4%	0.31%
UPPERS	3.4%	2.9%	3.9%	0.26%
DOWNERS	3.5%	2.8%	4.1%	0.32%
ROHYPNOL	1.8%	1.4%	2.1%	0.16%
STEROIDS	1.2%	0.9%	1.5%	0.15%
ECSTASY	4.6%	3.7%	5.6%	0.45%
HEROIN	1.1%	0.8%	1.3%	0.12%
METHAMPHETAMINE	2.3%	1.9%	2.8%	0.23%
CODEINE	10.6%	9.4%	11.9%	0.61%
OXYCONTIN ETC	3.8%	3.3%	4.3%	0.25%
VICODIN ETC	7.1%	6.4%	7.8%	0.35%
VALIUM ETC	2.0%	1.5%	2.5%	0.25%
XANAX ETC	3.9%	2.9%	4.9%	0.51%

Past 30-day Use of Selected Substances - Non-Border Grade 9				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	9.7%	8.1%	11.2%	0.76%
CIGARETTES	8.1%	6.5%	9.7%	0.81%
SMOKELESS TOBACCO	3.4%	2.9%	4.0%	0.29%
ALCOHOL	24.2%	22.2%	26.3%	1.02%
INHALANTS	4.8%	4.2%	5.4%	0.29%
ANY ILLICIT DRUG	11.9%	10.1%	13.7%	0.90%
MARIJUANA	11.1%	9.3%	12.8%	0.89%
MARIJUANA ONLY	5.7%	4.8%	6.5%	0.42%
COCAINE OR CRACK	0.9%	0.7%	1.2%	0.12%
COCAINE	0.8%	0.6%	1.0%	0.10%
CRACK	0.3%	0.2%	0.5%	0.07%
HALLUCINOGENS	1.4%	1.2%	1.6%	0.10%
UPPERS	1.4%	1.1%	1.7%	0.15%
DOWNERS	1.5%	1.1%	1.8%	0.17%
ROHYPNOL	0.7%	0.5%	0.8%	0.09%
STEROIDS	0.2%	0.1%	0.3%	0.05%
ECSTASY	1.6%	1.3%	1.9%	0.17%
HEROIN	0.4%	0.2%	0.5%	0.08%
METHAMPHETAMINE	0.6%	0.4%	0.8%	0.10%
CODEINE	3.9%	3.2%	4.6%	0.34%
OXYCONTIN ETC	1.2%	0.9%	1.6%	0.18%
VICODIN ETC	2.8%	2.3%	3.4%	0.28%
VALIUM ETC	0.8%	0.6%	1.0%	0.11%
XANAX ETC	1.5%	1.0%	2.0%	0.25%

DXM ETC	4.6%	3.9%	5.3%	0.34%
---------	------	------	------	-------

DXM ETC	1.8%	1.3%	2.2%	0.22%
---------	------	------	------	-------

Lifetime Use of Selected Substances - Non-Border Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	30.8%	28.8%	32.7%	0.96%
CIGARETTES	28.5%	26.5%	30.5%	0.99%
SMOKELESS TOBACCO	10.8%	9.0%	12.6%	0.91%
ALCOHOL	63.8%	61.7%	65.9%	1.05%
INHALANTS	13.6%	12.3%	14.8%	0.63%
ANY ILLICIT DRUG	32.6%	30.7%	34.4%	0.94%
MARIJUANA	31.8%	29.8%	33.7%	0.97%
MARIJUANA ONLY	19.3%	17.7%	20.8%	0.78%
COCAINE OR CRACK	4.9%	3.9%	5.9%	0.50%
COCAINE	4.5%	3.5%	5.6%	0.52%
CRACK	1.6%	1.2%	2.0%	0.20%
HALLUCINOGENS	5.4%	4.6%	6.2%	0.40%
UPPERS	5.7%	4.9%	6.5%	0.39%
DOWNERS	5.8%	4.9%	6.7%	0.45%
ROHYPNOL	1.7%	1.2%	2.1%	0.21%
STEROIDS	1.3%	1.1%	1.6%	0.13%
ECSTASY	6.6%	5.6%	7.7%	0.53%
HEROIN	1.2%	1.0%	1.4%	0.10%
METHAMPHETAMINE	2.8%	2.3%	3.3%	0.26%
CODEINE	12.2%	10.8%	13.6%	0.69%
OXYCONTIN ETC	4.7%	4.0%	5.4%	0.35%
VICODIN ETC	10.5%	9.2%	11.8%	0.65%
VALIUM ETC	2.6%	2.0%	3.1%	0.29%
XANAX ETC	4.7%	3.8%	5.6%	0.46%
DXM ETC	4.9%	4.4%	5.3%	0.21%

Past 30-day Use of Selected Substances - Non-Border Grade 10				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	12.5%	11.1%	13.9%	0.70%
CIGARETTES	11.1%	9.8%	12.4%	0.64%
SMOKELESS TOBACCO	4.2%	3.2%	5.2%	0.50%
ALCOHOL	28.1%	26.4%	29.7%	0.82%
INHALANTS	3.9%	3.3%	4.4%	0.29%
ANY ILLICIT DRUG	14.7%	13.9%	15.6%	0.42%
MARIJUANA	13.5%	12.5%	14.5%	0.50%
MARIJUANA ONLY	6.7%	6.0%	7.4%	0.34%
COCAINE OR CRACK	1.4%	1.1%	1.8%	0.18%
COCAINE	1.3%	0.9%	1.6%	0.17%
CRACK	0.4%	0.2%	0.5%	0.07%
HALLUCINOGENS	1.4%	1.1%	1.8%	0.18%
UPPERS	2.3%	2.0%	2.7%	0.16%
DOWNERS	2.4%	1.9%	2.8%	0.22%
ROHYPNOL	0.6%	0.3%	0.9%	0.15%
STEROIDS	0.6%	0.3%	0.8%	0.13%
ECSTASY	1.8%	1.2%	2.4%	0.31%
HEROIN	0.3%	0.2%	0.4%	0.04%
METHAMPHETAMINE	0.9%	0.7%	1.2%	0.13%
CODEINE	4.5%	4.0%	5.1%	0.27%
OXYCONTIN ETC	1.5%	1.1%	1.8%	0.16%
VICODIN ETC	3.8%	3.1%	4.6%	0.37%
VALIUM ETC	0.9%	0.6%	1.1%	0.13%
XANAX ETC	1.7%	1.2%	2.2%	0.25%
DXM ETC	1.6%	1.3%	1.9%	0.16%

Lifetime Use of Selected Substances - Non-Border Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	36.1%	33.8%	38.5%	1.18%
CIGARETTES	33.2%	31.1%	35.3%	1.05%
SMOKELESS TOBACCO	14.1%	12.2%	15.9%	0.93%
ALCOHOL	68.9%	66.9%	70.8%	1.00%
INHALANTS	12.4%	11.1%	13.6%	0.62%

Past 30-day Use of Selected Substances - Non-Border Grade 11				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	15.7%	13.9%	17.6%	0.90%
CIGARETTES	13.7%	12.0%	15.3%	0.83%
SMOKELESS TOBACCO	6.0%	5.1%	6.8%	0.43%
ALCOHOL	31.8%	30.0%	33.6%	0.89%
INHALANTS	2.7%	2.1%	3.4%	0.33%

ANY ILLICIT DRUG	37.4%	35.6%	39.2%	0.91%
MARIJUANA	36.7%	35.0%	38.5%	0.89%
MARIJUANA ONLY	21.8%	20.1%	23.5%	0.84%
COCAINE OR CRACK	6.3%	5.4%	7.1%	0.41%
COCAINE	6.1%	5.2%	6.9%	0.43%
CRACK	1.4%	0.9%	1.9%	0.25%
HALLUCINOGENS	5.9%	4.8%	7.1%	0.58%
UPPERS	7.5%	6.2%	8.7%	0.62%
DOWNERS	7.5%	6.2%	8.8%	0.63%
ROHYPNOL	1.4%	1.1%	1.7%	0.15%
STEROIDS	1.6%	1.3%	2.0%	0.17%
ECSTASY	8.3%	7.3%	9.3%	0.50%
HEROIN	1.1%	0.9%	1.3%	0.10%
METHAMPHETAMINE	3.4%	3.1%	3.7%	0.15%
CODEINE	13.9%	12.4%	15.5%	0.76%
OXYCONTIN ETC	5.4%	4.5%	6.3%	0.46%
VICODIN ETC	13.1%	11.7%	14.6%	0.73%
VALIUM ETC	3.0%	2.4%	3.7%	0.33%
XANAX ETC	5.6%	4.4%	6.8%	0.60%
DXM ETC	5.2%	4.5%	5.8%	0.33%

ANY ILLICIT DRUG	16.7%	14.7%	18.6%	0.97%
MARIJUANA	15.3%	13.1%	17.4%	1.06%
MARIJUANA ONLY	7.0%	6.1%	7.9%	0.46%
COCAINE OR CRACK	1.7%	1.2%	2.3%	0.29%
COCAINE	1.7%	1.1%	2.2%	0.28%
CRACK	0.3%	0.1%	0.4%	0.07%
HALLUCINOGENS	1.7%	1.3%	2.1%	0.21%
UPPERS	2.5%	1.7%	3.4%	0.42%
DOWNERS	2.9%	2.1%	3.8%	0.43%
ROHYPNOL	0.3%	0.2%	0.5%	0.07%
STEROIDS	0.6%	0.3%	0.9%	0.15%
ECSTASY	2.2%	1.8%	2.6%	0.20%
HEROIN	0.4%	0.2%	0.5%	0.08%
METHAMPHETAMINE	1.1%	0.8%	1.4%	0.15%
CODEINE	4.7%	3.8%	5.7%	0.49%
OXYCONTIN ETC	2.0%	1.5%	2.4%	0.22%
VICODIN ETC	4.6%	3.9%	5.4%	0.37%
VALIUM ETC	1.0%	0.7%	1.3%	0.15%
XANAX ETC	2.5%	1.8%	3.2%	0.37%
DXM ETC	1.7%	1.3%	2.0%	0.19%

Lifetime Use of Selected Substances - Non-Border Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	41.7%	39.6%	43.9%	1.09%
CIGARETTES	39.0%	36.8%	41.2%	1.10%
SMOKELESS TOBACCO	16.8%	15.2%	18.5%	0.83%
ALCOHOL	73.4%	71.7%	75.1%	0.86%
INHALANTS	10.9%	9.7%	12.2%	0.63%
ANY ILLICIT DRUG	42.6%	40.2%	44.9%	1.18%
MARIJUANA	42.1%	39.8%	44.4%	1.17%
MARIJUANA ONLY	24.8%	22.5%	27.2%	1.17%
COCAINE OR CRACK	6.3%	5.2%	7.3%	0.51%
COCAINE	6.2%	5.2%	7.3%	0.52%
CRACK	0.9%	0.5%	1.2%	0.17%
HALLUCINOGENS	6.7%	5.5%	8.0%	0.61%
UPPERS	9.2%	8.1%	10.2%	0.51%
DOWNERS	9.5%	8.5%	10.6%	0.54%
ROHYPNOL	1.1%	0.8%	1.5%	0.19%
STEROIDS	1.5%	1.1%	1.9%	0.21%

Past 30-day Use of Selected Substances - Non-Border Grade 12				
CATEGORY	Prevalence	Boundaries		Standard Error
		Lower	Upper	
TOBACCO	21.1%	19.9%	22.4%	0.63%
CIGARETTES	18.6%	17.5%	19.7%	0.56%
SMOKELESS TOBACCO	7.3%	6.1%	8.4%	0.58%
ALCOHOL	41.0%	39.1%	42.9%	0.95%
INHALANTS	2.7%	2.2%	3.1%	0.23%
ANY ILLICIT DRUG	20.8%	19.7%	21.8%	0.53%
MARIJUANA	19.4%	18.4%	20.5%	0.53%
MARIJUANA ONLY	8.7%	7.6%	9.8%	0.55%
COCAINE OR CRACK	2.0%	1.6%	2.4%	0.21%
COCAINE	2.0%	1.5%	2.4%	0.21%
CRACK	0.2%	0.1%	0.3%	0.07%
HALLUCINOGENS	2.0%	1.6%	2.4%	0.21%
UPPERS	3.3%	2.8%	3.8%	0.23%
DOWNERS	3.7%	3.2%	4.2%	0.25%
ROHYPNOL	0.3%	0.2%	0.4%	0.05%
STEROIDS	0.5%	0.3%	0.6%	0.06%

ECSTASY	8.9%	7.3%	10.4%	0.78%
HEROIN	1.2%	0.9%	1.4%	0.12%
METHAMPHETAMINE	3.4%	2.9%	4.0%	0.29%
CODEINE	14.9%	13.7%	16.1%	0.59%
OXYCONTIN ETC	6.7%	5.9%	7.6%	0.43%
VICODIN ETC	15.6%	14.3%	16.8%	0.60%
VALIUM ETC	3.9%	3.0%	4.8%	0.44%
XANAX ETC	7.6%	6.2%	9.0%	0.70%
DXM ETC	4.5%	4.0%	5.1%	0.28%

ECSTASY	2.4%	1.8%	3.0%	0.31%
HEROIN	0.4%	0.2%	0.5%	0.07%
METHAMPHETAMINE	1.1%	0.9%	1.4%	0.13%
CODEINE	4.4%	3.8%	5.0%	0.31%
OXYCONTIN ETC	1.9%	1.5%	2.2%	0.18%
VICODIN ETC	4.9%	4.4%	5.3%	0.24%
VALIUM ETC	1.1%	0.8%	1.5%	0.17%
XANAX ETC	2.3%	1.8%	2.9%	0.27%
DXM ETC	1.4%	1.2%	1.7%	0.11%

